



BRAÑA

BOLETÍN DA
SOCIEDADE GALEGA
DE HISTORIA NATURAL

2026

Nº 24

BRAÑA

BOLETÍN DA / PAPER FROM

**SOCIEDADE GALEGA
DE
HISTORIA NATURAL
(SGHN)**

2026

Nº 24

BRAÑA, BOLETÍN DA SOCIEDADE GALEGA DE HISTORIA NATURAL
BRAÑA, JOURNAL OF SOCIEDADE GALEGA DE HISTORIA NATURAL

Please address all editorial correspondence to / Dirección:

Stable URL: <http://www.sghn.org/Publicacions/Branha/Branha.html>

CONSELLO EDITORIAL

Xose Lois Rey-Muñiz
Álvaro María Rodríguez Pomares
Julio Valeiras Mota

Apartado de Correos nº 330
15780 Santiago de Compostela (A Coruña)
e-mail: boletinbranha@sghn.org

As opinións recollidas nos artigos, notas e comentarios son enteira responsabilidade dos autores e non son mantidas necesariamente pola SGHN.

Edita: Sociedade Galega de Historia Natural (SGHN)
Apartado de Correos nº 330
15780 Santiago de Compostela (A Coruña)
sghn@sghn.org

Deseño da portada: Xosé Manuel Gómez Vilasó (†)

Depósito Legal: C-917-1977
ISSN dixital: 2340-2288
ISSN papel: 0211-2469

Índice volume 24

Censos de aves acuáticas invernantes en Galicia 2016-2025	1-76
Normas de publicación do Boletín BRAÑA.	77-79

Contents volume 24

Waterbird winter counts in Galicia 2016-2025	1-76
Instructions to authors for publication in the Journal BRAÑA.	77-79

Monográfico editada en Open Access nos términos:
Monographic published in Open Access under the
terms:
Creative Commons attribution Non Comercial License
3.0.

B R A Ñ A
Revista científica da SGHN sobre Historia Natural
SGHN Scientific journal on Natural History
ISSN 0211-2469 (edición impresa / print edition)
ISSN 2340-2288 (edición dixital / online edition)

Censos de aves acuáticas invernantes en Galicia 2016-2025

Waterbird winter counts in Galicia 2016-2025

SGHN-Sección Ornitología¹ (A. Rodríguez Pomares e S. González Prieto, coord.)

Sociedade Galega de Historia Natural

Apartado de Correos nº 330; 15780 Santiago de Compostela (A CORUÑA).

ornitologia@sghn.org

RESUMO / ABSTRACT

A presente publicación recolle os datos dos censos invernais de aves acuáticas en 70 localidades de Galicia realizados no mes de xaneiro entre 2016 e 2025 pola Sociedade Galega de Historia Natural (en adiante, SGHN) no cadro dos censos coordinados a nivel europeo por Wetlands International. Dende 2021, nos censos de varias localidades de A Coruña colabora tamén o G.N. Hábitat. Para a realización dos censos das 70 localidades contouse coa participación dun total de 215 ornitólogos que aportaron persoalmente tódolos medios necesarios e correron con tódolos gastos; sen a súa colaboración altruísta e esforzada a realización destes censos sería imposible e, polo tanto, non existiría a presente publicación.

The present publication compiles the data 'by localities' from the waterbird January counts in 70 localities of Galicia (NW Spain) done by the Sociedade Galega de Historia Natural (Galician Society of Natural History, SGHN) between 2016 e 2025, in the framework of the European censuses coordinated by Wetlands International. Since 2021, the G.N. Habitat has also collaborated in the censuses of several localities in A Coruña. For the waterbird counts, a total of 215 birders provided altruistically their work as well as all the equipment required. Therefore, without their generous collaboration the present publication will not be possible.

PALABRAS CLAVE / KEY WORDS

Censos, aves, invernantes, Galicia, NW España

Waterbird, winter counts, Galicia, NW Spain

INTRODUCCIÓN

Os censos de aves acuáticas invernantes, que se realizan en 143 países baixo a coordinación de Wetlands International (2025), son un dos maiores e máis antigos programas de monitoreo da biodiversidade que se desenvolven no mundo e tamén unha das maiores expresións de ciencia cidadá, pois a meirande parte dos que participan neles son voluntarios. Os lugares censados son *“extensiones de marismas, pantanos e turbeiras, ou superficies cubertas de augas, sexan estas de réxime natural ou artificial, permanentes ou temporais, estancadas ou correntes, doces, salobres ou salgadas, incluídas as extensiones de auga mariña cuxa profundidade en marea baixa non exceda de seis metros e poderán comprender as súas zonas ribeiregas ou costeiras adxacentes, así como as illas ou extensiones de auga mariña dunha profundidade superior aos seis metros en marea baixa, cando se atopen dentro do humidal”* segundo a definición da convención sobre os humidais (CONVENCIÓN DE RAMSAR, 2025).

Entre as especies censadas inclúense todas as aves acuáticas que ocupen regularmente os humidais, como mergullóns, corvos mariños, garzas, cegoñas, ibises, cullereiros, flamingos, patos, gansos, cisnes, grous, rálidos, limícolas, gaivotas e carráns. Tamén se censan rapaces, picapeixes e outras aves que dependen dos recursos alimenticios que proporcionan os humidais (WETLANDS INTERNATIONAL, 2025). O obxectivo é coñecer os tamaños de poboación destas

INTRODUCTION

The winter aquatic bird censuses, which are carried out in 143 countries under the coordination of Wetlands International (2025), are one of the largest and long running biodiversity monitoring programs developed in the world and also one of the greatest expressions of citizen science, because the majority of those who participate in them are volunteers. The places surveyed are areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed six metres... and may incorporate riparian and coastal zones adjacent to the wetlands, and islands or bodies of marine water deeper than six metres at low tide lying within the wetlands" according to the definition of the Ramsar Convention (2025).

The species counted include all types of waterbirds regularly encountered at wetlands, including: grebes, cormorants, herons, egrets, storks, ibises, spoonbills, flamingos, ducks, geese, swans, cranes, rails, shorebirds, gulls and terns. Besides, also raptors, picapeixes and other birds that depend on the food resources that provide the wetlands are counted (Wetlands International, 2025). The objective is to identify the population sizes of these species and to detect possible changes in them; moreover, since they are useful bio-indicators, the censuses also allow to detect variations in the conservation status of aquatic ecosystems.

especies e detectar posibles cambios nos mesmos; ademais, posto que son uns bio-indicadores moi útiles, os censos permiten tamén detectar variacións no estado de conservación dos ecosistemas acuáticos.

En Europa os censos encádranse na ruta migratoria Atlántico leste e realízanse simultaneamente en todos os humedais na fin de semana máis próxima ao 15 de xaneiro de cada ano.

A realización de censos de aves acuáticas invernantes a partir de 1974 foi unha das primeiras actividades que desenvolveu o Grupo Ornitológico Galego (GOG), xermolo da actual SGHN na que se 'refundou' en 1977. Restringidos inicialmente a unhas poucas localidades e realizados cuns medios moi precarios comparados cos actuais, o GOG-SGHN continuou a facer ininterrompidamente os censos invernais ata a actualidade, parte dos cales xa están publicados (GONZÁLEZ & CARRIÓN, 2000; GONZÁLEZ, 2010; SGHN 2017a,b; SGHN 2018a,b,c).

MATERIAL E MÉTODOS

Como se ven facendo nas publicacións dos censos de SGHN dende 1996 (GONZÁLEZ & CARRIÓN, 2000; GONZÁLEZ, 2010; SGHN 2017a,b; SGHN 2018a,b,c), dividiuse Galicia e áreas adxacentes (Baixo Miño e Ría de Ribadeo) en sete áreas definidas por criterios bioxeográficos, prescindindo da división administrativa do territorio: Rías Altas do Cantábrico (4 localidades), Rías Altas do Atlántico (14 localidades), Cunca hidrográfica de Galicia Costa (10 localidades con censos regulares e 8 censadas ocasionalmente), Rías Baixas (7 localidades), Cunca do Miño (12 localidades), Cunca do Sil (10 localidades), Cunca do Limia (4 localidades) e Cunca do Tamega (1 localidade, dende 2020). Dependendo da súa superficie e do número de aves acuáticas invernantes, cada unha das localidades foi censada no mes de xaneiro de cada ano por 1-4 equipos de ornitólogos de SGHN (traballando simultánea e coordinadamente no caso de ser varios) empregando o material óptico máis axeitado en cada momento (binoculares e telescopios de diferentes aumentos e luminosidade).

RESULTADOS E DISCUSIÓN

As táboas amosan, para cada localidade e especie, os datos anuais no período 2016-25 e os promedios para cada un dos quinquenios dos últimos 30 anos: 1996-2000, 2001-05, 2006-10, 2011-15, 2016-20 e 2020-2025.

Rías Altas do Cantábrico

Na Rías Altas do Cantábrico rexistrouse a invernada anual de entre 2854 e 6028 aves, pertencentes a un total de 71 especies. Entre as catro localidades consideradas destaca a Ría de Ribadeo pola súa importancia tanto polo número total de especies rexistradas (61), como polo número de especies rexistradas anualmente (26-38) e os efectivos de aves acuáticas censadas (1295-3114 aves). Nun segundo lugar se sitúa a ría de Foz (54 especies rexistradas, con presenza anual de 24-43 especies e 1008-2485

In Europe, the censuses are in the frame of the Eastern Atlantic migratory route and take place simultaneously in all wetlands on the weekend around the 15th January of each year.

In Galicia, the surveys of wintering waterfowl starting in 1974 were one of the first activities developed by the Grupo Ornitológico Galego (GOG), which became the current SGHN in 1977. Restricted initially to a few localities and carried out with resources much more precarious compared to the current, the GOG-SGHN continued to make uninterruptedly the winter censuses up today, part of which have been already published (GONZÁLEZ & CARRIÓN, 2000; GONZÁLEZ, 2010; SGHN 2017a,b; SGHN 2018a,b,c).

MATERIAL AND METHODS

As in the publications of the SGHN censuses since 1996 (GONZÁLEZ & CARRIÓN, 2000; GONZÁLEZ, 2010; SGHN 2017a,b; SGHN 2018a,b,c), Galicia has been divided and adjacent areas (Miño estuary and Ribadeo estuary) were divided in seven areas with biogeographic criteria: Rías Altas do Cantábrico (4 localities), Rías Altas do Atlántico (14 localities), Galicia Costa Basin (7 localities), Rías Baixas (7 localities), Miño Basin (12 localities), Sil Basin (10 localities) and Limia Basin (4 localities). Besides, a locality in the Tamega Basin (the river and its floodplain between Laza and the border with Portugal) was censused from 2020. Depending on its surface and the number of wintering waterbirds, each locality was annually count in January by 1-4 teams of SGHN birders (working simultaneously and co-ordinately when more than one team), employing the optical equipment most appropriate in each case (binoculars and telescopes of different characteristics).

RESULTS AND DISCUSSION

The tables show, for each locality and species, the data by year in the 2016-25 period and the mean for each five-year period in the last thirty years: 1996-2000, 2001-05, 2006-10, 2011-15, 2016-20 e 2020-2025.

Rías Altas of the Cantabrian

In the Rías Altas of the Cantabrian, the annual wintering of between 2854 and 6028 birds was recorded, belonging to a total of 71 species. Among the four localities considered, the Ría de Ribadeo stands out for its importance both for the total number of species registered (61), as well as for the number of species registered annually (26-38) and the number of waterfowl recorded (1295-3114 birds). In second place is the estuary of Foz (54 registered species, with an annual presence of 24-43 species and 1008-2485 birds) and, already at a greater distance, the estuaries of Viveiro (36 registered species, with an annual presence of 14-22 species and 379-1728 birds) and O Barqueiro (20 registered species, with an annual presence of 7-11 species and 47-253 birds). Compared to the period 1996-2015, in the decade 2016-25 there were no records of:

- *P. grisegena*, *A. albifrons*, *A. nyroca*, *S. mollissima*, *M. fusca*, *B. clangula*, *M. merganser*, *R. aquaticus*,

aves) e, xa a maior distancia, as rías de Viveiro (36 especies rexistradas, con presenza anual de 14-22 especies e 379-1728 aves) e O Barqueiro (20 especies rexistradas, con presenza anual de 7-11 especies e 47-253 aves). En comparación co período 1996-2015, no decenio 2016-25 non houbo rexistros de:

- *P. grisegena*, *A. albifrons*, *A. nyroca*, *S. mollissima*, *M. fusca*, *B. clangula*, *M. merganser*, *R. aquaticus*, *F. atra*, *A. alexandrinus*, *C. canutus*, *C. alba*, *H. minutus* e *S. skua* na ría de Ribadeo.
- *G. stellata*, *G. arctica*, *P. cristatus*, *C. cygnus*, *A. anser*, *A. rubripes*, *A. collaris*, *A. fuligula*, *S. mollissima*, *B. clangula*, *M. merganser*, *R. aquaticus*, *G. grus*, *P. apricaria*, *G. gallinago*, *L. delawarensis*, *L. hyperboreus* e *U. aalge* na ría de Foz.
- *M. penelope*, *A. fuligula*, *S. mollissima*, *M. nigra*, *M. fusca*, *B. clangula*, *M. serrator*, *V. vanellus*, *C. maritima*, *T. totanus*, *L. hyperboreus* e *U. aalge* na ría de Viveiro.
- *E. garzetta*, *A. platyrhynchos*, *A. ferina* e *L. argentatus* na ría do Barqueiro

Pola contra, as especies sen rexistros nas Rías Altas do Cantábrico no período 1996-2015 pero si no decenio 2016-25 son as seguintes:

- *C. borealis*, *P. falcinellus*, *B. bernicla*, *A. collaris* e *L. glaucoides* na ría de Ribadeo.
- *G. immer*, *A. alba*, *P. leucorodia*, *A. crecca*, *A. acuta*, *R. aquaticus* e *P. haliaetus* na ría de Viveiro.
- *H. ostralegus*, *C. hiaticula* e *N. arquata* na ría do Barqueiro

Rías Altas do Atlántico

Nas Rías Altas do Atlántico rexistrouse a invernada anual de entre 15811 e 31586 aves, pertencentes a un total de 102 especies. Entre as 14 localidades consideradas destaca un primeiro grupo coas rías de Ortigueira (67 especies rexistradas, con presenza anual de 38-50 especies e 3416-6298 aves), Ares-Betanzos (69 especies rexistradas, con presenza anual de 28-51 especies e 2628-7247 aves), A Coruña (56 especies rexistradas, con presenza anual de 23-43 especies e 740-7266 aves) e Ferrol (50 especies rexistradas, con presenza anual de 20-31 especies e 1909-5696 aves). Nun segundo grupo están a ría de Corme-Laxe (57 especies rexistradas, con presenza anual de 23-37 especies e 737-1697 aves), A Frouxeira-Valdoviño (52 especies rexistradas, con presenza anual de 16-35 especies e 364-1693 aves), Baldaio (49 especies rexistradas, con presenza anual de 12-34 especies e 331-2695 aves), a praia de Caldebarcos-Carnota (40 especies rexistradas, con presenza anual de 12-31 especies e 467-2487 aves) e o treito de costa Muxía-Corcubión (30 especies rexistradas, con presenza anual de 4-22 especies e 90-3625 aves). Xa nun terceiro grupo aparecen a ría de Cedeira (43 especies rexistradas, con presenza anual de 14-22 especies e 319-563 aves), a lagoa e praia de Traba (31 especies rexistradas, con presenza anual de 6-23 especies e 42-644 aves) e a ría de Camariñas (32 especies rexistradas, con presenza anual de 10-21 especies e

F. atra, *C. alexandrinus*, *C. canutus*, *C. alba*, *L. minimus* and *S. skua* in the Ría of Ribadeo.

- *G. stellata*, *G. arctica*, *P. cristatus*, *C. cygnus*, *A. anser*, *A. rubripes*, *A. collaris*, *A. fuligula*, *S. mollissima*, *B. clangula*, *M. merganser*, *R. aquaticus*, *G. grus*, *P. apricaria*, *G. gallinago*, *L. delawarensis*, *L. hyperboreus* and *U. aalge* in the Ría of Foz.
 - *M. penelope*, *A. fuligula*, *S. mollissima*, *M. nigra*, *M. fusca*, *B. clangula*, *M. serrator*, *V. vanellus*, *C. maritima*, *T. totanus*, *L. hyperboreus* and *U. aalge* in the Ría of Viveiro.
 - *E. garzetta*, *A. platyrhynchos*, *A. ferina* and *L. argentatus* in the Ría of Barqueiro.
- On the contrary, the species not recorded in the Rías Altas of the Cantabrian in the period 1996-2015 but in the decade 2016-25 are the following::
- *C. diomedea*, *P. falcinellus*, *B. bernicla*, *A. collaris* and *L. glaucoides* in the Ría of Ribadeo.
 - *G. immer*, *A. alba*, *P. leucorodia*, *A. crecca*, *A. acuta*, *R. aquaticus* and *P. haliaetus* in the Ría of Viveiro.
 - *H. ostralegus*, *C. hiaticula* and *N. arquata* in the Ría of O Barqueiro.

Rías Altas of the Atlantic

In the Rías Altas of the Atlantic, the annual wintering of between 15811 and 31586 birds was recorded, belonging to a total of 102 species. Among the 14 localities considered, a first group stands out with the Rías of Ortigueira (67 registered species, with an annual presence of 38-50 species and 3416-6298 birds), Ares-Betanzos (69 registered species, with an annual presence of 28-51 species and 2628-7247 birds), A Coruña (58 registered species, with an annual presence of 23-43 species and 740-7266 birds) and Ferrol (50 registered species, with an annual presence of 20-31 species and 1909-5696 birds). In a second group are the Ría of Corme-Laxe (57 registered species, with an annual presence of 23-37 species and 737-1697 birds), A Frouxeira-Valdoviño (52 registered species, with an annual presence of 16-35 species and 364-1693 birds), Baldaio (49 registered species, with an annual presence of 12-34 species and 331-2695 birds), the Caldebarcos-Carnota beach (40 registered species, with an annual presence of 12-31 species and 467-2487 birds) and the Muxía-Corcubión coastal stretch (30 registered species, with an annual presence of 4-22 species and 90-3625 birds). Already in a third group appear the Ría of Cedeira (43 species registered, with the annual presence of 14-22 species and 319-563 birds), the lagoon and beach of Traba (31 species registered, with the annual presence of 6-23 species and 42-644 birds) and the Ría of Camariñas (32 species registered, with the annual presence of 10-21 species and 187-972 birds). Finally, the least important localities of the Rías Altas do Cantábrico are the lagoon and beach of Louro (30 species registered, with an annual presence of 8-17 species and 118-1318 birds) and the lagoon of Doñiños (18 species registered, with an annual presence of 4-10 species and 68-169 birds). Compared to the period 1996-2015, in the decade 2016-25 there were no records of:

187-972 aves). Por último, as localidades menos importantes das Rías Altas do Cantábrico son a lagoa e praia de Louro (30 especies rexistradas, con presenza anual de 8-17 especies e 118-1318 aves) e a lagoa de Doñiños (18 especies rexistradas, con presenza anual de 4-10 especies e 68-169 aves). En comparación co período 1996-2015, no decenio 2016-25 non houbo rexistros de:

- *G. stellata*, *P. auritus*, *C. ciconia*, *C. cygnus*, *A. fabalis*, *A. albifrons*, *B. leucopsis*, *A. aegyptiaca*, *M. americana*, *N. rufina*, *A. ferina*, *A. collaris*, *B. clangula*, *M. merganser*, *G. chloropus*, *F. atra*, *H. himantopus*, *R. avosetta*, *A. alexandrinus*, *P. apricaria*, *L. minimus*, *P. fulcarius*, *H. minutus*, *L. delawarensis*, *L. glaucoides*, *R. tridactyla*, *U. aalge* e *E. schoeniclus* na ría de Ortigueira.
- *A. alba*, *C. cygnus*, *A. anser*, *A. acuta*, *R. aquaticus*, *P. apricaria*, *V. vanellus* e *A. torda* na ría de Cedeira.
- *P. cristatus*, *A. alba*, *A. albifrons*, *B. bernicla*, *T. tadorna*, *S. discors*, *N. rufina*, *A. nyroca*, *A. affinis*, *M. nigra*, *B. clangula*, *R. aquaticus*, *F. americana*, *H. ostralegus*, *R. avosetta*, *B. oedicnemus*, *C. hiaticula*, *P. apricaria*, *V. vanellus*, *C. canutus*, *C. maritima*, *C. pugnax*, *G. gallinago*, *L. limosa*, *L. lapponica*, *N. phaeopus*, *T. erythropus*, *L. delawarensis*, *L. argentatus*, *T. sandvicensis*, *U. aalge*, *C. cinclus* e *E. schoeniclus* na Frouxeira-Valdoviño.
- *M. bassanus*, *G. aristotelis*, *E. garzetta*, *C. hyemalis*, *B. clangula*, *R. aquaticus*, *A. alexandrinus*, *P. apricaria*, *P. squatarola*, *V. vanellus*, *C. alba*, *C. maritima*, *G. gallinago*, *N. phaeopus*, *L. argentatus*, *R. tridactyla*, *A. flammeus* e *E. schoeniclus* na lagoa de Doñiños.
- *G. arctica*, *H. leucorhous*, *C. cygnus*, *B. bernicla*, *S. clypeata*, *A. affinis*, *M. nigra*, *R. aquaticus*, *F. atra*, *B. oedicnemus*, *P. apricaria*, *L. lapponica*, *P. fulcarius*, *H. minutus*, *L. delawarensis*, *R. tridactyla* e *U. aalge* na ría de Ferrol.
- *G. arctica* e *V. vanellus* na ría de Ares-Betanzos.
- *G. stellata*, *P. cristatus*, *P. grisegena*, *P. auritus*, *P. nigricollis*, *B. bernicla*, *M. penelope*, *S. mollissima*, *M. merganser*, *P. apricaria* e *U. aalge* na ría da Coruña.
- *G. stellata*, *G. arctica*, *P. auritus*, *P. puffinus*, *A. anser*, *B. bernicla*, *M. penelope*, *A. acuta*, *M. nigra*, *A. alexandrinus*, *V. vanellus* e *A. torda* en Baldaio.
- *G. arctica*, *C. olor*, *B. leucopsis*, *T. tadorna*, *M. americana*, *M. strepera*, *A. c. carolinensis*, *N. rufina*, *S. spectabilis*, *M. merganser*, *B. oedicnemus*, *G. gallinago*, *T. melanoleuca* e *R. tridactyla* na ría de Corme-Laxe.
- *A. galericulata*, *M. penelope*, *M. strepera*, *A. acuta*, *S. clypeata*, *A. nyroca*, *A. marila*, *M. nigra*, *P. squatarola*, *T. nebularia*, *C. ridibundus* e *T. sandvicensis* na lagoa e praia de Traba.
- *P. grisegena*, *P. nigricollis*, *P. puffinus*, *P. leucorodia*, *C. cygnus*, *M. penelope*, *M. strepera*, *M. fusca*, *M. serrator*, *F. atra*, *P. squatarola*, *V. vanellus*, *G. gallinago*, *L. limosa*, *N. phaeopus*, *N. arquata* e *L. argentatus* na ría de Camariñas.
- *G. stellata*, *P. auritus*, *C. ciconia*, *C. cygnus*, *A. fabalis*, *A. albifrons*, *B. leucopsis*, *A. aegyptiaca*, *M. americana*, *N. rufina*, *A. ferina*, *A. collaris*, *B. clangula*, *M. merganser*, *G. chloropus*, *F. atra*, *H. himantopus*, *R. avosetta*, *A. alexandrinus*, *P. apricaria*, *L. minimus*, *P. fulcarius*, *H. minutus*, *L. delawarensis*, *L. glaucoides*, *R. tridactyla*, *U. aalge* and *E. schoeniclus* in the Ría of Ortigueira.
- *A. alba*, *C. cygnus*, *A. anser*, *A. acuta*, *R. aquaticus*, *P. apricaria*, *V. vanellus* and *A. torda* in the Ría of Cedeira.
- *P. cristatus*, *A. alba*, *A. albifrons*, *B. bernicla*, *T. tadorna*, *S. discors*, *N. rufina*, *A. nyroca*, *A. affinis*, *M. nigra*, *B. clangula*, *R. aquaticus*, *F. americana*, *H. ostralegus*, *R. avosetta*, *B. oedicnemus*, *C. hiaticula*, *P. apricaria*, *V. vanellus*, *C. canutus*, *C. maritima*, *C. pugnax*, *G. gallinago*, *L. limosa*, *L. lapponica*, *N. phaeopus*, *T. erythropus*, *L. delawarensis*, *L. argentatus*, *T. sandvicensis*, *U. aalge*, *C. cinclus* and *E. schoeniclus* in A Frouxeira-Valdoviño.
- *M. bassanus*, *G. aristotelis*, *E. garzetta*, *C. hyemalis*, *B. clangula*, *R. aquaticus*, *A. alexandrinus*, *P. apricaria*, *P. squatarola*, *V. vanellus*, *C. alba*, *C. maritima*, *G. gallinago*, *N. phaeopus*, *L. argentatus*, *R. tridactyla*, *A. flammeus* and *E. schoeniclus* in the lagoon of Doñiños.
- *G. arctica*, *H. leucorhous*, *C. cygnus*, *B. bernicla*, *S. clypeata*, *A. affinis*, *M. nigra*, *R. aquaticus*, *F. atra*, *B. oedicnemus*, *P. apricaria*, *L. lapponica*, *P. fulcarius*, *H. minutus*, *L. delawarensis*, *R. tridactyla* and *U. aalge* in the Ría of Ferrol.
- *G. arctica* and *V. vanellus* in the Ría of Ares-Betanzos.
- *G. stellata*, *P. cristatus*, *P. grisegena*, *P. auritus*, *P. nigricollis*, *B. bernicla*, *M. penelope*, *S. mollissima*, *M. merganser*, *P. apricaria* and *U. aalge* in the Ría of ACoruña.
- *G. stellata*, *G. arctica*, *P. auritus*, *P. puffinus*, *A. anser*, *B. bernicla*, *M. penelope*, *A. acuta*, *M. nigra*, *A. alexandrinus*, *V. vanellus* and *A. torda* in Baldaio.
- *G. arctica*, *C. olor*, *B. leucopsis*, *T. tadorna*, *M. americana*, *M. strepera*, *A. c. carolinensis*, *N. rufina*, *S. spectabilis*, *M. merganser*, *B. oedicnemus*, *G. gallinago*, *T. melanoleuca* and *R. tridactyla* in the Ría of Corme-Laxe.
- *A. galericulata*, *M. penelope*, *M. strepera*, *A. acuta*, *A. clypeata*, *A. nyroca*, *A. marila*, *M. nigra*, *P. squatarola*, *T. nebularia*, *C. ridibundus* and *T. sandvicensis* in the lagoon and beach of Traba.
- *P. grisegena*, *P. nigricollis*, *P. puffinus*, *P. leucorodia*, *C. cygnus*, *M. penelope*, *M. strepera*, *M. fusca*, *M. serrator*, *F. atra*, *P. squatarola*, *V. vanellus*, *G. gallinago*, *L. limosa*, *N. phaeopus*, *N. arquata* and *L. argentatus* in the Ría of Camariñas.
- *G. immer*, *C. hiaticula*, *A. alexandrinus*, *C. alpina* and *N. phaeopus* in the Muxía-Corcubión coastal stretch.
- *G. stellata*, *G. arctica*, *P. leucorodia*, *A. anser*, *A. crecca*, *M. fusca*, *M. serrator* and *C. maritima* in the Caldebarcos-Carnota beach.

- *G. immer*, *C. hiaticula*, *A. alexandrinus*, *C. alpina* e *N. phaeopus* no treito de costa Muxía-Corcubión.
- *G. stellata*, *G. arctica*, *P. leucorodia*, *A. anser*, *A. crecca*, *M. fusca*, *M. serrator* e *C. maritima* na praia de Caldebarcos-Carnota.
- *P. leucorodia*, *A. brachyrhynchus*, *A. anser*, *B. leucopsis*, *A. ferina*, *A. collaris*, *A. fuligula*, *M. nigra*, *G. chloropus*, *A. alexandrinus* e *V. vanellus* na lagoa e praia de Louro.

No que respecta ás especies sen rexistros nas Rías Altas do Atlántico no período 1996-2015 pero si no decenio 2016-25 son as seguintes:

- *P. falcinellus*, *T. ochropus* e *L. cachinnans* na ría de Ortigueira.
- *P. cristatus*, *P. leucorodia*, *C. olor*, *A. brachyrhynchus*, *S. mollissima*, *M. serrator*, *T. nebularia*, *R. trydactyla* e *P. haliaetus* na ría de Cedeira.
- *A. c. carolinensis*, *C. hyemalis* e *M. merganser* na Frouxeira-Valdoviño.
- *A. alba*, *S. clypeata* e *H. minutus* na lagoa de Doniños.
- *M. bassanus*, *A. ibis*, *A. aegyptiaca*, *C. hyemalis*, *M. fusca*, *G. gallinago* e *C. philadelphia* na ría de Ferrol.
- *P. cristatus*, *A. ibis*, *P. falcinellus*, *P. leucorodia*, *C. cygnus*, *A. brachyrhynchus*, *B. canadensis*, *B. bernicla*, *A. aegyptiacus*, *T. tadorna*, *A. rubripes*, *A. fuligula*, *R. aquaticus*, *G. chloropus*, *C. alba*, *S. skua*, *L. canus*, *L. argentatus* e *C. aeruginosus* na ría de Ares-Betanzos.
- *G. arctica*, *M. bassanus*, *A. ibis*, *A. alba*, *A. brachyrhynchus*, *A. crecca*, *A. fuligula*, *A. marila*, *M. fusca*, *R. aquaticus*, *C. maritima*, *G. gallinago*, *P. fulicarius*, *S. skua*, *H. minutus*, *L. canus*, *L. argentatus*, *R. tridactyla* e *F. arctica* na ría da Coruña.
- *P. cristatus*, *A. alba*, *G. grus*, *B. oedichnemus*, *C. minuta*, *G. gallinago*, *T. erythropus*, *I. melanocephalus*, *L. canus*, *L. argentatus*, *R. tridactyla* e *P. haliaetus* en Baldaio.
- *A. brachyrhynchus*, *A. anser*, *S. discors*, *T. erythropus*, *H. minutus*, *L. canus*, *L. argentatus*, *L. glaucoides*, *P. haliaetus* e *C. aeruginosus* na ría de Corme-Laxe.
- *G. immer*, *B. stellaris*, *A. affinis*, *S. mollissima*, *I. melanocephalus*, *H. minutus*, *L. marinus* e *A. torda* na lagoa e praia de Traba.
- *G. immer*, *A. crecca*, *A. collaris*, *G. grus*, *A. alexandrinus*, *C. alba*, *I. melanocephalus* e *P. haliaetus* na ría de Camariñas.
- *P. puffinus*, *A. alba*, *P. falcinellus*, *A. brachyrhynchus*, *M. nigra*, *M. serrator*, *I. melanocephalus*, *L. glaucoides* e *L. smithsonianus* no treito de costa Muxía-Corcubión.
- *H. pelagicus*, *C. hyemalis*, *V. vanellus*, *I. melanocephalus*, *C. philadelphia*, *L. argentatus* e *P. haliaetus* na praia de Caldebarcos-Carnota.
- *A. marila*, *R. aquaticus*, *G. gallinago*, *T. nebularia*, *A. hypoleucos* e *P. haliaetus* na lagoa e praia de Louro.

Rías Baixas

- *P. leucorodia*, *A. brachyrhynchus*, *A. anser*, *B. leucopsis*, *A. ferina*, *A. collaris*, *A. fuligula*, *M. nigra*, *G. chloropus*, *F. atra*, *A. alexandrinus*, *V. vanellus*, *N. arquata*, *A. interpres*, *C. ridibundus*, *L. fuscus*, *L. marinus* and *T. sandvicensis* in the lagoon and beach of Louro.

As for the species not recorded in the Rías Altas of the Atlantic in the period 1996-2015 but in the decade 2016-25 they are the following:

- *P. falcinellus*, *T. ochropus* and *L. cachinnans* in the Ría of Ortigueira.
- *P. cristatus*, *P. leucorodia*, *C. olor*, *A. brachyrhynchus*, *S. mollissima*, *M. serrator*, *T. nebularia*, *R. trydactyla* and *P. haliaetus* in the Ría of Cedeira.
- *A. c. carolinensis*, *C. hyemalis* and *M. merganser* in A Frouxeira-Valdoviño.
- *A. alba*, *S. clypeata* and *H. minutus* in the lagoon of Doniños.
- *M. bassanus*, *A. ibis*, *A. aegyptiaca*, *C. hyemalis*, *M. fusca*, *G. gallinago* and *C. philadelphia* in the Ría of Ferrol.
- *P. cristatus*, *A. ibis*, *P. falcinellus*, *P. leucorodia*, *C. cygnus*, *A. brachyrhynchus*, *B. canadensis*, *B. bernicla*, *A. aegyptiaca*, *T. tadorna*, *A. rubripes*, *A. fuligula*, *R. aquaticus*, *G. chloropus*, *C. alba*, *S. skua*, *L. canus*, *L. argentatus* and *C. aeruginosus* in the Ría of Ares-Betanzos.
- *G. arctica*, *M. bassanus*, *A. ibis*, *A. alba*, *A. brachyrhynchus*, *A. crecca*, *A. fuligula*, *A. marila*, *M. fusca*, *R. aquaticus*, *C. maritima*, *G. gallinago*, *P. fulicarius*, *S. skua*, *H. minutus*, *L. canus*, *L. argentatus*, *R. tridactyla* and *F. arctica* in the Ría of A Coruña.
- *P. cristatus*, *A. alba*, *G. grus*, *B. oedichnemus*, *C. minuta*, *G. gallinago*, *T. erythropus*, *I. melanocephalus*, *L. canus*, *L. argentatus*, *R. tridactyla* and *P. haliaetus* in Baldaio.
- *A. brachyrhynchus*, *A. anser*, *S. discors*, *T. erythropus*, *H. minutus*, *L. canus*, *L. argentatus*, *L. glaucoides*, *P. haliaetus* and *C. aeruginosus* in the Ría of Corme-Laxe.
- *G. immer*, *B. stellaris*, *A. affinis*, *S. mollissima*, *I. melanocephalus*, *H. minutus*, *L. marinus* and *A. torda* in the lagoon and beach of Traba.
- *G. immer*, *A. crecca*, *A. collaris*, *G. grus*, *A. alexandrinus*, *C. alba*, *I. melanocephalus* and *P. haliaetus* in the Ría of Camariñas.
- *P. puffinus*, *A. alba*, *P. falcinellus*, *A. brachyrhynchus*, *M. nigra*, *M. serrator*, *I. melanocephalus*, *L. glaucoides* and *L. smithsonianus* in the Muxía-Corcubión coastal stretch.
- *H. pelagicus*, *C. hyemalis*, *V. vanellus*, *I. melanocephalus*, *C. philadelphia*, *L. argentatus* and *P. haliaetus* in the Caldebarcos-Carnota beach.
- *A. marila*, *R. aquaticus*, *G. gallinago*, *T. nebularia*, *A. hypoleucos* and *P. haliaetus* in the lagoon and beach of Louro.

Rías Baixas

In the Rías Baixas, the annual wintering of between 30828 and 47447 birds was recorded, belonging to a

Nas Rías Baixas rexistrouse a invernada anual de entre 30828 e 47447 aves, pertencentes a un total de 97 especies. Entre as sete localidades consideradas destaca o Complexo Húmido Umia-Grove-Carreirón pola súa importancia tanto polo número total de especies rexistradas (78), como polo número de especies rexistradas anualmente (43-53) e os efectivos de aves acuáticas censadas (13028-16930 aves). Nun segundo grupo sitúanse a ría de Vigo (55 especies rexistradas, con presenza anual de 29-37 especies e 4139-11904 aves) e a parte norte da ría de Arousa (44-55 especies rexistradas, con presenza anual de 17-37 especies e 6054-8069 aves). Nun terceiro grupo están as rías de Muros-Noia e de Pontevedra e a enseada de San Simón (55 especies rexistradas, con presenza anual de 29-37 especies e 2103-4692 aves en cada unha). A localidade menos importante da Rías Baixas para a invernada de acuáticas é o Parque Natural de Corrubedo e lagoas de Carregal e Vixán (52 especies rexistradas, presenza anual de 25-38 especies e 603-2278 aves censadas). En comparación co período 1996-2015, no decenio 2016-25 non houbo rexistros de:

- *G. arctica*, *P. nigricollis*, *C. olor*, *A. sponsa*, *A. ferina*, *A. marila*, *F. atra*, *C. minuta* e *L. lapponica* na ría de Muros-Noia.
- *P. cristatus*, *A. anser*, *B. leucopsis*, *A. rubripes*, *A. ferina*, *A. nyroca*, *R. avosetta*, *V. vanellus*, *T. flavipes*, *T. ochropus*, *U. aalge* e *A. torda* no P.N. de Corrubedo.
- *H. leucorhous*, *A. ferina*, *F. atra*, *P. apricaria* e *G. gallinago* na parte N da ría de Arousa.
- *P. puffinus*, *H. leucorhous*, *A. brachyrhynchus*, *B. leucopsis*, *T. ferruginea*, *M. americana*, *S. discors*, *A. ferina*, *A. collaris*, *A. nyroca*, *S. mollissima*, *M. perspicillata*, *B. clangula*, *F. americana*, *R. avosetta*, *C. minuta*, *C. ferruginea*, *C. maritima*, *T. flavipes*, *P. fulicarius*, *L. glaucoides*, *L. hyperboreus* e *U. aalge* no C.I. Umia-Grove-Carreirón.
- *G. stellata*, *C. olor*, *B. canadensis*, *A. crecca*, *C. hyemalis*, *M. perspicillata*, *P. apricaria*, *S. skua*, *L. glaucoides* e *R. tridactyla* na ría de Pontevedra.
- *G. stellata*, *A. ibis*, *B. leucopsis*, *T. tadorna*, *A. crecca*, *A. ferina*, *M. serrator*, *G. chloropus*, *F. atra*, *H. ostralegus*, *P. apricaria*, *C. canutus*, *T. erythropus* e *A. torda* na enseada de San Simón.
- *G. stellata*, *G. arctica*, *T. ruficollis*, *P. nigricollis*, *T. tadorna*, *A. sponsa*, *A. galericulata*, *S. mollissima*, *M. fusca*, *M. serrator*, *H. minutus*, *L. glaucoides*, *L. hyperboreus*, *R. tridactyla* e *U. aalge* na Ría de Vigo.

En canto ás especies sen rexistros nas Rías Baixas no período 1996-2015 pero si no decenio 2016-25 son as seguintes:

- *A. ibis*, *P. falcinellus*, *M. americana*, *A. crecca*, *A. c. carolinensis*, *A. acuta*, *C. hyemalis*, *M. serrator*, *R. aquaticus*, *P. apricaria*, *L. hyperboreus*, *R. tridactyla*, *U. aalge*, *P. haliaetus* e *C. aeruginosus* na ría de Muros-Noia.
- *P. nigricollis*, *H. pelagicus*, *C. hyemalis*, *B. oedicephalus*, *I. melanocephalus*, *L. hyperboreus* e *R. tridactyla* no P.N. de Corrubedo.

total of 97 species. Among the seven localities considered, the Umia-Grove-Carreirón Wetland Complex stands out for its importance both for the total number of species registered (78), as well as for the number of species registered annually (43-53) and the number of waterfowl recorded (13028-16930 birds). In a second group are the Ría of Vigo (55 registered species, with an annual presence of 29-37 species and 4139-11904 birds) and the northern part of the Ría of Arousa (44-55 registered species, with an annual presence of 17-37 species and 6054-8069 birds). In a third group are the Rías of Muros-Noia and Pontevedra and the inlet of San Simón (55 species registered, with an annual presence of 29-37 species and 2103-4692 birds in each). The least important locality in the Rías Baixas for waterfowl wintering is the Corrubedo Natural Park and the lagoons of Carregal and Vixán (52 species registered, annual presence of 25-38 species and 603-2278 birds registered). Compared to the period 1996-2015, in the decade 2016-25 there were no records of:

- *G. arctica*, *P. nigricollis*, *C. olor*, *A. sponsa*, *A. ferina*, *A. marila*, *F. atra*, *C. minuta* and *L. lapponica* in the Ría of Muros-Noia.
- *P. cristatus*, *A. anser*, *B. leucopsis*, *A. rubripes*, *A. ferina*, *A. nyroca*, *R. avosetta*, *V. vanellus*, *T. flavipes*, *T. ochropus*, *U. aalge* and *A. torda* in the Corrubedo Natural Park.
- *H. leucorhous*, *A. ferina*, *F. atra*, *P. apricaria* and *G. gallinago* in the north part of Ría of Arousa.
- *P. puffinus*, *H. leucorhous*, *A. brachyrhynchus*, *B. leucopsis*, *T. ferruginea*, *M. americana*, *S. discors*, *A. ferina*, *A. collaris*, *A. nyroca*, *S. mollissima*, *M. perspicillata*, *B. clangula*, *F. americana*, *R. avosetta*, *C. minuta*, *C. ferruginea*, *C. maritima*, *T. flavipes*, *P. fulicarius*, *L. glaucoides*, *L. hyperboreus* and *U. aalge* in the Umia-Grove-Carreirón Wetland Complex.
- *G. stellata*, *C. olor*, *B. canadensis*, *A. crecca*, *C. hyemalis*, *M. perspicillata*, *P. apricaria*, *S. skua*, *L. glaucoides* and *R. tridactyla* in the Ría of Pontevedra.
- *G. stellata*, *A. ibis*, *B. leucopsis*, *T. tadorna*, *A. crecca*, *A. ferina*, *M. serrator*, *G. chloropus*, *F. atra*, *H. ostralegus*, *P. apricaria*, *C. canutus*, *T. erythropus* and *A. torda* in the inlet of San Simón.
- *G. stellata*, *G. arctica*, *T. ruficollis*, *P. nigricollis*, *T. tadorna*, *A. sponsa*, *A. galericulata*, *S. mollissima*, *M. fusca*, *M. serrator*, *H. minutus*, *L. glaucoides*, *L. hyperboreus*, *R. tridactyla* and *U. aalge* in the Ría of Vigo.

As for the species not recorded in the Rías Baixas in the period 1996-2015 but in the decade 2016-25 they are the following:

- *A. ibis*, *P. falcinellus*, *M. americana*, *A. crecca*, *A. c. carolinensis*, *A. acuta*, *C. hyemalis*, *M. serrator*, *R. aquaticus*, *P. apricaria*, *L. hyperboreus*, *R. tridactyla*, *U. aalge*, *P. haliaetus* and *C. aeruginosus* in the Ría of Muros-Noia.
- *P. nigricollis*, *H. pelagicus*, *C. hyemalis*, *B. oedicephalus*, *I. melanocephalus*, *L. hyperboreus* and *R. tridactyla* in the Corrubedo Natural Park.

- *G. immer*, *T. ruficollis*, *P. cristatus*, *P. auritus*, *P. puffinus*, *H. pelagicus*, *M. bassanus*, *A. ibis*, *P. falcinellus*, *P. leucorodia*, *C. olor*, *B. bernicla*, *A. galericulata*, *M. strepera*, *A. marila*, *N. phaeopus*, *H. minutus*, *F. arctica*, *A. atthis* e *P. haliaetus* na parte N da ría de Arousa.
- *P. grisegena*, *P. roseus*, *A. c. carolinensis*, *A. affinis*, *M. fusca*, *R. tridactyla* e *F. arctica* no C.I. Umia-Grove-Carreirón.
- *P. cristatus*, *H. pelagicus*, *A. ibis*, *P. falcinellus*, *M. fusca*, *L. delawarensis*, *L. hyperboreus* e *P. haliaetus* na ría de Pontevedra.
- *B. bernicla*, *A. sponsa*, *A. collaris*, *R. aquaticus*, *C. alba*, *L. canus* e *P. haliaetus* na enseada de San Simón.
- *P. griseus*, *P. puffinus*, *P. y. mauretanicus*, *A. alba*, *G. eremita*, *C. olor*, *B. bernicla* e *P. haliaetus* na ría de Vigo.

Cunca de Galicia Costa

Na Cunca de Galicia Costa rexistrouse a invernada anual de entre 2152 e 7107 aves, pertencentes a un total de 82 especies. Entre as 18 localidades consideradas destacan os encoros de Fervenzas e Cecebre pola súa importancia tanto polo número total de especies rexistradas (43 e 38), como polo número de especies rexistradas anualmente (11-25 e 12-26) e os efectivos de aves acuáticas censadas (729-1157 e 393-1150 aves). Nun segundo grupo sitúanse o encoro de Sabón (25 especies rexistradas, con presenza anual de 7-14 especies e 122-814 aves), o lago artificial de As Pontes (27 especies rexistradas, con presenza anual de 6-24 especies e 25-766 aves) e os encoro de Vilagudín e Meicende, censados só nos últimos tres anos (20 e 9 especies rexistradas, con presenza anual de 6-17 especies e 171-719 aves, excepcionalmente ata 3763). Un terceiro grupo inclúe os encoros de Forcadas, Portodemouros, Baxe e Vilasén, xunto coas lagoas de Sobrado, Quintas e Penapurreira (11-20 especies rexistradas, con presenza anual de 2-14 especies e 17-236 aves en cada unha). A escaseza de datos non permite avaliar cunha mínima certeza a importancia das Brañas de Sada, os pequenos humidaes de mina Mercedes, Gaiás e Pena Eiriz e o treito do río Pontiñas en Lalín. En comparación co período 1996-2015, no decenio 2016-25 non houbo rexistros de:

- *P. nigricollis*, *A. c. carolinensis*, *N. rufina*, *A. collaris*, *A. nyroca*, *A. marila*, *A. affinis*, *B. clangula*, *G. chloropus* e *P. haliaetus* no encoro de Forcadas.
- *P. auritus*, *P. falcinellus*, *A. c. carolinensis*, *A. ferina*, *A. collaris*, *A. nyroca*, *A. marila*, *T. totanus* e *A. atthis* no encoro de Sabón.
- *P. grisegena*, *P. auritus*, *A. ibis*, *C. ciconia*, *A. acuta*, *A. affinis*, *C. hyemalis*, *B. clangula*, *C. alba*, *G. gallinago*, *L. limosa*, *N. arquata* e *T. totanus* no encoro de Cecebre.
- *A. ibis*, *B. leucopsis*, *A. sponsa*, *F. atra*, *L. limosa*, *L. lapponica*, *N. phaeopus*, *N. arquata* e *T. totanus* no encoro das Fervenzas.
- *P. podiceps*, *A. alba*, *A. galericulata*, *M. strepera*, *A. collaris*, *B. clangula*, *P. apricaria* e *V. vanellus* na lagoa de Sobrado.

- *G. immer*, *T. ruficollis*, *P. cristatus*, *P. auritus*, *P. puffinus*, *H. pelagicus*, *M. bassanus*, *A. ibis*, *P. falcinellus*, *P. leucorodia*, *C. olor*, *B. bernicla*, *A. galericulata*, *M. strepera*, *A. marila*, *N. phaeopus*, *H. minutus*, *F. arctica*, *A. atthis* and *P. haliaetus* in the north part of Ría of Arousa.
- *P. grisegena*, *P. ruber*, *A. c. carolinensis*, *A. affinis*, *M. fusca*, *R. tridactyla* and *F. arctica* in the Umia-Grove-Carreirón Wetland Complex.
- *P. cristatus*, *H. pelagicus*, *A. ibis*, *P. falcinellus*, *M. fusca*, *L. delawarensis*, *L. hyperboreus* and *P. haliaetus* in the Ría of Pontevedra.
- *B. bernicla*, *A. sponsa*, *A. collaris*, *R. aquaticus*, *C. alba*, *L. canus* and *P. haliaetus* in the inlet of San Simón.
- *P. griseus*, *P. puffinus*, *P. y. mauretanicus*, *A. alba*, *G. eremita*, *C. olor*, *B. bernicla* and *P. haliaetus* in the Ría of Vigo.

Galicia Costa Basin

In the Galicia Costa Basin, the annual wintering of between 2152 and 7107 birds was recorded, belonging to a total of 82 species. Among the 18 localities considered, the reservoirs of Fervenzas and Cecebre stand out for their importance both for the total number of species registered (43 and 38), as well as for the number of species recorded annually (11-25 and 12-26) and the number of waterfowl recorded (729-1157 and 393-1150 birds). In a second group are the Sabón reservoir (25 species registered, with an annual presence of 7-14 species and 122-814 birds), the artificial lake of As Pontes (27 species registered, with an annual presence of 6-24 species and 25-766 birds) and the Vilagudín and Meicende reservoirs, censused only in the last three years (20 and 9 species registered, with an annual presence of 6-17 species and 171-719 birds, exceptionally up to 3763). A third group includes the reservoirs of Forcadas, Portodemouros, Baxe and Vilasén, together with the lagoons of Sobrado, Quintas and Penapurreira (11-20 species recorded, with annual presence of 2-14 species and 17-236 birds in each). The scarcity of data does not allow us to assess with some certainty the importance of the Brañas de Sada, the small wetlands of the Mercedes, Gaiás and Pena Eiriz mine and the stretch of the Pontiñas river in Lalín. Compared to the period 1996-2015, in the decade 2016-25 there were no records of:

- *P. nigricollis*, *A. c. carolinensis*, *N. rufina*, *A. collaris*, *A. nyroca*, *A. marila*, *A. affinis*, *B. clangula*, *G. chloropus* and *P. haliaetus* in the Forcadas reservoir.
- *P. auritus*, *P. falcinellus*, *A. c. carolinensis*, *A. ferina*, *A. collaris*, *A. nyroca*, *A. marila*, *T. totanus* and *A. atthis* in the Sabón reservoir.
- *P. grisegena*, *P. auritus*, *A. ibis*, *C. ciconia*, *A. acuta*, *A. affinis*, *C. hyemalis*, *B. clangula*, *C. alba*, *G. gallinago*, *L. limosa*, *N. arquata* and *T. totanus* in the Cecebre reservoir.
- *A. ibis*, *B. leucopsis*, *A. sponsa*, *F. atra*, *L. limosa*, *L. lapponica*, *N. phaeopus*, *N. arquata* and *T. totanus* in the Fervenzas reservoir.

- *C. nigra*, *A. ferina*, *A. fuligula* e *M. merganser* no encoro de Portodemouros.
 - *A. crecca* na balsa de Penapurreira.
- Pola contra, as especies sen rexistros na Cunca de Galicia Costa no período 1996-2015 pero si no decenio 2016-25 son as seguintes:
- *M. penelope*, *S. clypeata*, *T. ochropus* e *L. michahellis* no encoro de Forcadas.
 - *A. alba*, *C. olor*, *G. gallinago*, *L. fuscus*, *L. argentatus* e *R. tridactyla* no encoro de Sabón.
 - *C. olor*, *A. albifrons*, *A. anser*, *B. canadensis*, *A. aegyptiaca*, *H. minutus* e *L. argentatus* no encoro de Cecebre.
 - *G. immer*, *P. nigricollis*, *E. garzetta*, *C. ciconia*, *P. falcinellus*, *C. cygnus*, *A. albifrons*, *M. americana*, *A. collaris*, *A. marila*, *M. merganser*, *G. grus*, *A. macularia*, *L. fuscus*, *C. cinclus* e *A. flammeus* no encoro das Fervenzas.
 - *E. garzetta* e *C. aeruginosus* na lagoa de Sobrado.
 - *P. nigricollis*, *A. alba*, *A. acuta*, *R. aquaticus* e *A. atthis* no encoro de Portodemouros.
 - *A. anser*, *A. acuta*, *L. michahellis* e *A. atthis* no encoro de Baxe.
 - *A. anser*, *A. acuta*, *L. michahellis*, *A. hypoleucos* e *A. atthis* na balsa de Penapurreira.

Cunca do Miño

Na cunca do Miño rexistrouse a invernada anual de entre 3937 e 5486 aves, pertencentes a un total de 73 especies. Entre as doce localidades consideradas destaca o Baixo Miño pola súa importancia tanto polo número total de especies rexistradas (51), como polo número de especies rexistradas anualmente (29-36) e os efectivos de aves acuáticas censadas (1641-3248 aves); ao respecto compre salientar que o Baixo Miño é o único humidal da cunca do Miño con carácter mixto doce/salgado e interior/costeiro. Inmediatamente por detrás sitúanse o complexo húmido da Terra Chá e o encoro de Castrelo de Miño con valores intermedios para número total de especies rexistradas (34 e 29, respectivamente), número de especies rexistradas anualmente (11-23 e 10-16, respectivamente) e efectivos de aves acuáticas censadas (488-1609 e 514-1085, respectivamente). Nun terceiro grupo atópanse as Gándaras de Budiño, o val de Maceda, os encoros de Velle, Cachamuiña-Castadón e Frieira, e o río Barbaña con 7-13 especies rexistradas, presenza anual de 2-10 especies e 31-316 aves censadas. Por último, as localidades menos importantes da cunca do Miño para a invernada de acuáticas son o río Arnoia en Allariz, as areiras abandonadas do Avia e a poza de Maside (7 especies rexistradas, presenza anual de 1-6 especies e 1-72 aves censadas). En comparación co período 1996-2015, no decenio 2016-25 hai unha redución xeneralizada no número de especies observadas (os nomes das especies antano máis ou menos habituais van subliñados), non habendo rexistros de:

- *G. stellata*, *T. ruficollis*, *A. albifrons*, *A. anser*, *B. leucopsis*, *B. bernicla*, *A. aegyptiaca*, *A. ferina*, *A. fuligula*, *A. marila*, *M. nigra*, *M. serrator*, *M. merganser*, *G. chloropus*, *F. atra*, *R. avosetta*, *P. apricaria*, *C. minuta*, *C. pugnax*, *P. fulicarius*, *L.*

- P. podiceps*, *A. alba*, *A. galericulata*, *M. strepera*, *A. collaris*, *B. clangula*, *P. apricaria* and *V. vanellus* in the lake of Sobrado.
 - *C. nigra*, *A. ferina*, *A. fuligula* and *M. merganser* in the Portodemouros reservoir.
 - *A. crecca* in the Penapurreira pond.
- On the contrary, the species not recorded in the Galicia Coast Basin in the period 1996-2015 but in the decade 2016-25 are the following:
- *M. penelope*, *S. clypeata*, *T. ochropus* and *L. michahellis* in the Forcadas reservoir.
 - *A. alba*, *C. olor*, *G. gallinago*, *L. fuscus*, *L. argentatus* and *R. tridactyla* in the Sabón reservoir.
 - *C. olor*, *A. albifrons*, *A. anser*, *B. canadensis*, *A. aegyptiaca*, *H. minutus* and *L. argentatus* in the Cecebre reservoir.
 - *G. immer*, *P. nigricollis*, *E. garzetta*, *C. ciconia*, *P. falcinellus*, *C. cygnus*, *A. albifrons*, *M. americana*, *A. collaris*, *A. marila*, *M. merganser*, *G. grus*, *A. macularia*, *L. fuscus*, *C. cinclus* and *A. flammeus* in the Fervenzas reservoir.
 - *E. garzetta* and *C. aeruginosus* in the lake of Sobrado.
 - *P. nigricollis*, *A. alba*, *A. acuta*, *R. aquaticus* and *A. atthis* in the Portodemouros reservoir.
 - *A. anser*, *A. acuta*, *L. michahellis* and *A. atthis* in the Baxe reservoir.
 - *A. anser*, *A. acuta*, *L. michahellis*, *A. hypoleucos* and *A. atthis* in the Penapurreira pond.

Miño river basin

In the Miño river basin, the annual wintering of between 3937 and 5486 birds was recorded, belonging to a total of 73 species. Among the twelve localities considered, the Baixo Miño stands out for its importance both for the total number of species registered (51), as well as for the number of species registered annually (29-36) and the number of waterfowl recorded (1641-3248 birds); in this regard, it should be noted that the Baixo Miño is the only wetland in the Miño basin with a mixed fresh/salty and inland/coastal character. Immediately behind it are the Terra Chá wetland complex and the Castrelo de Miño reservoir with intermediate values for the total number of species recorded (34 and 29, respectively), number of species recorded annually (11-23 and 10-16, respectively) and numbers of waterfowl recorded (488-1609 and 514-1085, respectively). In a third group are the Gándaras de Budiño, the valley of Maceda, the reservoirs of Velle, Cachamuiña-Castadón and Frieira, and the river Barbaña with 7-13 species registered, annual presence of 2-10 species and 31-316 birds registered. Finally, the least important localities of the Miño basin for waterfowl wintering are the Arnoia river in Allariz, the abandoned sandbanks of the Avia and the Maside pond (7 species registered, annual presence of 1-6 species and 1-72 birds registered). Compared to the period 1996-2015, in the decade 2016-25 there is a generalized reduction in the number of species observed (the names of the species that were once more or less common are underlined), with no records of:

- *G. stellata*, *T. ruficollis*, *A. albifrons*, *A. anser*, *B. leucopsis*, *B. bernicla*, *A. aegyptiaca*, *A. ferina*, *A.*

argentatus, *R. tridactyla*, *U. aalge*, e *A. torda* no Baixo Miño.

- *A. ibis*, *V. vanellus* e *L. ridibundus* nas Gándaras de Budiño.
- *P. cristatus*, *M. merganser*, *G. chloropus*, *T. ochropus* e *A. hypoleucos* no encoro de Frieira.
- *C. ciconia*, *P. haliaetus*, *A. acuta*, *S. clypeata*, *N. rufina*, *B. clangula*, *R. aquaticus*, *V. vanellus*, *G. gallinago*, *S. rusticola*, *L. argentatus* e *L. marinus* no encoro de Castrelo de Miño.
- *F. atra* na poza de Maside.
- *A. alba*, *E. garzetta*, *C. ciconia*, *M. penelope*, *A. crecca*, *S. clypeata*, *A. ferina*, *A. fuligula* e *F. atra* nas areiras do Avia.
- *A. crecca*, *C. ridibundus* e *L. fuscus* no treito urbano do río Barbaña en Ourense.
- *T. ruficollis*, *P. cristatus*, *E. garzetta*, *A. galericulata*, *M. penelope*, *A. ferina*, *A. fuligula*, *G. chloropus*, *F. atra*, *V. vanellus*, *G. gallinago*, *T. ochropus* e *L. michahellis* nos encoros de Cachamuiña-Castadón.
- *T. tadorna*, *M. penelope*, *M. strepera*, *A. acuta*, *A. marila*, *G. chloropus*, *F. atra*, *G. gallinago*, *N. arquata*, *T. ochropus*, *L. fuscus* e *C. cinclus* no encoro de Velle.
- *P. cristatus*, *B. stellaris*, *A. brachyrhynchus*, *M. americana*, *A. rubripes*, *B. clangula* e *C. alpina* no complexo húmido da Terra Chá.

Pola súa banda, as especies sen rexistros na cunca do Miño no período 1996-2015 pero si no decenio 2016-25 son as seguintes:

- *G. immer*, *P. falcinellus*, *M. americana* e *L. canus* no Baixo Miño.
- *T. ruficollis*, *P. carbo*, *A. acuta*, *S. clypeata* e *A. collaris* nas Gándaras de Budiño.
- *A. galericulata* no encoro de Frieira.
- *G. immer*, *P. nigricollis*, *C. olor*, *B. canadensis*, *T. ferruginea*, *T. ochropus* e *L. delawarensis* no encoro de Castrelo de Miño.
- *A. cinerea* e *A. platyrhynchos* na poza de Maside.
- *C. cinclus* nas areiras do Avia.
- *T. ochropus* no treito urbano do río Barbaña en Ourense.
- *A. crecca* nos encoros de Cachamuiña-Castadón.
- *A. galericulata* no encoro de Velle.
- *A. ibis*, *C. olor*, *A. querquedula* e *A. collaris* no complexo húmido da Terra Chá.

Cunca do Sil

Na cunca do Sil rexistrouse a invernada anual de entre 446 e 1227 aves, pertencentes a un total de 26 especies. Entre os dez encoros considerados pódense diferenciar tres grupos claros segundo a súa importancia para a invernada de aves acuáticas. No primeiro atópanse os encoros de San Martiño e de Prada coas maiores cifras de número total de especies rexistradas (18 e 12, respectivamente), número de especies rexistradas anualmente (7-12 e 3-10, respectivamente) e efectivos de aves acuáticas censadas (148-247 e 70-278, respectivamente). Nun segundo grupo sitúanse os encoros de Bao, Edrada, Mao, Pumares, Penarrubia e Santiago, con valores intermedios para número total de especies rexistradas (6-11), número de especies rexistradas anualmente

fuligula, *A. marila*, *M. nigra*, *M. serrator*, *M. merganser*, *G. chloropus*, *F. atra*, *R. avosetta*, *P. apricaria*, *C. minuta*, *C. pugnax*, *P. fulicarius*, *L. argentatus*, *R. tridactyla*, *U. aalge* and *A. torda* in the Baixo Miño.

- *B. ibis*, *V. vanellus* and *C. ridibundus* in the Gándaras de Budiño.
- *P. cristatus*, *M. merganser*, *G. chloropus*, *T. ochropus* and *A. hypoleucos* in the Frieira reservoir.
- *C. ciconia*, *P. haliaetus*, *A. acuta*, *S. clypeata*, *N. rufina*, *B. clangula*, *R. aquaticus*, *V. vanellus*, *G. gallinago*, *S. rusticola*, *L. argentatus* and *L. marinus* in the Castrelo de Miño reservoir.
- *F. atra* in the Maside pond.
- *A. alba*, *E. garzetta*, *C. ciconia*, *M. penelope*, *A. crecca*, *S. clypeata*, *A. ferina*, *A. fuligula* and *F. atra* in the sandbanks of the Avia.
- *A. crecca*, *C. ridibundus* and *L. fuscus* in the urban stretch of the Barbaña river at Ourense.
- *T. ruficollis*, *P. cristatus*, *E. garzetta*, *A. galericulata*, *M. penelope*, *A. ferina*, *A. fuligula*, *G. chloropus*, *F. atra*, *V. vanellus*, *G. gallinago*, *T. ochropus* and *L. michahellis* in the Cachamuiña-Castadón reservoirs.
- *T. tadorna*, *M. penelope*, *M. strepera*, *A. acuta*, *A. marila*, *G. chloropus*, *F. atra*, *G. gallinago*, *N. arquata*, *T. ochropus*, *L. fuscus* and *C. cinclus* in the Velle reservoir.
- *P. cristatus*, *B. stellaris*, *A. brachyrhynchus*, *M. americana*, *A. rubripes*, *B. clangula* and *C. alpina* in the Terra Chá wetland complex.

On the other hand, the species not recorded in the Miño river basin in the period 1996-2015 but in the decade 2016-25 are the following:

- *G. immer*, *P. falcinellus*, *M. americana* and *L. canus* in the Baixo Miño.
- *T. ruficollis*, *P. carbo*, *A. acuta*, *S. clypeata* and *A. collaris* in the Gándaras de Budiño.
- *A. galericulata* in the Frieira reservoir.
- *G. immer*, *P. nigricollis*, *C. olor*, *B. canadensis*, *T. ferruginea*, *T. ochropus* and *L. delawarensis* in the Castrelo de Miño reservoir.
- *A. cinerea* and *A. platyrhynchos* in the Maside pond.
- *C. cinclus* in the sandbanks of the Avia.
- *T. ochropus* in the urban stretch of the Barbaña river at Ourense.
- *A. crecca* in the Cachamuiña-Castadón reservoirs.
- *A. galericulata* in the Velle reservoir.
- *B. ibis*, *C. olor*, *A. querquedula* and *A. collaris* in the Terra Chá wetland complex.

Sil river basin

In the Sil river basin, between 446 and 1227 waterbirds were yearly recorded and a total of 26 species were registered. According to their importance for wintering waterbirds, three clear groups can be distinguished among the ten dams considered. The first group with San Martiño and Prada dams, with the highest figures for total number of species recorded (18 and 12, respectively), number of species recorded annually (7-12 and 3-10, respectively) and total counts of waterbirds (148-247 and 70-278, respectively). In

(2-8) e efectivos de aves acuáticas censadas (xeralmente no rango 10-250). No terceiro grupo atópanse os encoros de Chandrexo e Cenxa que, coas máximas altitudes das localidades censadas en Galicia (911 e 1344 m snm, respectivamente), amosan os menores valores para todos os indicadores considerados: 3-7 especies rexistradas, presenza anual de 0-4 especies e 0-31 aves censadas. En comparación co período 1996-2015, no decenio 2016-25 hai unha redución xeneralizada no número de especies observadas, non habendo rexistros de:

- *P. cristatus*, *A. ferina*, *T. ochropus*, *A. hypoleucos*, *C. ridibundus*, *A. atthis*, *C. cinclus* e *P. haliaetus* no encoro de Edrada.
- *T. ruficollis*, *P. cristatus*, *T. nebularia*, *T. ochropus*, *A. hypoleucos* e *C. ridibundus* no encoro do Mao.
- *T. ruficollis*, *P. carbo* e *C. cinclus* no encoro de Chandrexo.
- *A. acuta*, *A. fuligula*, *V. vanellus* e *G. gallinago* no encoro do Bao.
- *P. auritus*, *A. anser*, *A. acuta*, *S. clypeata*, *A. ferina*, *A. fuligula*, *G. grus*, *C. ridibundus* e *P. haliaetus* no encoro de Prada.
- *A. ibis*, *M. penelope*, *A. ferina*, *A. fuligula*, *V. vanellus*, *C. ridibundus*, *L. canus*, *A. atthis* e *P. haliaetus* no encoro de S. Martiño.
- *A. ferina* e *A. fuligula* no encoro de Santiago.
- *A. fuligula* e *A. hypoleucos* no encoro de Pumares.
- *A. ferina*, *A. fuligula* e *F. atra* no encoro de Penarrubia.

Pola contra, o número de especies sen rexistros na cunca do Sil no período 1996-2015, pero si no decenio 2016-25 é moi inferior.

- *L. michahellis* no encoro de Edrada.
- *G. chloropus* no encoro do Mao.
- *A. fuligula* no encoro do Cenxa.
- *A. galericulata* e *S. rusticola* no encoro do Bao.
- *P. nigricollis* no encoro de Prada.
- *E. garzetta*, *A. crecca*, *S. clypeata*, *G. gallinago*, *R. tridactyla* e *C. aeruginosus* no encoro de S. Martiño.
- *A. hypoleucos* e *C. cinclus* no encoro de Santiago.
- *A. crecca* no encoro de Pumares.
- *G. chloropus* no encoro de Penarrubia.

Cunca do Limia

Na cunca do Limia, con 39 especies rexistradas en todo o período, con presenza anual de entre 20 e 25 especies de aves invernantes e uns efectivos que oscilan normalmente entre 1.400 e 2.600 aves, a chaira de A Limia é, con gran diferenza, a máis importante das catro localidades. O Encoro do Salas, no que se teñen rexistrado 8 especies invernantes cunha presenza anual de 3-6 especies, os efectivos amosan flutuacións sen tendencia temporal clara entre 25 e 200 aves. Pola contra, no Encoro das Conchas os efectivos invernantes ata 1998 (500-1.000 aves) reducíronse dende o cambio de século e no último decenio oscilou entre 39 e 137, mentres a riqueza de especies reduciuse en menor medida ata presenza anual de 4-6 e un total de 9. En 2023 comezou a censarse tamén o encoro de Lindoso, no

the second group we found the dams of Bao, Edrada, Mao, Pumares, Penarrubia and Santiago, with intermediate values for the total number of species (6-11), number of species recorded annually (2-8) and total counts of waterbirds (usually in the range 10-250). Finally, the third group with Chandrexo and Cenxa dams (with the highest altitudes of all localities censused in Galicia: 911 and 1344 m asl, respectively) which showed the lowest values for all the indices considered: 3-7 species recorded, annual presence of 0-4 species and 0-31 wintering waterbirds. Compared to the 1996-2015 period, in the 2016-25 decade there was a generalized reduction in the number of species censused, without records of:

- *P. cristatus*, *A. ferina*, *T. ochropus*, *A. hypoleucos*, *C. ridibundus*, *A. atthis*, *C. cinclus* and *P. haliaetus* in the Edrada reservoir.
- *T. ruficollis*, *P. cristatus*, *T. nebularia*, *T. ochropus*, *A. hypoleucos* and *C. ridibundus* in the Mao reservoir.
- *T. ruficollis*, *P. carbo* and *C. cinclus* in the Chandrexo reservoir.
- *A. acuta*, *A. fuligula*, *V. vanellus* and *G. gallinago* in the Bao reservoir.
- *P. auritus*, *A. anser*, *A. acuta*, *S. clypeata*, *A. ferina*, *A. fuligula*, *G. grus*, *C. ridibundus* and *P. haliaetus* in the Prada reservoir.
- *A. ibis*, *M. penelope*, *A. ferina*, *A. fuligula*, *V. vanellus*, *C. ridibundus*, *L. canus*, *A. atthis* and *P. haliaetus* in the S. Martiño reservoir.
- *A. ferina* and *A. fuligula* in the Santiago reservoir.
- *A. fuligula* and *A. hypoleucos* in the Pumares reservoir.
- *A. ferina*, *A. fuligula* and *F. atra* the Penarrubia reservoir.

By the contrary, the number of species with records in the decade 2016-25 but not in the 1996-2015 period was much lower:

- *L. michahellis* in the Edrada reservoir.
- *G. chloropus* in the Mao reservoir.
- *A. fuligula* in the Cenxa reservoir.
- *A. galericulata* e *S. rusticola* in the Bao reservoir.
- *P. nigricollis* in the Prada reservoir.
- *E. garzetta*, *A. crecca*, *S. clypeata*, *G. gallinago*, *R. tridactyla* and *C. aeruginosus* in S. Martiño reservoir.
- *A. hypoleucos* and *C. cinclus* in the Santiago reservoir.
- *A. crecca* in the Pumares reservoir.
- *G. chloropus* in the Penarrubia reservoir.

Limia river basin

In the Limia river basin, with a total of 39 species recorded in the 2016-25 decade, the annual presence of 20-25 wintering species and total counts usually between 1400 and 2600 waterbirds, the A Limia floodplain is by far the most important one of these four localities. The Salas Dam, where 8 wintering species were recorded (annual presence of 3-6 species), shows winter counts in the range of 25-200 waterbirds, without any clear time tendency. By the contrary, in As Conchas Dam the winter counts until the year 1998 (500-1000 birds) decreased noticeably from the change of century and was in the range from 39 to 137

que se rexistrou só a presenza de 2 dúas especies cuns efectivos totais de 9-10 individuos.

En comparación co período 1996-2015, no decenio 2016-25 hai unha redución do número de especies observadas (os nomes das especies antano máis ou menos habituais van subliñados) nos encoros das Conchas e Salas, pero non na Limia, non habendo rexistros de:

- *A. anser*, *A. aegyptiaca*, *A. galericulata*, *G. grus*, *L. fuscus* e *A. flammeus* na chaira da Limia.
- *A. anser*, *M. penelope*, *M. strepera*, *A. acuta*, *S. clypeata*, *A. crecca*, *A. ferina*, *A. fuligula*, *F. atra*, *V. vanellus*, *L. michahellis* e *C. ridibundus* no encoro das Conchas.
- *G. immer*, *A. alba*, *C. ciconia*, *A. ferina*, *V. vanellus*, *G. gallinago*, *N. arquata* e *T. ochropus* no encoro do Salas.

Pola contra, o número de especies sen rexistros na cunca do Limia no período 1996-2015, pero si no decenio 2016-25 é moi inferior nos encoros das Conchas e Salas, aínda que semellante na Limia.

- *A. marila*, *B. oedichnemus*, *C. pugnax*, *L. limosa*, *C. cinclus* e *P. haliaetus* na chaira da Limia.
- *A. alba* e *T. ochropus* no encoro das Conchas.
- *A. hypoleucos* e *C. cinclus* no encoro do Salas.

Cunca do Támega

Os aínda escasos datos da cunca do Támega apuntan a unha invernada media duns 80-130 individuos de 6-8 especies, habéndose rexistrada ata agora a presenza dun total de 13 especies.

in the 2016-25 decade), while the species richness decreased to a lesser extend (annual presence of 4-6 species; total =9). Winter censuses in the Lindoso dam started in 2023, but its importance for wintering birds is really low, with only 2 species and total yearly counts of 9-10 waterbirds.

Compared to the 1996-2015 period, in the 2016-25 decade there was a reduction in the number of species censused in As Conchas and Sala reservoirs, but not in A Limia, without records of:

- *A. anser*, *A. aegyptiaca*, *A. galericulata*, *G. grus*, *L. fuscus* and *A. flammeus* in A Limia floodplain.
- *A. anser*, *M. penelope*, *M. strepera*, *A. acuta*, *S. clypeata*, *A. crecca*, *A. ferina*, *A. fuligula*, *F. atra*, *V. vanellus*, *L. michahellis* and *L. ridibundus* in the Conchas reservoir.
- *G. immer*, *A. alba*, *C. ciconia*, *A. ferina*, *V. vanellus*, *G. gallinago*, *N. arquata* and *T. ochropus* in the Salas reservoir.

By the contrary, the number of species with records in the decade 2016-25 but not in the 1996-2015 period was much lower in As Conchas and Salas reservoirs, but not in A Limia floodplain:

- *A. marila*, *B. oedichnemus*, *P. pugnax*, *L. limosa*, *C. cinclus* and *P. haliaetus* in A Limia floodplain.
- *A. alba* and *T. ochropus* in the Conchas reservoir.
- *A. hypoleucos* and *C. cinclus* in the Salas reservoir.

Támega river basin

For the Támega river basin the available data, still very scarce, point to the yearly presence of 6-8 wintering species and total counts between 80 and 130 individuals; until present, up to 13 species have been recorded in the January censuses.

BIBLIOGRAFÍA

CONVENCIÓN DE RAMSAR (2025). Tratado intergubernamental para a conservación e uso sostible dos humidais. <https://www.ramsar.org/>. Acceso 12/11/2025.

GONZÁLEZ, S.J. & CARRIÓN, B. (2000). Invernada de aves acuáticas en Galicia durante o quinquenio 1996-2000. Censos realizados pola S.G.H.N. e análise dos resultados. BRAÑA Ano VII. Número monográfico.

GONZÁLEZ, S.J. (2010). Invernada de aves acuáticas en Galicia durante o quinquenio 2001-05. Censos realizados pola S.G.H.N. e análise dos resultados. BRAÑA Ano VIII. Número monográfico.

SGHN (2017a). Censos de aves acuáticas invernantes en Galicia 1996-2015: Rías Altas do Cantábrico. BRAÑA 15: 22-26.

SGHN (2017b). Censos de aves acuáticas invernantes en Galicia 1996-2015: Cunca do Sil e Cunca do Limia. BRAÑA 15: 33-40.

SGHN (2018a). Censos de aves acuáticas invernantes en Galicia 1996-2015: Cuncas do Miño e de Galicia-Costa. BRAÑA 16: 5-15.

SGHN (2018b). Censos de aves acuáticas invernantes en Galicia 1996-2015: Rías altas do Atlántico. BRAÑA 16: 22-37.

SGHN (2018c). Censos de aves acuáticas invernantes en Galicia 1996-2015: Rías Baixas. BRAÑA 16: 41-49.

WETLANDS INTERNATIONAL (2025). International Waterbird Census. <https://www.wetlands.org/knowledge-base/international-waterbird-census/>. Acceso:12/11/2025.

Rías Altas do Cantábrico	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia arctica</i>						1					0	0	1	1	0	0
<i>Gavia immer</i>	11	3			1	1	3	2		2	0	1	1	3	3	2
<i>Tachybaptus ruficollis</i>	5	10	9	8	7	13	7	4	4	4	2	11	12	10	8	6
<i>Podiceps cristatus</i>					2					1	0	3	0	0	0	0
<i>Podiceps auritus</i>	2					2					3	0	0	0	0	0
<i>Podiceps nigricollis</i>	44	11	13	23	9	15	1	4	3	9	17	54	38	24	20	6
<i>Calonectris borealis</i>		1									0	0	0	0	0	0
<i>Morus bassanus</i>	3	13	26		5				2		0	9	5	15	9	0
<i>Phalacrocorax carbo</i>	222	305	239	168	138	123	61	88	133	112	107	152	152	190	214	103
<i>Gulosus aristotelis</i>	17	5	16	3	4	1	3	6	5	5	0	7	8	11	9	4
<i>Egretta garzetta</i>	71	47	24	48	37	28	24	40	34	58	14	78	109	71	45	37
<i>Ardea ibis</i>	632	1	100	34	53	63	101	72	255	224	0	0	37	82	164	143
<i>Ardea alba</i>								1			0	0	0	0	0	0
<i>Ardea cinerea</i>	58	69	33	38	33	52	61	49	77	66	26	30	44	37	46	61
<i>Plegadis falcinellus</i>			1				34				0	0	0	0	0	7
<i>Platalea leucorodia</i>	34	17	5	32	18	25	39	36	43	52	0	1	2	9	21	39
<i>Anser brachyrhynchus</i>						3	3				0	0	0	0	0	1
<i>Anser anser</i>		1							1		0	0	1	1	0	0
<i>Branta bernicla</i>			2					5			2	0	0	1	0	1
<i>Tadorna tadorna</i>								1			1	0	0	0	0	0
<i>Mareca penelope</i>	308	256	504	316	215	203	288	377	211	193	610	761	834	452	320	254
<i>Mareca americana</i>			1								0	1	0	0	0	0
<i>Mareca strepera</i>	30	23	11	38	14	14	34	49	11	11	12	20	41	97	23	24
<i>Anas crecca</i>	94	149	206	243	114	111	163	234	162	147	115	181	315	395	161	163
<i>Anas platyrhynchos</i>	830	811	1043	576	789	551	537	691	766	671	248	538	684	641	810	643
<i>Anas acuta</i>	92	241	106	236	23	52	72	92	104	141	230	343	300	187	140	92
<i>Spatula clypeata</i>		7	7				2				10	5	7	3	3	0
<i>Aythya ferina</i>							1				0	0	2	1	0	0
<i>Aythya collaris</i>			1								0	0	0	0	0	0
<i>Aythya fuligula</i>			1			1					0	0	2	0	0	0
<i>Aythya marila</i>		1		1		3					0	2	2	1	0	1
<i>Melanitta nigra</i>	2	9	20		1	6			6	5	1	3	6	10	6	3
<i>Mergus serrator</i>		1					5	1	1		3	2	1	2	0	1
<i>Rallus aquaticus</i>										1	0	0	1	0	0	0
<i>Gallinula chloropus</i>	9	2	1						3		1	4	0	2	2	1
<i>Fulica atra</i>		1									7	0	0	0	0	0
<i>Haematopus ostralegus</i>	13	16	22	14	13	18	19	24	15	11	10	27	24	24	16	17
<i>Recurvirostra avosetta</i>				1				1			13	1	0	0	0	0
<i>Charadrius hiaticula</i>	40	22	37		32	42	11	12	41	98	25	21	38	41	26	41
<i>Anarhynchus alexandrinus</i>			2								1	0	0	0	0	0
<i>Pluvialis apricaria</i>			25		17						0	34	77	0	8	0
<i>Pluvialis squatarola</i>	106	173	147	106	48	86	91	181	112	84	85	116	112	128	116	111
<i>Vanellus vanellus</i>	2	7							1		198	102	595	42	2	0
<i>Calidris canutus</i>	3	6	14	21	23	18	3	23	12	10	2	9	10	11	13	13
<i>Calidris alba</i>	19	7			6		4				16	18	20	23	6	1
<i>Calidris alpina</i>	287	606	624	145	183	167	375	820	542	372	311	288	372	530	369	455
<i>Gallinago gallinago</i>				1							0	13	46	25	0	0
<i>Limosa limosa</i>	52	26	70	31	1	2		17	14	17	0	31	18	11	36	10
<i>Limosa lapponica</i>	2	51	1	8	8	28	35	49	51	25	29	71	49	58	14	38
<i>Numenius phaeopus</i>	17	16	13	17	19	33	5	11	21	9	3	9	20	9	16	16
<i>Numenius arquata</i>	222	165	203	192	206	146	207	217	167	155	196	220	265	294	198	178
<i>Tringa erythropus</i>	4										0	3	4	3	1	0
<i>Tringa totanus</i>	26	17	30		5	2	1	4	10	4	4	11	15	20	16	4
<i>Tringa nebularia</i>	137	119	131	105	121	82	100	171	89	138	16	56	87	112	123	116
<i>Actitis hypoleucos</i>	67	33	38	33	62	31	36	56	28	31	2	21	33	37	47	36
<i>Arenaria interpres</i>	16	3	16						4	2	0	1	3	10	7	1
<i>Ichthyophaga melanocephalus</i>	12	28	13	2	32	3	3	11	3	1	0	2	4	4	17	4
<i>Chroicocephalus ridibundus</i>	672	386	508	516	469	213	357	322	243	313	356	733	880	908	510	290
<i>Larus canus</i>	6						1	1	2		0	3	5	2	1	1
<i>Larus fuscus</i>	283	111	157	235	160	177	230	176	177	221	161	164	171	239	189	196
<i>Larus argentatus</i>				1					1		0	1	3	0	0	0
<i>Larus michahellis</i>	1144	1318	737	1625	887	453	441	941	571	401	625	867	1564	1318	1142	561
<i>Larus fuscus/michahellis</i>	352	79	136	183	21	64	78	112	43	64	400	87	45	131	154	72
<i>Larus glaucoideus</i>					1						0	0	0	0	0	0
<i>Larus marinus</i>	59	52	24	22	16	14	12	18	18	12	5	12	26	36	35	15

<i>Thalasseus sandvicensis</i>	11	12	8	6	7	1						1	5	3	6	9	0
<i>Uria aalge</i>										1		0	1	0	0	0	0
<i>Alca torda</i>	4		1		1							1	7	2	5	1	0
<i>Pandion haliaetus</i>	4	1	3	2	4	4	3	4	4	2		0	0	0	2	3	3
<i>Circus aeruginosus</i>					2	1		1				0	0	0	1	0	0
<i>Alcedo atthis</i>	4	1	2		4	1	1			3		0	3	1	2	2	1
TOTAL ESPECIES	45	47	47	35	43	42	40	40	42	38		28	44	49	48	43	40
TOTAL AVES	6028	5239	5331	5030	3811	2854	3452	4924	3991	3675		3869	5146	7099	6284	5088	3779

Rías Altas do Cantábrico. Ornítólogos participantes. Ornithologists list.					
	2016	2017	2018	2019	2020
Ribadeo	MOF	MOF	ARP-LRA-CNR-XRM-CRR-JV-MVB	SGP-PFG	SGP-PFG
Foz	MOF	MC-XRS-JVM-AF-FGV	AF-JVM-XRS-MC-FGV	DS-JLM-FGV	XRS-FGV-DS
Viveiro	MC-JVM-XRS-FGV	JVM-AF-DS-XRS-FGV	DS-AP-DT-JLM-XSR-FGV	AF-FGV	FGV-XRS
Barqueroiro	MC-JVM-XRS-FGV	JVM-AF-DS-XRS-FGV	DS-AP-DT-JLM-XSR-FGV	AF-FGV	FGV-XRS
	2021	2022	2023	2024	2025
Ribadeo	SGP-PFG	SGP-PFG-CVB	SGP-PFG	SGP-PFG	SGP-PFG
Foz	XRS	XRS-SSG-JM-HC-FGV	XRS-JRC-JM-SSG-FGV	LS-JRC-FGC	HC-JRC-FGC
Viveiro	FGV	FGV-SSG-XRS-JM-HC	XRS-MC-JRC-JM-FGV	FGV	JRC-FGV
Barqueroiro	FGV	FGV-SSG	XRS-MC-JRC-JM-FGV	FGV	JRC-FGV
AF-Alberto Ferro. AP-Alicia Provecho. ARP-Álvaro Rodríguez Pomares. CNR-Mª Carmen Noya Rey. CRR-Carlos Rei Rañó. CVB-Cristina Vicites Blanco. DS-Daniel Sónora. DT-Daniel Touceda. FGV-Francisco Girón Veiga. HC-Hipólito Castro. JLM-José Luis Monteseirín. JM-José Mouriz. JRC-José Ramón Castro. JV-José Vaamonde. JVM-José Vidal Meilán. LRA-Lidia Romero Arnich. LS-Luis Salaverri. MC-Miguel Cal. MOF-Marcos Otero Filgueiras. MVB-Mercedes Vilas Bugallo. PFG-Pilar Fernández González. SGP-Serafin González Prieto. SSG-Salva Sánchez García. XRM-Xosé L. Rey Muñiz. XRS-Xan Rodríguez Silvar.					



RÍA DE RIBADEO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia arctica</i>						1					0	0	0	0	0	0
<i>Gavia immer</i>	5	2			1	1		1		1	0	0	0	2	2	1
<i>Tachybaptus ruficollis</i>					2						1	2	2	1	0	0
<i>Podiceps cristatus</i>					2					1	0	3	0	0	0	0
<i>Podiceps auritus</i>	1					2					3	0	0	0	0	0
<i>Podiceps nigricollis</i>	20	11	12	22	9	15	1	4	3	3	18	46	27	14	15	5
<i>Calonectris borealis</i>		1									0	0	0	0	0	0
<i>Morus bassanus</i>		12	19						2		0	1	3	3	6	0
<i>Phalacrocorax carbo</i>	69	105	86	60	47	22	22	26	63	46	93	88	84	87	73	36
<i>Gulosus aristotelis</i>	8	3	13		2				2		0	1	1	5	5	0
<i>Egretta garzetta</i>	28	26	5	18	17	14	17	33	19	46	11	66	86	44	19	26
<i>Ardea ibis</i>	316	1	100	34	53	63	101	72	254	224	0	0	33	75	101	143
<i>Ardea cinerea</i>	27	33	11	20	24	28	44	36	58	44	9	18	22	26	23	42
<i>Plegadis falcinellus</i>			1				34				0	0	0	0	0	7
<i>Platalea leucorodia</i>	17	17	5	31	18	17	35	36	35	50	0	0	1	9	18	35
<i>Anser brachyrhynchus</i>							3				0	0	0	0	0	1
<i>Anser anser</i>		1							1		0	0	1	1	0	0
<i>Branta bernicla</i>								5			0	0	0	0	0	1
<i>Mareca penelope</i>	154	256	504	311	192	203	279	368	196	189	667	705	758	431	283	247
<i>Mareca americana</i>			1								0	1	0	0	0	0
<i>Mareca strepera</i>	15		11	38	11	14	30	39	5	11	15	19	37	82	15	20
<i>Anas crecca</i>	47	69	131	188	72	79	121	197	103	125	122	121	226	296	101	125
<i>Anas platyrhynchos</i>	413	563	832	397	516	271	333	427	454	434	182	392	490	406	544	384
<i>Anas acuta</i>	46	240	106	232	23	52	69	92	104	141	286	342	300	186	129	92
<i>Spatula clypeata</i>		7	7				1				12	5	7	3	3	0
<i>Aythya ferina</i>							1				0	0	2	1	0	0
<i>Aythya collaris</i>			1								0	0	0	0	0	0
<i>Aythya fuligula</i>			1			1					0	0	2	0	0	0
<i>Aythya marila</i>		1		1		3					1	2	2	1	0	1
<i>Melanitta nigra</i>	1	9	20		1	5			6	4	1	0	1	3	6	3
<i>Mergus serrator</i>		1					5	1			2	1	0	1	0	1
<i>Gallinula chloropus</i>			1						3		0	0	0	1	0	1
<i>Haematopus ostralegus</i>	2	5	10	8		7	8	11	8	1	8	4	5	8	5	7
<i>Recurvirostra avosetta</i>								1			13	1	0	0	0	0
<i>Charadrius hiaticula</i>	6	5	7		6	6		10	13	32	11	6	7	3	5	12
<i>Pluvialis apricaria</i>			25		17						0	18	23	0	8	0
<i>Pluvialis squatarola</i>	24		16					51	22	9	64	26	23	5	8	16
<i>Vanellus vanellus</i>	1	6									148	34	421	37	1	0
<i>Calidris alpina</i>	108	276	361		3	51	152	550	337	170	291	141	168	269	150	252
<i>Gallinago gallinago</i>				1							0	1	3	1	0	0
<i>Limosa limosa</i>	26	25	70	31		2		12	12	9	0	7	13	8	30	7
<i>Limosa lapponica</i>			1	2	2	11	1		2		7	13	1	4	1	3
<i>Numenius phaeopus</i>	8			2				10	9	3	4	9	18	6	2	4
<i>Numenius arquata</i>	94	74	108	61	105	41	85	55	69	46	108	109	137	133	88	59
<i>Tringa erythropus</i>	2										0	3	3	3	0	0
<i>Tringa totanus</i>	13	7	30		4	2		2			5	10	14	19	11	1
<i>Tringa nebularia</i>	67	53	63	40	58	44	42	43	39	74	19	38	50	63	56	48
<i>Actitis hypoleucos</i>	23	6	10	5	30	21	19	31	16	13	1	13	17	14	15	20
<i>Arenaria interpres</i>	8								4		0	1	2	5	2	1
<i>Ichthyaetus melanocephalus</i>	5	2	1								0	0	1	1	2	0
<i>Chroicocephalus ridibundus</i>	279	135	133	153	146	50	114	109	65	74	282	481	711	593	169	82

<i>Larus canus</i>	3								2		0	2	2	1	1	0
<i>Larus fuscus</i>	128	63	97	92	149	146	209	117	118	191	15	48	115	59	106	156
<i>Larus michahellis</i>	155	438	297	183	465	117	140	192	191	64	100	120	450	150	308	141
<i>Larus glaucooides</i>					1						0	0	0	0	0	0
<i>Larus marinus</i>	13	11	11	2	9	1	4	2	2	2	1	5	10	12	9	2
<i>Thalasseus sandvicensis</i>	5	7	5	5	4	1					1	2	1	3	5	0
<i>Alca torda</i>	1										1	0	1	0	0	0
<i>Pandion haliaetus</i>	2	1	2	2	3	2	2	2	2	1	0	0	0	1	2	2
<i>Circus aeruginosus</i>					2	1					0	0	0	1	0	0
<i>Alcedo atthis</i>	2				2	1				1	0	1	0	1	1	0
TOTAL ESPECIES	38	35	38	26	33	34	27	30	33	29	26	34	34	37	34	31
TOTAL AVES	2142	2472	3114	1939	1996	1295	1872	2535	2219	2009	2524	2909	3734	3086	2333	1986



RÍA DE FOZ	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>	5						2	1			0	0	0	1	1	1
<i>Tachybaptus ruficollis</i>	4	8	7	8	5	10	3	4	4	4	2	8	8	6	6	5
<i>Podiceps auritus</i>	1										0	0	0	0	0	0
<i>Podiceps nigricollis</i>	20									6	2	1	0	0	4	1
<i>Morus bassanus</i>			2		2						0	8	0	5	1	0
<i>Phalacrocorax carbo</i>	69	107	78	39	32	32		25	31	30	25	40	32	37	65	24
<i>Gulosus aristotelis</i>	8		2	2					1	1	0	1	4	3	2	0
<i>Egretta garzetta</i>	28	14	12	21	10	7	3	3	11	9	3	9	17	18	17	7
<i>Ardea ibis</i>	316								1		0	0	4	6	63	0
<i>Ardea cinerea</i>	27	26	16	12	1	11	9	8	10	14	17	8	19	6	16	10
<i>Platalea leucorodia</i>	17			1		8	4		8	1	0	0	1	0	4	4
<i>Anser brachyrhynchus</i>						3					0	0	0	0	0	1
<i>Branta bernicla</i>			2								2	0	0	1	0	0
<i>Tadorna tadorna</i>								1			1	0	0	0	0	0
<i>Mareca penelope</i>	154			5	23		9	9	15	4	77	56	75	18	36	7
<i>Mareca strepera</i>	15	23			3		4	10	6		0	0	4	15	8	4
<i>Anas crecca</i>	47	73	75	55	42	32	42	37	59	22	18	60	89	99	58	38
<i>Anas platyrhynchos</i>	413	218	146	156	246	217	180	198	239	212	102	139	174	211	236	209
<i>Anas acuta</i>	46			4			3				1	1	0	1	10	1
<i>Spatula clypeata</i>							1				0	0	0	0	0	0
<i>Melanitta nigra</i>	1									1	0	0	3	2	0	0
<i>Mergus serrator</i>									1		2	1	1	1	0	0
<i>Gallinula chloropus</i>	9	2									1	4	0	1	2	0
<i>Fulica atra</i>		1									1	0	0	0	0	0
<i>Haematopus ostralegus</i>	11	11	12	6	11	11	11	12	7	10	4	23	19	15	10	10
<i>Recurvirostra avosetta</i>				1							3	0	0	0	0	0
<i>Charadrius hiaticula</i>	33	17	30		26	36	11		28	65	16	15	26	35	21	28
<i>Anarhynchus alexandrinus</i>			2								0	0	0	0	0	0
<i>Pluvialis squatarola</i>	82	170	131	106	44	82	91	130	90	72	34	84	87	121	107	93
<i>Vanellus vanellus</i>	1	1							1		79	67	151	5	0	0
<i>Calidris canutus</i>	3	6	14	21	23	18	3	23	12	10	2	9	9	11	13	13
<i>Calidris alba</i>	19	7			3		4				4	18	19	23	6	1
<i>Calidris maritima</i>					2						0	0	0	0	0	0
<i>Calidris alpina</i>	179	330	263	137	164	116	223	270	205	202	78	136	200	251	215	203
<i>Gallinago gallinago</i>											0	12	42	24	0	0
<i>Limosa limosa</i>	26	1			1			5	2	8	0	24	5	3	6	3
<i>Limosa lapponica</i>	2	51		6	6	17	34	49	49	25	23	57	48	54	13	35
<i>Numenius phaeopus</i>	8	7	9	10	14	28	5		6	4	0	0	1	2	10	9
<i>Numenius arquata</i>	122	90	95	131	99	105	117	160	96	109	110	109	122	154	107	117
<i>Tringa erythropus</i>	2										0	0	1	0	0	0
<i>Tringa totanus</i>	13	10			1		1	2	10	4	0	0	1	1	5	3
<i>Tringa nebularia</i>	67	64	66	61	61	37	56	125	45	62	1	18	34	48	64	65
<i>Actitis hypoleucos</i>	23	10	16	5	2	2		5	1	3	0	2	2	3	11	2
<i>Arenaria interpres</i>	8	1	16							2	0	0	1	4	5	0
<i>Ichthyophaga melanoleuca</i>	5	24		2	30	3		8	2		0	1	3	3	12	3
<i>Chroicocephalus ridibundus</i>	279	162	229	156	210	70	120	142	102	157	70	148	146	156	207	118
<i>Larus canus</i>	3						1				0	1	3	0	1	0
<i>Larus fuscus</i>	128	13	28	49	8	11	10	38	35	21	103	81	77	99	45	23
<i>Larus michahellis</i>	268	93	132	170	228	145	118	163	114	137	185	209	242	303	178	135
<i>Larus fuscus/michahellis</i>		79	49	12	21		41	60	10	40	400	0	0	5	32	30
<i>Larus marinus</i>	13	16	4	7	3	5	7	9	9	5	4	5	8	7	9	7
<i>Thalasseus sandvicensis</i>	5	4	2		3						0	2	2	3	3	0
<i>Alca torda</i>	1		1		1						0	6	0	3	1	0
<i>Pandion haliaetus</i>	2		1		1	2	1	1	1		0	0	0	1	1	1
<i>Circus aeruginosus</i>								1			0	0	0	0	0	0
<i>Alcedo atthis</i>	2	1	2				1				0	1	1	1	1	0
TOTAL ESPECIES	43	32	29	26	32	24	30	28	33	29	18	30	36	35	32	29
TOTAL CENSO	2485	1640	1442	1183	1326	1008	1115	1499	1212	1240	1372	1387	1744	1768	1615	1320
<i>Anas sp.</i>		6														
<i>Charadrius sp.</i>		6														

RÍA DO BARQUEIRO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>										1		0	0	0	0	0
<i>Podiceps nigricollis</i>	2		1	1								5	1	3	1	0
<i>Morus bassanus</i>			1		1							0	0	3	0	0
<i>Phalacrocorax carbo</i>	15	5	14	11	8	15	6	6	3	5		7	3	10	11	7
<i>Gulosus aristotelis</i>			1			1	2	2	1			4	1	1	0	1
<i>Ardea cinerea</i>		3		1	1	5	2	2	4	3		0	0	2	1	3
<i>Melanitta nigra</i>						1						1	0	3	0	0
<i>Haematopus ostralegus</i>								1				0	0	0	0	0
<i>Charadrius hiaticula</i>	1											0	0	0	0	0
<i>Numenius phaeopus</i>		3		3	3	2			2	2		0	0	0	2	1
<i>Numenius arquata</i>							2	1	1			0	0	0	0	1
<i>Actitis hypoleucos</i>	1				1	1		1				2	2	3	0	0
<i>Chroicocephalus ridibundus</i>	8	5	8	5	14	5	1		1	3		10	13	6	8	2
<i>Larus fuscus</i>	4	9	3	27		4	6	3	1	2		27	44	11	9	3
<i>Larus michahellis</i>	165	203	31	101	38	48	28	85	31	25		151	624	270	108	43
<i>Larus fuscus/michaellis</i>	38		14	24		31	13	15	3	3		145	0	18	15	13
<i>Larus marinus</i>	17	12	1	7	4	6	1	7	3	2		1	3	3	8	4
<i>Thalasseus sandwicensis</i>	1		1									0	0	0	0	0
<i>Alca torda</i>	1											0	1	0	0	0
<i>Alcedo atthis</i>										1		0	0	0	0	0
TOTAL ESPECIES	11	7	10	9	8	11	9	10	10	10	nc	8	7	10	9	9
TOTAL CENSO	253	240	75	180	70	119	61	123	50	47	nc	356	692	347	164	137
<i>Larus sp.</i>					5											



RÍA DE VIVEIRO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>	1	1					1				0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	1	2	2			3	4				0	1	2	3	1	1
<i>Podiceps nigricollis</i>	2										1	8	10	7	0	0
<i>Morus bassanus</i>	3	1	4		2						0	0	1	4	2	0
<i>Phalacrocorax carbo</i>	69	88	61	58	51	54	33	31	36	31	30	34	34	58	65	37
<i>Gulosus aristotelis</i>	1	2		1	2		1	4	1	4	0	3	2	2	1	2
<i>Egretta garzetta</i>	15	7	7	9	10	7	4	4	4	3	10	5	6	8	10	4
<i>Ardea alba</i>								1			0	0	0	0	0	0
<i>Ardea cinerea</i>	4	7	6	5	7	8	6	3	5	5	5	6	4	4	6	5
<i>Platalea leucorodia</i>										1	0	0	0	0	0	0
<i>Anas crecca</i>		7									0	0	0	0	1	0
<i>Anas platyrhynchos</i>	4	30	65	23	27	63	24	66	73	25	0	12	20	15	30	50
<i>Anas acuta</i>		1									0	0	0	0	0	0
<i>Rallus aquaticus</i>										1	0	0	0	0	0	0
<i>Haematopus ostralegus</i>					2						0	1	0	1	0	0
<i>Charadrius hiaticula</i>								2		1	0	2	4	4	0	1
<i>Pluvialis squatarola</i>		3			4	4				3	0	10	2	2	1	1
<i>Calidris alba</i>					3						0	0	0	0	1	0
<i>Calidris alpina</i>				8	16						2	18	4	11	5	0
<i>Numenius phaeopus</i>	1	6	4	2	2	3		1	4		0	0	0	0	3	2
<i>Numenius arquata</i>	6	1			2		3	1	1		0	4	6	7	2	1
<i>Tringa nebularia</i>	3	2	2	4	2	1	2	3	5	2	0	0	3	1	3	3
<i>Actitis hypoleucos</i>	20	17	12	23	29	7	17	19	11	15	3	7	12	17	20	14
<i>Arenaria interpres</i>		2									0	0	0	0	0	0
<i>Ichthyaelus melanocephalus</i>	2	2	12		2		3	3	1	1	0	1	0	0	4	2
<i>Chroicocephalus ridibundus</i>	106	84	138	202	99	88	122	71	75	79	200	163	158	154	126	87
<i>Larus canus</i>								1			0	0	0	0	0	0
<i>Larus fuscus</i>	23	26	29	67	3	16	5	18	23	7	200	32	44	72	30	14
<i>Larus argentatus</i>				1					1		0	0	3	0	0	0
<i>Larus michahellis</i>	556	584	277	1171	156	143	155	501	235	175	1500	744	857	649	549	242
<i>Larus fuscus/michaellis</i>	314		73	147		33	24	37	30	21	0	0	0	107	107	29
<i>Larus marinus</i>	16	13	8	6		2			4	3	0	3	6	15	9	2
<i>Thalasseus sandvicensis</i>		1		1							0	1	0	0	0	0
<i>Alca torda</i>	1										0	1	1	3	0	0
<i>Pandion haliaetus</i>								1	1	1	0	0	0	0	0	1
<i>Alcedo atthis</i>					2					1	0	1	0	0	0	0
TOTAL ESPECIES	20	22	15	16	19	14	15	18	17	19	9	20	19	20	18	17
TOTAL CENSO	1148	887	700	1728	421	432	404	767	510	379	1951	1062	1206	1152	977	834
<i>Puffinus sp.</i>	1															
<i>Calidris sp.</i>		7														
<i>Larus sp.</i>					34											

RÍAS ALTAS DO ATLÁNTICO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia stellata</i>					1	1		2	12	4	1	3	1	3	0	4
<i>Gavia arctica</i>	2	1						2		1	2	1	2	0	1	1
<i>Gavia immer</i>	6	9	2	1	1	5	13	5	6	5	9	6	6	8	4	7
<i>Tachybaptus ruficollis</i>	186	109	115	133	209	133	215	169	116	54	74	131	134	108	150	137
<i>Podiceps cristatus</i>	3	1		4	5	6	8	6	8	8	2	1	1	2	3	7
<i>Podiceps auritus</i>			1	1							1	5	4	2	0	0
<i>Podiceps nigricollis</i>	77	97	110	75	91	119	35	31	9	20	8	45	69	111	90	43
<i>Puffinus puffinus</i>									1		0	0	0	0	0	0
<i>Hydrobates pelagicus</i>										2	0	0	0	0	0	0
<i>Morus bassanus</i>	211	21	106	8	4	16	68	101	311	230	52	61	115	622	70	145
<i>Phalacrocorax carbo</i>	494	821	707	1148	543	665	1108	793	686	920	431	661	799	837	743	834
<i>Gulosus aristotelis</i>	199	154	135	59	114	154	148	293	267	154	40	97	89	143	132	203
<i>Botaurus stellaris</i>				2		2					0	1	1	0	0	0
<i>Egretta garzetta</i>	244	298	249	235	282	272	274	299	284	258	190	262	259	291	262	277
<i>Ardea ibis</i>	1	2	7	4		4	53	73	109	39	0	0	1	0	3	56
<i>Ardea alba</i>	12	16	17	17	16	17	15	19	27	23	0	1	2	8	16	20
<i>Ardea cinerea</i>	339	500	311	329	374	487	387	407	428	235	289	243	275	348	371	389
<i>Plegadis falcinellus</i>				5			6			3	0	1	0	0	1	2
<i>Platalea leucorodia</i>	27	46	52	56	56	65	89	105	99	155	4	4	8	16	47	103
<i>Cygnus olor</i>	30	47	40	31	21		15	23	22	12	1	0	0	15	34	14
<i>Cygnus cygnus</i>				4				1	2		0	1	1	1	1	1
<i>Anser brachyrhynchus</i>			8		2	8	12	2	1	1	0	0	0	0	2	5
<i>Anser albifrons</i>							1	1	1		1	0	0	0	0	1
<i>Anser anser</i>	2	1	1	4		3	2				0	4	2	1	2	1
<i>Branta canadensis</i>									1		0	0	0	0	0	0
<i>Branta bernicla</i>		2							15	1	0	1	2	3	0	3
<i>Alopochen aegyptiaca</i>						3	2	1			0	0	0	0	0	1
<i>Tadorna tadorna</i>				2	1		1	2		1	1	0	1	1	1	1
<i>Mareca penelope</i>	881	1867	1118	911	634	684	697	647	676	670	843	1099	1148	1032	1082	675
<i>Mareca strepera</i>	328	223	123	459	372	344	134	275	269	251	66	114	137	219	301	255
<i>Anas crecca</i>	418	594	529	953	579	571	810	1173	848	750	667	873	857	922	615	830
<i>Anas crecca carolinensis</i>								2		1	0	0	0	0	0	1
<i>Anas platyrhynchos</i>	2192	1941	1897	2162	2250	2904	1963	2353	2469	2156	1905	2131	2101	2094	2088	2369
<i>Anas rubripes</i>								1	1		0	0	0	0	0	0
<i>Anas acuta</i>	117	252	83	186	173	164	175	98	209	249	165	207	185	185	162	179
<i>Spatula discors</i>			2								0	0	0	0	0	0
<i>Spatula clypeata</i>	77	126	94	126	62	67	96	112	69	99	182	133	149	109	97	89
<i>Aythya ferina</i>	85	25	2	57	32	12	28	26	3		58	181	160	77	40	14
<i>Aythya collaris</i>	2					1	3	6		2	0	1	0	2	0	2
<i>Aythya fuligula</i>	21	89		43	19	26	47	80	14	2	44	35	21	43	34	34
<i>Aythya marila</i>	2	2		2	1	1	1		1	5	2	1	1	0	1	2
<i>Aythya affinis</i>							1	4			0	0	0	0	0	1
<i>Somateria mollissima</i>			1	16		1	1	1			0	0	0	1	3	1
<i>Clangula hyemalis</i>						1			2	1	0	0	0	0	0	1
<i>Melanitta nigra</i>		174	31	55	19	5	24	53	68	50	27	65	43	184	56	40
<i>Melanitta fusca</i>			1	1			8	2			0	1	1	1	0	2
<i>Mergus serrator</i>			4	6	1	3	3	1	2	2	3	3	2	3	2	2
<i>Mergus merganser</i>										1	0	0	0	0	0	0
<i>Rallus aquaticus</i>	2	1	10		1	3	2	22	3	8	8	11	7	4	3	8
<i>Gallinula chloropus</i>	15	38	21	12	30	11	24	29	19	6	5	17	27	13	23	18
<i>Fulica atra</i>	125	130	76	154	138	144	83	125	119	16	235	291	285	133	125	97
<i>Grus grus</i>					1		1				0	0	0	0	0	0
<i>Haematopus ostralegus</i>	586	444	556	468	437	523	458	462	458	541	499	560	597	491	498	488
<i>Recurvirostra avosetta</i>		1									3	1	0	0	0	0
<i>Burhinus oedicnemus</i>							1				1	1	0	0	0	0
<i>Charadrius hiaticula</i>	22	124	84	83	82	89	117	150	86	128	100	87	87	64	79	114
<i>Anarhynchus alexandrinus</i>	21		18	34	7	23	39	39	28	46	48	27	27	27	16	35

<i>Pluvialis apricaria</i>	46		27					31	90		54	39	21	43	15	24
<i>Pluvialis squatarola</i>	374	577	427	403	364	303	326	588	327	302	445	391	345	391	429	369
<i>Vanellus vanellus</i>	4	10		3	1	1			1	7	287	15	180	48	4	2
<i>Calidris canutus</i>	7	46	39	19	37	51	19	14	36	19	64	44	44	20	30	28
<i>Calidris alba</i>	354	490	594	344	322	607	550	390	539	459	62	146	280	432	421	509
<i>Calidris minuta</i>		1									0	0	0	0	0	0
<i>Calidris maritima</i>		8						15	2		3	5	6	1	2	3
<i>Calidris alpina</i>	1253	1993	2165	1796	1534	1079	1765	2294	1937	1172	1634	984	920	1289	1748	1649
<i>Gallinago gallinago</i>	4		12	6	18	17	3	37	23	9	36	32	17	12	8	18
<i>Limosa limosa</i>	67	47	134	156	125	134	102	208	95	112	26	63	50	57	106	130
<i>Limosa lapponica</i>	37	322	138	151	161	127	169	182	177	143	154	104	118	198	162	160
<i>Numenius phaeopus</i>	113	148	116	141	105	146	154	122	104	170	35	25	57	109	125	139
<i>Numenius arquata</i>	691	660	669	608	542	534	629	644	449	637	661	701	760	756	634	579
<i>Tringa erythropus</i>	1	1	1				2	1	1		1	1	1	1	1	1
<i>Tringa totanus</i>	80	101	101	106	127	131	107	152	117	93	64	112	76	70	103	120
<i>Tringa nebularia</i>	209	128	201	176	213	155	270	211	193	176	98	152	170	176	185	201
<i>Tringa ochropus</i>								1			0	0	0	0	0	0
<i>Actitis hypoleucos</i>	136	99	103	166	171	132	162	179	167	138	34	88	126	122	135	156
<i>Arenaria interpres</i>	109	71	114	142	166	64	253	165	313	178	26	66	105	52	120	195
<i>Phalaropus fulicarius</i>								9			0	1	0	0	0	2
<i>Stercorarius skua</i>	4								2		0	2	0	0	1	0
<i>Ichthyophaga melanoleuca</i>	34	83	109	128	21	17	65	406	349	21	2	8	48	63	75	172
<i>Hydrocoloeus minutus</i>								102	71		0	1	0	0	0	35
<i>Chroicocephalus philadelphia</i>	1	1		1			1	1	1	1	0	0	0	0	1	1
<i>Chroicocephalus ridibundus</i>	3107	3957	2921	3306	2221	2598	2390	3441	1797	2134	1881	2916	2621	3349	3102	2472
<i>Larus delawarensis</i>			2		2			1	1		0	2	1	0	1	0
<i>Larus canus</i>	2	6	6	6	3		7	20	4	2	6	6	3	7	5	7
<i>Larus cachinnans</i>		1									0	0	0	0	0	0
<i>Larus fuscus</i>	424	466	725	1071	687	434	1044	1963	926	571	788	645	1116	764	675	988
<i>Larus smithsonianus</i>		1		1							0	0	0	0	0	0
<i>Larus argentatus</i>		28	56	7	3	38	5	10	28	5	1	3	2	4	19	17
<i>Larus michahellis</i>	1684	2322	5824	4542	4549	4010	5474	11573	6351	4779	2357	5116	5294	5125	3784	6437
<i>Larus fuscus/michahellis</i>	197	3129	351	797	471	138	1269	685	463	217	988	1095	572	61	989	554
<i>Larus glaucoideus</i>	1					1					0	0	1	0	0	0
<i>Larus hyperboreus</i>	1	1	1	1							0	1	3	1	1	0
<i>Larus marinus</i>	45	56	79	90	65	62	88	81	69	72	10	29	56	57	67	74
<i>Rissa tridactyla</i>	2				1		193	4	87		8	15	77	2	1	57
<i>Thalasseus sandvicensis</i>	24	69	37	39	30	42	31	26	20	13	7	27	38	40	40	26
<i>Uria aalge</i>			1				1		2		1	11	1	1	0	1
<i>Alca torda</i>	20	2	1				1	7	3		76	64	24	7	5	2
<i>Fratercula arctica</i>								1			0	0	0	0	0	0
<i>Pandion haliaetus</i>	1	2	1	2	1	2	6	4	5	4	0	0	0	1	1	4
<i>Circus aeruginosus</i>	6	4	4	5	3	2	4	5	3	4	0	1	0	2	4	4
<i>Alcedo atthis</i>	6	18	11	5	8	12	17	11	11	6	0	6	4	5	10	11
<i>Emberiza schoeniclus</i>	40	2		2			3	6	13	7	0	8	11	5	9	6
TOTAL ESPECIES	65	66	64	67	61	63	73	79	76	68	142	142	142	142	142	142
TOTAL CENSO	15811	23006	21481	22066	18509	18374	22278	31586	22526	18561	15778	20296	20767	21397	20175	22665



Rías Altas do Atlántico. Ornitólogos participantes. Ornithologists list.					
	2016	2017	2018	2019	2020
Ortigueira	Delegación Ferrol SGHN	XRS-MC-JV-FGV	XPE-JRC-MC-XRS-HC-DS-DT-APr-JLM-RH-FGV	XRS-MC-JRC-FGV	XRS-MC-JRC-FGV
Cedeira	Delegación Ferrol SGHN	RLL-FGV	XPE	APr-JLM-RLL-JRC-HC-FGV	FGV
Frouxeira	Delegación Ferrol SGHN	JLD-DS-JR-XRA-HC-EV-JJR-MC-XRS-FGV	XPE	XRS-HC-APr-AFe-JRC-JLM-DS-FGV	FGV-XRS
Doniños	FGV - MC	FGV	FVG	FGV	FGV
Ferrol	XPE-FGV-XRS-JV-JR-MC-AFe	JJR-XRS-MC-PCr-JV-FGV-PCr-HC-JV-	XPE-XRS-JV-AFe-JRi-EV-MC-APr-DT-JLM-FGV	JRi-XRS-MC-PCr-HC-JV-AFe-JRC-JLM-APr-FGVF	FVG-XRS-APr-JJI-EV-PCr-MC-SSG-AFe-JRC
Ares-Betanzos	CCR-CRS-IAM	CCR-CRS-IAM-MAC-LC-IP	CRS-IAM	IAM-MAC-JNF-CRS-CCR-NT-ERe-OCA-JJD-ML-LD-JAF-AF-LC-IP	IAM-MAC-CRS-CCR-SVC-JD-GNH
Coruña	CCR-IAM-MAC-Pca	CCR-IAM-MAC-CRS	CCR-IAM-MAC-CRS-LC-IP-MR-ER	CCR-IAM-MAC-CRS-OCA	CCR-CRS-IAM-MAC-ASR
Baldaio	IAM-CCR	IAM-CCR-MAC	IAM-CCR-MAC	IAM	CRS-IAM
Anllóns Corne-Laxe	AAL-CPL-XPP-XSC	CPL-XPP-AAL-XSC-CP-XP	SGP-PFG-CVB	AL-PBM-AAL-CRG-XPP-XSC	AL-PBM-AAL-CRG-XPP-XSC-CPP-CPL-XSP
Traba	CPL-XPP	AAL-CPL-XPP	SGP-PFG-CVB	AAL-XPP-PBM-AL	AAL-XPP-PBM-ALV-CPP-CRG-CPL-XSC
Camariñas	AAL-CPL-XPP-CRG-XSC	AAL-CPL-XPP	AAL-CPL-XPP	AAL-XPP-PBM-AL	AAL-XPP-PBM-AL-CPL-CPP-XSC
Muxía-Corcubión Lires	CPL-XPP-AAL-CRG-XSC	CPL-XPP-AAL	AAL-ABD-CPL-XPP	AAL-XPP-PBM-AL	AAL-XPP-PBM-AL-CPL-CPP-XSC-CRG
Caldebarcos-Carnota	EAE	EAE	EAE	EAE	EAE
Louro	EAE	EAE	SGP - EAE	SGP-PFG - EAE	SGP-PFG - EAE
	2021	2022	2023	2024	2025
Ortigueira	XRS-FGV	XRS-SSG-JM-HC-FGV	XRS-MC-JM-SSG-JRC-FGV	FGV	XRS-FGV-JRC
Cedeira	FGV	RLL-FGV	AP-JRC-JM-HC-SSG-FGV	FGV-JRC	XRS-FGV-RLL-HC
Frouxeira	FGV	XRS-AGS-SSG-JM-HC-FGV	XRS-SSG-JRC-JM-FGV	JM-JRC-FGV	XRS-HC-JRC-FGV
Doniños	BR-FGV	FGV-XRS	SSG-FGV	FGV	FGV
Ferrol	XRS-PCr-JRC-FGV	XRS-JI-JRC-AGS-SSG-JM-HC-FGV-PCr	FGV-MC-JRC-JM-JJR-XRS	XRS-JJR-JM-JRC-FGV	XRS-FGV-JJR
Ares-Betanzos	CRS-JN	IAM-MAC-CRS-AAB-LC-IP-CCR-SVC-GNH	CCR-CRS-JDP-NRA-JAP-SVC-IAM-ALG-AAB-MVB	IAM-CRS-AAB-CCR-ALG-JSB-SVC-RTM	CCR-CRS-IAM-JN-G.Hábitat
Coruña	CCR-IAM-MAC-MACa	CCR-ASR-CRS-AAB-MAC-IAM-GNH	RTM-BLC-ASR-CDR-JDP-MCe-EP	MCe-EP-CRC-IAM	CRS-IAM-G.Hábitat
Baldaio	IAM	CRS-IAM	XV-IAM	XV	XV-AAr
Anllóns	PBM-AL	ALV-PBM-CPP-XPP-CPL-AAL-CRG-XSC	JRP-ALV-PBM-CPP-XPP-CPL-AAL-XSC	ALV-PBM-CPP-XPP-CPL-AAL-XSC-CRG-PGR	ALV-PBM-CPP-XPP-AAL-XSC-CRC-XV-JPV
Traba	PBM-AL	PBM-ALV-CPP-XPP-AAL-CRG-CPL-XSC	JRP-AAL-CPP-XPP-PBM-ALV-CPL-XSC	ALV-PBM-CPP-XPP-CPL-AAL-XSC	ALV-PBM-CPP-XPP-AAL-XSC-XFD
Camariñas	ALV-PBM	AL-PBM-CPL-CPP-XPP-CRG-AAL-XSC	AAL-XPP-PBM-ALV-CPL-XSC	ALV-PBM-XPP-CPL-AAL-XSC	ALV-PBM-CPP-XPP-CPL-AAL-XSC-FD
Muxía-Corcubión Pindo-Fisterra	LRA-ARP-PBM-AL	ARP-LRA-PBM-ALV-AAL-CPP-XPP-CRG-CPL-XSC	AAL-CPP-XPP-PBM-ALV-CPL-XSC	ALV-PBM-CPP-XPP-CPL-AAL-XSC-ABD	ALV-PBM-CPP-XPP-CPL-AAL-XSC-FD
Caldebarcos-Carnota	EAE	EAE	EAE	EAE	PBM-XPP-CPL-AAL-XSC-PGR
Louro	LRA-ARP - EAE	SGP-PFG - EAE	SGP-PFG-CVB-EAE	SGP-PFG-EAE	PBM-XPP-CPL-AAL-XSC-PGR

AAB-Agustín Agra Barreiro. **AAL**-Agustín Alcalde Lorenzo. **AAR**-Almu Ares **ABD**-Andrés Bermejo Díaz. **AF**-Aldán Freire. **AFe**-Alberto Ferro. **AGS**-Álvaro Gallego de la Sacristana. **ALG**-Ana López García. **ALV**-Amancio Losada Vicente. **AP**-Álvaro Pérez. **APr**-Alicia Provecho. **ARP**-Álvaro Rodríguez Pomares. **ASR**-Antonio Sandoval Rey. **BLC**-Bibiana Lorenzo Castiñeiras. **BR**-Bruno Romero. **CCR**-Carlos Caramelo Rego. **CPL**-Carlos Pedreira López. **CPP**-Clara Penas Patiño. **CRC**-Cosme D. Romai Cousido (GNH). **CRG**-Carlos Rei Gómez. **CRS**-Carlos Rodríguez Silvar. **CVB**-Cristina Vieites Blanco. **DS**-Daniel Sónora. **DT**-Daniel Touceda. **EAE**-Enrique Álvarez Escudero. **EP**-Elías Pérez (GNH). **ER**-Eduardo Rodríguez. **ERe**-Enrique Reboredo. **EV**-Emilio Vilarinho. **FD**-Francisco Docampo. **FGV**-Francisco Girón Veiga. **FVR**-Francisco Villamil Rodríguez. **GNH**-Grupo Naturalista Hábitat. **HC**-Hipólito Castro. **IAM**-Ignacio Aparicio Montero. **IP**-Iván Penas. **JAF**-José Antonio Freire. **JAP**-José Alonso Pou. **JD**-Jorge Díaz. **JDP**-Juan David Presa. **JJD**-Jorge Juan Díaz. **JJI**-Juan José Iglesias. **JJR**-Juan José Rivera. **JLD**-José L. Docampo. **JLM**-José Luis Monteserín. **JM**-José Mouriz Cabalo. **JN**-Juan Neira Fernández. **JPV**-José Manuel Pérez Vérez (GNH). **JR**-Joaquín Rodiles Lamas. **JRi**-Juanjo Rivera. **JRC**-José Ramón Castro Gómez. **JRG**-José Ramón Gómez. **JRP**-José L. Rabuñal Patiño (GNH). **JSB**-José A. Souza Bazarra (GNH). **JV**-José Vidal Meilán. **LC**-Lucía Couceiro. **LD**-Lucas Díaz. **LRA**-Lidia Romero Amich. **MAC**-Martinho Aparicio Castro. **MACa**-Mariña Aparicio Castro. **MC**-Miguel Cal. **MCe**-Manuel Cernadas (GNH). **ML**-María López. **MR**-Mario Rodríguez. **MVB**-Mercedes Vila Bugallo. **NRA**-Nicolás Ron Arroyo. **NT**-Nelly Tafalla. **OCA**-Óscar Cristóbal Alonso. **PBM**-Pepís Beiró Martínez. **Pca**-Pilar Castro. **PCr**-Pedro Cruzado. **PFG**-Pilar Fernández González. **PGR**-Pablo García Rodríguez. **RV**-Ricardo Hevia. **RLL**-Rafael López Loureiro. **RTM**-Ramón Tenreiro Montero (GNH). **SGP**-Serafín González Prieto. **SSG**-Salva Sánchez García. **SVC**-Santiago Vázquez Casas (GNH). **XFD**-Xoan Francisco Docampo. **XPP**-Xosé M. Penas Patiño. **XRA**-Xaquín Rodiles Álvarez. **XSP**-Xacobe Santamaría Pazos. **XRS**-Xan Rodríguez Silvar. **XSC**-Xoán Santamaría Cameán. **XV**-Xabier Varela (GNH).

RÍA DE ORTIGUEIRA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia arctica</i>	1	1									0	0	1	0	0	0
<i>Gavia immer</i>	3	5	1			3	3			1	6	3	2	3	2	1
<i>Tachybaptus ruficollis</i>	4	4	6	7	5	8	3	2	3		5	5	8	12	5	3
<i>Podiceps cristatus</i>	2					1					0	1	1	0	0	0
<i>Podiceps nigricollis</i>	11	17	5	2	2		7	7	2	2	3	3	2	10	7	4
<i>Morus bassanus</i>			25								1	3	3	0	5	0
<i>Phalacrocorax carbo</i>	102	205	111	120	140	130	95	105	95	133	117	108	127	111	136	112
<i>Gulosus aristotelis</i>	6	2	3	6	7	5	12	4	3	3	4	6	5	4	5	5
<i>Egretta garzetta</i>	27	40	45	40	51	67	59	47	37	33	103	97	81	61	41	49
<i>Ardea ibis</i>			7			4	50	16	20		0	0	1	0	1	18
<i>Ardea alba</i>	3	8	7	7	6	5	8	8	10	10	0	0	0	4	6	8
<i>Ardea cinerea</i>	13	28	22	35	39	47	20	54	32	22	30	23	23	29	27	35
<i>Plegadis falcinellus</i>							5				0	0	0	0	0	1
<i>Platalea leucorodia</i>	19	36	40	39	41	44	64	60	44	65	2	1	5	12	35	55
<i>Cygnus olor</i>			2	1	1		1	1	1		0	0	0	0	1	1
<i>Anser brachyrhynchus</i>			8			4	5	2			0	0	0	0	2	2
<i>Anser anser</i>			1			2					0	1	1	0	0	0
<i>Branta bernicla</i>									11		0	1	1	1	0	2
<i>Tadorna tadorna</i>				1							0	0	0	1	0	0
<i>Mareca penelope</i>	875	1833	1117	890	620	662	685	634	666	657	832	1070	1126	1007	1067	661
<i>Mareca strepera</i>	14	23	8	41	10			4		29	37	28	27	44	19	7
<i>Anas crecca</i>	224	273	318	365	195	174	268	354	235	149	307	589	653	579	275	236
<i>Anas platyrhynchos</i>	350	274	282	226	235	210	180	192	262	211	499	635	519	450	273	211
<i>Anas acuta</i>	113	240	78	164	155	98	163	72	189	237	163	203	179	178	150	152
<i>Spatula clypeata</i>	66	95	85	77	53	57	80	78	54	89	164	113	125	99	75	72
<i>Aythya fuligula</i>					2					2	1	0	1	1	0	0
<i>Aythya marila</i>	1										0	1	0	0	0	0
<i>Somateria mollissima</i>			1								0	0	0	0	0	0
<i>Melanitta nigra</i>		13	5	11	8		17	2	2	4	7	14	5	13	7	5
<i>Melanitta fusca</i>			1								0	1	0	0	0	0
<i>Mergus serrator</i>						3		1	1		1	2	1	2	0	1
<i>Rallus aquaticus</i>	1										2	3	1	0	0	0
<i>Haematopus ostralegus</i>	196	210	200	190	182	172	195	159	166	192	307	262	253	231	196	177
<i>Charadrius hiaticula</i>	1	7	4	8	7	9		10	6	6	9	6	9	8	5	6
<i>Pluvialis squatarola</i>	141	205	243	137	105	165	99	202	125	95	157	111	80	129	166	137
<i>Vanellus vanellus</i>		1				1			1		89	0	82	39	0	0
<i>Calidris canutus</i>	6	40	36	18	31	51	16	9	23	8	64	16	14	14	26	21
<i>Calidris alba</i>	13	14	5	4	7	5			8	5	0	2	5	7	9	4
<i>Calidris maritima</i>		8									1	4	6	1	2	0
<i>Calidris alpina</i>	416	1050	1150	866	650	450	900	937	670	393	807	571	293	381	826	670
<i>Gallinago gallinago</i>	2		4								4	9	4	10	1	0
<i>Limosa limosa</i>	2	29	121	153	107	130	101	199	91	110	9	16	13	18	82	126
<i>Limosa lapponica</i>	22	217	103	95	102	110	120	109	149	107	116	95	52	126	108	119
<i>Numenius phaeopus</i>	90	113	78	118	82	135	125	76	54	126	34	22	53	82	96	103
<i>Numenius arquata</i>	521	502	520	483	405	467	518	490	335	375	550	557	566	574	486	437
<i>Tringa erythropus</i>	1	1	1				1				0	1	1	1	1	0
<i>Tringa totanus</i>	72	95	91	99	115	121	93	116	99	74	59	103	61	62	94	101
<i>Tringa nebularia</i>	130	79	143	74	101	103	135	89	70	59	77	120	118	104	105	91
<i>Tringa ochropus</i>								1			0	0	0	0	0	0
<i>Actitis hypoleucos</i>	5	9	1	6	4	1	4	7	3	2	5	10	14	12	5	3
<i>Arenaria interpres</i>		1			2				2		1	3	11	1	1	0

<i>Ichthyaelus melanocephalus</i>	7		19	1	5	1	15	6	1	4	1	1	1	2	6	5
<i>Chroicocephalus philadelphia</i>	1	1									0	0	0	0	0	0
<i>Chroicocephalus ridibundus</i>	173	132	80	147	170	112	101	113	42	62	145	194	196	111	140	86
<i>Larus canus</i>	1	2	1	4	1						2	4	2	2	2	0
<i>Larus cachinnans</i>		1									0	0	0	0	0	0
<i>Larus fuscus</i>	67	55	164	142	95	27	72	19	29	40	246	318	329	300	105	37
<i>Larus argentatus</i>		1	6	1	2				2		1	0	1	1	2	0
<i>Larus michahellis</i>	198		420	203	271	116	276	162	202	74	725	1171	359	697	218	166
<i>Larus fuscus/michahellis</i>		405	121	65	72	25	84	22	36	25	38	36	248	56	133	38
<i>Larus hyperboreus</i>		1	1								0	0	0	0	0	0
<i>Larus marinus</i>	16	11	28	10	12	12	9	27	7	7	5	11	13	15	15	12
<i>Thalasseus sandvicensis</i>	6	7	7	5	9	11	5	4		3	1	2	7	6	7	5
<i>Alca torda</i>	1	1									1	2	2	1	0	0
<i>Pandion haliaetus</i>		1	1		1	1	2	1	2	1	0	0	0	0	1	1
<i>Circus aeruginosus</i>	1									1	0	0	0	0	0	0
<i>Alcedo atthis</i>		2	1				3	1			0	2	0	1	1	1
TOTAL ESPECIES	44	47	50	39	41	40	40	41	41	38	42	46	49	46	44	40
TOTAL CENSO	3924	6298	5727	4861	4108	3749	4599	4402	3790	3416	5782	6597	5707	5178	4984	3991
<i>Anas sp.</i>				5												
<i>Larus sp.</i>				22												



RÍA DE CEDEIRA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>	1										1	0	0	0	0	0
<i>Tachybaptus ruficollis</i>			3			1		4		2	0	0	5	1	1	1
<i>Podiceps cristatus</i>				1							0	0	0	0	0	0
<i>Podiceps nigricollis</i>				2							0	0	0	1	0	0
<i>Morus bassanus</i>	2										5	0	0	0	0	0
<i>Phalacrocorax carbo</i>	17	15	6	20	21	33	23	26	24	23	15	9	9	16	16	26
<i>Gulosus aristotelis</i>		2		2		1		2	1	1	2	1	0	0	1	1
<i>Egretta garzetta</i>	6	9	6	19	7	10	6	7	9	8	3	9	2	4	9	8
<i>Ardea cinerea</i>	2	6	2	14	4	9	4	10	11	8	8	6	6	6	6	8
<i>Platalea leucorodia</i>										6	0	0	0	0	0	1
<i>Cygnus olor</i>			1								0	0	0	0	0	0
<i>Anser brachyrhynchus</i>						3					0	0	0	0	0	1
<i>Mareca penelope</i>				2							0	0	0	1	0	0
<i>Mareca strepera</i>		38	58							118	0	0	0	22	19	24
<i>Anas crecca</i>	2		5	1					1		0	2	0	0	2	0
<i>Anas platyrhynchos</i>	86	157	121	69	53	85	15	83	95	75	79	15	72	53	97	71
<i>Somateria mollissima</i>				1		1	1	1			0	0	0	0	0	1
<i>Melanitta nigra</i>					1	1				2	1	0	2	4	0	1
<i>Melanitta fusca</i>				1				2			0	1	0	0	0	0
<i>Mergus serrator</i>									1		0	0	0	0	0	0
<i>Gallinula chloropus</i>		8	1	4							0	0	1	2	3	0
<i>Haematopus ostralegus</i>	1					3			1		0	1	1	0	0	1
<i>Charadrius hiaticula</i>					14		14	4		5	0	10	5	2	3	5
<i>Anarhynchus alexandrinus</i>							19	17	13	15	0	0	2	0	0	13
<i>Pluvialis squatarola</i>									1	1	4	0	0	0	0	0
<i>Calidris alba</i>				11							0	1	0	10	2	0
<i>Calidris alpina</i>					14	4	21	2		18	0	0	0	0	3	9
<i>Numenius arquata</i>								17			13	7	0	5	0	3
<i>Tringa nebularia</i>									4	5	0	0	0	0	0	2
<i>Actitis hypoleucos</i>	30	8	17	23	26	18	29	16	19	14	3	9	19	15	21	19
<i>Ichthyaetus melanocephalus</i>	2							1	1		0	1	0	0	0	0
<i>Chroicocephalus ridibundus</i>	91	63	17	121	96	60		121		73	123	102	85	61	78	51
<i>Larus delawarensis</i>					2			1	1		0	1	0	0	0	0
<i>Larus canus</i>				1	1			2			0	0	0	0	0	0
<i>Larus fuscus</i>	76	37	22	110	39	17	27	45	28	23	326	154	225	126	57	28
<i>Larus argentatus</i>		1				2			1		0	0	0	0	0	1
<i>Larus michahellis</i>	85	111	57	125	59	50	82	93	114	46	486	296	150	150	87	77
<i>Larus fuscus/michaellis</i>				17		7	30	25	34	26	124	0	35	5	3	24
<i>Larus marinus</i>	2	5	1	18	4	12	7	7	2	5	2	1	2	3	6	7
<i>Rissa tridactyla</i>					1		116		87		0	0	0	0	0	41
<i>Thalasseus sandvicensis</i>	1	2	1		1	1					1	2	0	1	1	0
<i>Pandion haliaetus</i>										1	0	0	0	0	0	0
<i>Alcedo atthis</i>			1	1		1		3	2	3	0	2	1	0	0	2
TOTAL SPECIES	15	14	16	21	16	20	14	22	21	22	5	12	15	15	16	20
TOTAL CENSO	404	462	319	563	343	319	394	489	450	478	477	502	640	490	418	426
<i>Larus sp.</i>					79											



FROUXEIRA- VALDOVIÑO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	78	15	11	34	83	58	130	80	57	5	32	71	55	28	44	66
<i>Podiceps nigricollis</i>	2							1			1	1	0	0	0	0
<i>Morus bassanus</i>	15										5	36	54	0	3	0
<i>Phalacrocorax carbo</i>	21	54	13	51	14	13	14	15	18	18	27	27	16	17	31	16
<i>Gulosus aristotelis</i>									1		3	4	2	0	0	0
<i>Botaurus stellaris</i>				2							0	1	1	0	0	0
<i>Egretta garzetta</i>	1			2	2	1	2	7	5	3	1	0	1	0	1	4
<i>Ardea ibis</i>										2	0	0	0	0	0	0
<i>Ardea cinerea</i>	4	5	1	6	2	6	12	14	6	5	7	7	7	8	4	9
<i>Plegadis falcinellus</i>				4						3	0	1	0	0	1	1
<i>Platalea leucorodia</i>				1		3	2	16	10	12	0	0	1	0	0	9
<i>Cygnus olor</i>								1	1		0	0	0	0	0	0
<i>Cygnus cygnus</i>								1			0	0	0	0	0	0
<i>Anser brachyrhynchus</i>										1	0	0	0	0	0	0
<i>Anser anser</i>		1									0	0	0	0	0	0
<i>Mareca penelope</i>	6	14							5		5	19	11	1	4	1
<i>Mareca strepera</i>	124	87	6	162	165	169	95	203	180	18	25	80	85	64	109	133
<i>Anas crecca</i>	62	46	29	42	93	78	115	365	364	188	30	41	64	104	54	222
<i>Anas crecca carolinensis</i>								2		1	0	0	0	0	0	1
<i>Anas platyrhynchos</i>	418	54	99	410	435	321	209	454	438	223	214	275	209	195	283	329
<i>Anas acuta</i>					1			5	3		0	2	1	1	0	2
<i>Spatula clypeata</i>	4	29	5	44	9	6	11	33	15	7	4	14	20	3	18	14
<i>Aythya ferina</i>	85	22		56	32	12	26	26	3		45	164	160	73	39	13
<i>Aythya collaris</i>	2					1	1	1			0	0	0	1	0	1
<i>Aythya fuligula</i>	1	25		3	11	23	3	4	14		0	3	14	9	8	9
<i>Aythya marila</i>	1			2	1						0	0	0	0	1	0
<i>Clangula hyemalis</i>									2		0	0	0	0	0	0
<i>Mergus merganser</i>										1	0	0	0	0	0	0
<i>Gallinula chloropus</i>		1			25	3		3	5		0	6	16	1	5	2
<i>Fulica atra</i>	123	115	64	120	132	134	76	110	118	16	204	263	251	105	111	91
<i>Anarhynchus alexandrinus</i>	21		2	16						1	31	19	20	17	8	0
<i>Pluvialis squatarola</i>	48	57	36	38		37	26	49	42	43	121	111	84	56	36	39
<i>Calidris alba</i>	69	54	45	68	16	90	88	60	74	57	43	51	73	54	50	74
<i>Calidris alpina</i>	33	1	6	39	1			38	20		414	192	71	7	16	12
<i>Numenius arquata</i>				2							9	0	0	0	0	0
<i>Actitis hypoleucos</i>	2			2		1		3	2	2	1	1	1	0	1	2
<i>Arenaria interpres</i>		1							2		0	10	5	1	0	0
<i>Phalaropus fulicarius</i>								1			0	0	0	0	0	0
<i>Stercorarius skua</i>	4										0	2	0	0	1	0
<i>Ichthyiaetus melanocephalus</i>	11					2		2	5		0	0	0	1	2	2
<i>Hydrocoloeus minutus</i>								64	71		0	1	0	0	0	27
<i>Chroicocephalus ridibundus</i>	47	18	8	33	8	22		72		70	52	31	49	33	23	33
<i>Larus canus</i>	1							1		1	4	0	1	4	0	0
<i>Larus fuscus</i>	132	53	6	253	12	22	2	7	67	3	96	52	316	42	91	20
<i>Larus michahellis</i>	178	49	32	87	47	121	24	40	121	3	206	198	122	134	79	62
<i>Larus fuscus/michaellis</i>				10		25	10	11			6	0	79	0	2	9
<i>Larus marinus</i>	3			5	1	4	2	1	1	1	0	1	1	1	2	2
<i>Rissa tridactyla</i>	2						77				7	1	72	0	0	15
<i>Alca torda</i>	8										73	54	14	0	2	0
<i>Pandion haliaetus</i>						1		1			0	0	0	0	0	0
<i>Circus aeruginosus</i>	1		1	2			1	1	1	1	0	1	0	0	1	1

<i>Alcedo atthis</i>						1		1	1	1	0	0	0	0	0	1
TOTAL ESPECIES	31	20	16	27	20	25	21	35	30	26	29	35	29	24	23	27
TOTAL CENSO	1507	701	364	1494	1090	1154	926	1693	1652	686	1822	1803	1779	972	1031	1222
<i>Aythya sp.</i>		1							1							
<i>Limosa sp.</i>																
<i>Stercorarius sp.</i>	1															
<i>Larus sp.</i>					2											

LAGOA E PRAIA DE DONIÑOS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	65	31	20	23	25	17	18	25	12	7	3	7	11	10	20	16
<i>Podiceps nigricollis</i>		1									0	0	0	0	0	0
<i>Phalacrocorax carbo</i>		1	1	2	1		1		1	1	1	8	6	0	1	1
<i>Ardea alba</i>				1	1	1					0	0	0	0	0	0
<i>Ardea cinerea</i>		1		1	1	1	2	1			0	3	2	1	1	1
<i>Anas platyrhynchos</i>	15	14	12	14	14	34	17	17	25	13	7	10	5	9	11	21
<i>Spatula clypeata</i>						2					0	0	0	0	0	0
<i>Aythya ferina</i>			2								7	0	0	0	0	0
<i>Aythya collaris</i>										2	0	0	0	0	0	0
<i>Aythya fuligula</i>		16				1					35	8	0	7	3	0
<i>Gallinula chloropus</i>	12	20	8	6	3	3	15	10	5	1	2	9	8	6	7	7
<i>Fulica atra</i>	2	15	12	32	6	8	7	15	1		18	4	0	17	13	6
<i>Arenaria interpres</i>				11							0	20	5	0	2	0
<i>Larus fuscus</i>		15	10	3			4	3	1	3	160	20	0	19	6	2
<i>Larus michahellis</i>		55	51	15		3	35	33	20	73	611	119	45	132	24	33
<i>Larus fuscus/michahellis</i>			16	55	37		11		3		356	250	0	0	22	3
<i>Larus marinus</i>										1	1	0	0	2	0	0
<i>Alcedo atthis</i>						2	2				0	0	0	0	0	1
TOTAL ESPECIES	4	10	9	11	8	10	10	8	8	8	10	11	7	7	8	9
TOTAL CENSO	94	169	132	163	88	72	112	110	68	101	1245	391	112	207	129	93



RÍA DE FERROL	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia stellata</i>					1	1					0	0	0	2	0	0
<i>Gavia immer</i>	1	1			1	1		2	2		0	1	3	4	1	1
<i>Tachybaptus ruficollis</i>	8	9	12	6	12	5	5	4	2	4	1	2	3	6	9	4
<i>Podiceps cristatus</i>	1	1		2	5	5	7	3	8	8	0	0	0	2	2	6
<i>Podiceps auritus</i>			1	1							0	1	0	1	0	0
<i>Podiceps nigricollis</i>	64	79	105	71	89	119	28	23	6	18	4	38	65	97	82	39
<i>Morus bassanus</i>	7	10									0	0	0	0	3	0
<i>Phalacrocorax carbo</i>	188	228	183	315	98	145	150	123	128	108	115	254	338	237	202	131
<i>Gulosus aristotelis</i>	6	5	11	2	7	40	29	26	17	14	1	6	16	6	6	25
<i>Egretta garzetta</i>	133	183	112	120	166	118	116	156	157	138	38	65	103	126	143	137
<i>Ardea ibis</i>	1	2		4					42	25	0	0	0	0	1	13
<i>Ardea alba</i>	1	2	1	1	1	2	2	1	1	1	0	1	2	2	1	1
<i>Ardea cinerea</i>	164	189	153	88	138	117	110	161	157	73	61	94	96	143	146	124
<i>Platalea leucorodia</i>	1		1			4			11	17	0	0	0	0	0	6
<i>Alopochen aegyptiaca</i>						3					0	0	0	0	0	1
<i>Tadorna tadorna</i>				1							0	0	0	0	0	0
<i>Mareca penelope</i>		3	1	6							0	0	0	1	2	0
<i>Mareca strepera</i>	2	5					4	9	3		3	0	0	5	1	3
<i>Anas crecca</i>		3	12								0	0	0	0	3	0
<i>Anas platyrhynchos</i>	169	343	257	247		322	195	131	383	307	241	244	229	256	203	268
<i>Anas acuta</i>	1							7			0	0	0	3	0	1
<i>Aythya fuligula</i>		1				1					1	0	1	0	0	0
<i>Clangula hyemalis</i>						1					0	0	0	0	0	0
<i>Melanitta fusca</i>							2				0	0	0	0	0	0
<i>Mergus serrator</i>							1				1	0	1	1	0	0
<i>Gallinula chloropus</i>					2				1		0	0	0	0	0	0
<i>Charadrius hiaticula</i>	12	11	4	8	6	3	5	3	7	5	1	8	13	15	8	5
<i>Pluvialis squatarola</i>		14									0	0	0	2	3	0
<i>Vanellus vanellus</i>		6									5	0	0	0	1	0
<i>Calidris alpina</i>	160	126	182	146	77	139	88	132	181	118	0	36	113	194	138	132
<i>Gallinago gallinago</i>	1										0	0	0	0	0	0
<i>Numenius phaeopus</i>						1			1	1	0	0	0	0	0	1
<i>Numenius arquata</i>				1							1	0	0	0	0	0
<i>Tringa totanus</i>									1		1	0	0	0	0	0
<i>Tringa nebularia</i>	1			1							0	0	0	1	0	0
<i>Actitis hypoleucos</i>	74	49	46	84	83	77	66	67	69	63	5	39	56	52	67	68
<i>Ichthyophaga melanocephalus</i>	4	50	54	9		7	3	24	1		0	1	2	9	23	7
<i>Chroicocephalus philadelphia</i>				1			1	1	1		0	0	0	0	0	1
<i>Chroicocephalus ridibundus</i>	2510	2425	1336	1308	962	1081	799	711	557	412	1402	1865	1777	2606	1708	712
<i>Larus canus</i>		1									0	1	1	1	0	0
<i>Larus fuscus</i>	40	95	54	26	10	25	31	25	32	28	90	68	52	80	45	28
<i>Larus argentatus</i>		1									0	0	0	0	0	0
<i>Larus michahellis</i>	643	1625	497	490	446	648	588	506	410	519	84	269	214	789	740	534
<i>Larus fuscus/michahellis</i>	147	175	164	106		81	66	65	190	32	95	0	154	0	118	87
<i>Larus hyperboreus</i>	1										0	0	0	0	0	0
<i>Larus marinus</i>	17	13	11	16	23	14	17	16	28	16	0	3	4	7	16	18
<i>Thalasseus sandvicensis</i>	6	37	12	17	7	8		3	3	1	2	6	10	9	16	3
<i>Alca torda</i>	1										0	1	0	0	0	0
<i>Pandion haliaetus</i>										1	0	0	0	0	0	0
<i>Alcedo atthis</i>		2	1	1	5	3					0	1	1	1	2	1
TOTAL ESPECIES	29	31	23	27	20	27	22	23	27	22	13	20	23	26	26	24
TOTAL CENSO	4364	5694	3210	3078	2139	2971	2313	2199	2399	1909	2159	3011	3265	4663	3697	2358
<i>Gavia sp.</i>		1				2										
<i>Podiceps sp.</i>		1														
<i>Anser sp.</i>			1													
<i>Larus sp.</i>					166											

RÍA DE ARES-BETANZOS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia stellata</i>								2	12	4	0	0	0	0	0	4
<i>Gavia immer</i>		2					1	1	3		1	0	0	0	0	1
<i>Tachybaptus ruficollis</i>	2	4	15	9	14	7	14	16	10	7	0	2	2	4	9	11
<i>Podiceps cristatus</i>				1			1				0	0	0	0	0	0
<i>Podiceps nigricollis</i>									1		0	0	0	0	0	0
<i>Morus bassanus</i>							1		23	7	9	0	0	0	0	6
<i>Phalacrocorax carbo</i>	43	158	53	137	79	21	79	199	122	260	10	63	51	57	94	136
<i>Gulosus aristotelis</i>		2						12	33	10	7	3	0	0	0	11
<i>Egretta garzetta</i>	24	20	20	20	27	34	23	29	27	30	6	17	19	19	22	29
<i>Ardea ibis</i>										11	0	0	0	0	0	2
<i>Ardea alba</i>	2		1	3			1	1	1	1	0	0	0	0	1	1
<i>Ardea cinerea</i>	25	27	14	17	34	43	44	41	42	44	9	16	16	17	23	43
<i>Plegadis falcinellus</i>							1				0	0	0	0	0	0
<i>Platalea leucorodia</i>		3	7	8	9	5	13	15	18	20	0	0	0	0	5	14
<i>Cygnus olor</i>	1	5		7	5		3	10	14	7	0	0	0	1	4	7
<i>Cygnus cygnus</i>				3					2		0	0	0	0	1	0
<i>Anser brachyrhynchus</i>					2		2				0	0	0	0	0	0
<i>Anser albifrons</i>							1	1	1		0	0	0	0	0	1
<i>Anser anser</i>				1		1					0	0	1	0	0	0
<i>Branta canadensis</i>									1		0	0	0	0	0	0
<i>Branta bernicla</i>									4	1	0	0	0	0	0	1
<i>Alopochen aegyptiaca</i>							2	1			0	0	0	0	0	1
<i>Tadorna tadorna</i>					1						0	0	0	0	0	0
<i>Mareca penelope</i>		6			4	13	9	12	5	13	2	3	5	11	2	10
<i>Mareca strepera</i>		23	5	36	17			2	1	15	0	0	13	26	16	4
<i>Anas crecca</i>	47	110	95	329	178	253	358	287	205	346	0	7	29	63	152	290
<i>Anas platyrhynchos</i>	403	593	631	565	886	1416	815	783	883	810	61	144	382	541	616	941
<i>Anas rubripes</i>								1	1		0	0	0	0	0	0
<i>Anas acuta</i>		2	1	13	12	66	7	14	17	10	1	1	1	1	6	23
<i>Spatula clypeata</i>				1			1			2	0	0	1	3	0	1
<i>Aythya ferina</i>				1			2				0	0	0	3	0	0
<i>Aythya fuligula</i>					3			1			0	0	0	0	1	0
<i>Aythya marila</i>		2					1			5	0	0	1	0	0	1
<i>Melanitta nigra</i>		125	21	25			3	36	44	36	6	38	12	144	34	24
<i>Melanitta fusca</i>							3				0	0	1	0	0	1
<i>Mergus serrator</i>				3	1		1				0	0	0	0	1	0
<i>Rallus aquaticus</i>								2	1	2	0	0	0	0	0	1
<i>Gallinula chloropus</i>		7	7			5	9		2		0	0	0	0	3	3
<i>Haematopus ostralegus</i>	17	45	24	21	55	68	38	28	38	38	0	0	4	10	32	42
<i>Charadrius hiaticula</i>	5	1	25	8	6	23	12	47	24	18	6	0	5	8	9	25
<i>Pluvialis squatarola</i>	18	15	4	10	17	15	14	15	16	12	0	2	0	12	13	14
<i>Calidris canutus</i>	1	1					1				0	0	0	2	0	0
<i>Calidris alba</i>	9	5	16				34	67	13	64	0	0	0	0	6	36
<i>Calidris alpina</i>	75	151	191	125	150	89	170	178	202	167	0	4	83	100	138	161
<i>Limosa limosa</i>	7				18	2	1	3	1		0	1	4	3	5	1
<i>Limosa lapponica</i>			1			15	1			17	0	0	8	6	0	7
<i>Numenius phaeopus</i>	6	3	12	7	5		2		11	10	0	0	0	7	7	5
<i>Numenius arquata</i>	13	13	13	10	34	12	17	27	10	20	4	12	12	14	17	17
<i>Tringa totanus</i>	1	3	2	4	6	4	3	7	8	7	0	1	0	0	3	6
<i>Tringa nebularia</i>	19	11	13	17	45	11	22	39	25	39	0	1	1	10	21	27
<i>Actitis hypoleucos</i>	3	15	6	20	15	10	13	35	20	14	9	12	11	5	12	18

<i>Arenaria interpres</i>	37		20	23	22	12	52	19	48	55	5	0	0	4	20	37
<i>Stercorarius skua</i>									1		0	0	0	0	0	0
<i>Ichthyaelus melanocephalus</i>	3	21	15	5	11	7	7	59	57	8	0	5	46	37	11	28
<i>Hydrocoloeus minutus</i>								4			0	0	0	0	0	1
<i>Chroicocephalus ridibundus</i>	nc	644	609	572	457	296	392	700	434	477	147	386	nc	nc	571	460
<i>Larus delawarensis</i>			2								0	0	0	0	0	0
<i>Larus canus</i>			5				2	8	1		0	0	0	0	1	2
<i>Larus fuscus</i>	33	211	308	117	228	146	129	292	221	223	80	nc	nc	234	179	202
<i>Larus argentatus</i>		9	37	3		36			1	1	0	0	0	0	10	8
<i>Larus michahellis</i>	nc	482	426	330	806	425	465	4213	866	741	196	nc	nc	nc	511	1342
<i>Larus fuscus/michaellis</i>		614		228	13		134		23	15	6	205	0	0	171	34
<i>Larus marinus</i>	2	10	21	4	8		18	11	12	10	0	2	2	3	9	10
<i>Thalasseus sandvicensis</i>	4	11	8	6	2	10	15	17	11	6	0	4	8	6	6	12
<i>Uria aalge</i>									1		0	0	0	0	0	0
<i>Alca torda</i>	3								3		2	2	1	1	1	1
<i>Pandion haliaetus</i>				1					1		0	0	0	0	0	0
<i>Circus aeruginosus</i>	1				1		1	1			0	0	0	0	0	0
<i>Alcedo atthis</i>	2	2				1		1	2		0	0	0	0	1	1
TOTAL ESPECIES	28	36	33	37	34	29	48	42	51	41	12	15	19	22	34	42
TOTAL CENSO	806	3356	2628	2690	3171	3046	2938	7237	3523	3583	367	624	716	1215	2530	4065
<i>Anser sp.</i>								1								
<i>Larus sp.</i>								9	34	16						



RÍA DA CORUÑA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia arctica</i>	1										0	0	0	0	0	0
<i>Gavia immer</i>	1						2				0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	1	12	14	7	14	7	6	4		2	3	17	5	4	10	4
<i>Morus bassanus</i>								39	100	54	0	0	0	0	0	39
<i>Phalacrocorax carbo</i>	32	44	34	20	61	31	32	114	44	103	44	58	68	60	38	65
<i>Gulosus aristotelis</i>						1		82	51	63	0	0	0	0	0	39
<i>Egretta garzetta</i>	22	27	22	22	16	25	19	22	12	22	15	22	19	25	22	20
<i>Ardea ibis</i>							3	57	47	1	0	0	0	0	0	22
<i>Ardea alba</i>								1			0	0	0	0	0	0
<i>Ardea cinerea</i>	16	28	17	16	16	36	15	35	22	13	32	20	30	17	19	24
<i>Platalea leucorodia</i>	6	5	4	6	6	3	4	8	8	10	0	2	2	3	5	7
<i>Cygnus olor</i>	29	42	37	23	15		11	11	6	5	1	0	0	14	29	7
<i>Cygnus cygnus</i>				1							0	0	0	0	0	0
<i>Anser brachyrhynchus</i>						1					0	0	0	0	0	0
<i>Anser anser</i>	2			3							0	0	0	0	1	0
<i>Mareca strepera</i>								1			0	0	1	0	0	0
<i>Anas crecca</i>										1	0	0	0	0	0	0
<i>Anas platyrhynchos</i>	20	11	18	71	36	111	62	149	56	75	29	70	35	15	31	91
<i>Aythya fuligula</i>	1										0	0	0	0	0	0
<i>Aythya marila</i>						1					0	0	0	0	0	0
<i>Melanitta nigra</i>							2	13			14	2	7	2	0	3
<i>Melanitta fusca</i>							3				0	0	0	0	0	1
<i>Mergus serrator</i>				3			1				1	0	0	0	1	0
<i>Rallus aquaticus</i>			1							2	0	0	0	0	0	0
<i>Gallinula chloropus</i>	2	2	2					6	3	5	0	0	0	2	1	3
<i>Haematopus ostralegus</i>	72	26	49	55	28	26	33	41	25	50	63	32	45	48	46	35
<i>Charadrius hiaticula</i>	4		6	3	3		8	5		10	2	0	0	3	3	5
<i>Pluvialis squatarola</i>	35	29	47	36	32	24	31	24	25	11	7	18	27	28	36	23
<i>Calidris canutus</i>		3	1		4		1			1	0	0	9	2	2	0
<i>Calidris maritima</i>								15	2		0	0	0	0	0	3
<i>Calidris alpina</i>	331	275	333	280	374	292	324	263	333	55	0	23	157	372	319	253
<i>Gallinago gallinago</i>			7	3	4		1	2	11		0	0	0	0	3	3
<i>Limosa limosa</i>								3			0	0	0	10	0	1
<i>Limosa lapponica</i>			4	11	5		4	6	4		1	0	9	3	4	3
<i>Numenius phaeopus</i>	10	7	20	8	12	8	24	20	10	15	0	0	0	6	11	15
<i>Numenius arquata</i>				1			1	1			0	0	2	4	0	0
<i>Tringa totanus</i>	5	1	7	3	6	5	10	7	7	9	0	0	1	3	4	8
<i>Tringa nebularia</i>	9	4	9	9	14	9	10	14	13	11	0	0	0	9	9	11
<i>Actitis hypoleucos</i>	10	8	14	12	18	14	9	13	15	11	5	6	9	8	12	12
<i>Arenaria interpres</i>	37	43	56	69	27	35	132	129	73	39	0	2	37	24	46	82
<i>Phalaropus fulicarius</i>								7			0	0	0	0	0	1
<i>Stercorarius skua</i>									1		0	0	0	0	0	0
<i>Ichthyaelus melanocephalus</i>	7	12	3	112	5		38	306	284	9	0	1	9	13	28	127
<i>Hydrocoloeus minutus</i>								1			0	0	0	0	0	0
<i>Chroicocephalus ridibundus</i>	nc	434	531	431	308	380	415	1103	266	246	nc	1620	nc	nc	426	482
<i>Larus canus</i>		3		1	1		2	1	2	1	0	0	0	0	1	1
<i>Larus fuscus</i>	76	nc	88	225	282	107	530	1403	291	172	nc	nc	nc	27	168	501
<i>Larus argentatus</i>		16	13		1		1	3	11	2	0	0	0	0	6	3
<i>Larus michahellis</i>	nc	nc	1883	942	1239	1226	80	2796	960	1298	nc	257	nc	nc	1355	1272
<i>Larus fuscus/michaellis</i>		1535		168	349		344	57	139	119	0	0	0	0	410	132
<i>Larus marinus</i>		10	2	5	8	3	2	10	1	5	0	1	1	3	5	4

<i>Rissa tridactyla</i>								3				0	0	0	0	0	1
<i>Thalasseus sandvicensis</i>	5	3	4	2	4	1	1	2	1	3		1	5	9	7	4	2
<i>Alca torda</i>	4						1	5				1	3	2	1	1	1
<i>Fratercula arctica</i>								1				0	0	0	0	0	0
<i>Alcedo atthis</i>	2	3		1	1	3	3	2	3			0	1	0	1	1	2
TOTAL ESPECIES	26	25	28	31	29	23	36	43	32	32		11	17	20	24	28	33
TOTAL CENSO	740	2583	3226	2549	2889	2349	2165	6785	2826	2423		220	665	488	717	2397	3310
<i>Phalacrocorax sp.</i>								24	1	3							
<i>Larus sp.</i>								457	435	305							



BALDAIO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>								2	1	2	3	1	0	1	0	1
<i>Tachybaptus ruficollis</i>	1		1	1	1			1	1		0	0	0	0	1	0
<i>Podiceps cristatus</i>								1			0	0	0	0	0	0
<i>Morus bassanus</i>		3	64			10		15		4	0	1	8	49	13	6
<i>Phalacrocorax carbo</i>	35	26	26	9	16	28	12	65	88	75	32	49	34	26	22	54
<i>Gulosus aristotelis</i>		1	7		4		4	4	68	16	7	2	2	0	2	18
<i>Egretta garzetta</i>	19	10	7	3	2		6	7	9	12	11	22	13	7	8	7
<i>Ardea alba</i>	2	2	3	1	2	2	2	3	5	6	0	0	0	0	2	4
<i>Ardea cinerea</i>	22	9	6	7	8	12	7	15	16	21	28	10	9	5	10	14
<i>Platalea leucorodia</i>		2		2		1	4	5		10	1	0	0	0	1	4
<i>Tadorna tadorna</i>							1	2		1	0	0	0	0	0	1
<i>Mareca strepera</i>		1									1	2	3	0	0	0
<i>Anas crecca</i>		1									0	6	0	0	0	0
<i>Anas platyrhynchos</i>	65	51	35	25	27	20	56	41	55	35	72	113	73	51	41	41
<i>Spatula clypeata</i>								1			0	1	1	0	0	0
<i>Grus grus</i>							1				0	0	0	0	0	0
<i>Haematopus ostralegus</i>							2			3	0	0	1	0	0	1
<i>Burhinus oedicephalus</i>							1				0	0	0	0	0	0
<i>Charadrius hiaticula</i>		11	1	14		7	13	15	15		0	4	0	0	5	10
<i>Pluvialis apricaria</i>			2					29	5		1	0	0	7	0	7
<i>Pluvialis squatarola</i>	68	142	12	77	63	21	58	45	35	32	51	52	40	33	72	38
<i>Calidris canutus</i>				1				1	5	2	0	0	0	2	0	2
<i>Calidris alba</i>	9	10	9		6	3	5	11	1		5	0	0	0	7	4
<i>Calidris minuta</i>		1									0	0	0	0	0	0
<i>Calidris alpina</i>	26	130		59	9	20	65	61	60	1	90	18	30	29	45	41
<i>Gallinago gallinago</i>										1	0	0	0	0	0	0
<i>Limosa limosa</i>						2		1			3	18	0	4	0	1
<i>Limosa lapponica</i>	14	105	23	45			39	41	2	1	22	3	36	42	37	17
<i>Numenius phaeopus</i>		4		3	4		2		2		0	0	0	0	2	1
<i>Numenius arquata</i>	68	63	60	40	6	23	27	37	39	36	14	28	50	63	47	32
<i>Tringa erythropus</i>							1				0	0	0	0	0	0
<i>Tringa totanus</i>								2			0	1	0	0	0	0
<i>Tringa nebularia</i>					1		5	6	5	3	0	0	0	1	0	4
<i>Actitis hypoleucos</i>					1		2		10		2	1	0	0	0	2
<i>Arenaria interpres</i>		1							137	2	0	0	4	1	0	28
<i>Ichthyophaga melanoleuca</i>				1							0	0	0	0	0	0
<i>Chroicocephalus ridibundus</i>		10	8	32	23	7	20	65	220	58	0	12	0	0	15	74
<i>Larus canus</i>								1	1		0	0	0	0	0	0
<i>Larus fuscus</i>			12	156	19	17	109	130	249	40	0	0	0	18	37	109
<i>Larus argentatus</i>							4	5	13	1	0	0	0	0	0	5
<i>Larus michahellis</i>			360	371	296	249	346	1500	1650	320	0	179	0	0	205	813
<i>Larus fuscus/michahellis</i>		400					509	120			0	0	0	0	80	126
<i>Larus marinus</i>		1	7				2		2		0	0	0	0	2	1
<i>Rissa tridactyla</i>								1			0	0	0	0	0	0
<i>Thalassea sandvicensis</i>		2	1	7	5						0	3	1	1	3	0
<i>Uria naeae</i>									1		0	0	0	0	0	0
<i>Pandion haliaetus</i>								1			0	0	0	0	0	0
<i>Circus aeruginosus</i>	2	2	1	1	1		1	2			0	0	0	0	1	1
<i>Alcedo atthis</i>							1	1			0	0	0	0	0	0
TOTAL ESPECIES	12	24	20	20	19	15	29	34	27	23	12	13	13	12	19	26
TOTAL CENSO	331	988	645	855	494	422	1305	2237	2695	682	364	532	314	347	663	1468

RÍA DE CORME-LAXE ESTEIRO ANLLÓNS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>			1			1					0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	9	18	14	9	6	7	9	4	3	6	9	7	8	12	11	6
<i>Podiceps cristatus</i>								2			0	0	0	0	0	0
<i>Morus bassanus</i>		4							7		0	1	0	14	1	1
<i>Phalacrocorax carbo</i>	21	37	24	20	23	41	61	31	39	31	39	33	26	43	25	41
<i>Gulosus aristotelis</i>	3		3	6	6	37		6		5	0	1	0	8	4	10
<i>Egretta garzetta</i>	8	9	6	6	5	10	21	18	10	4	9	21	11	14	7	13
<i>Ardea alba</i>	3	3	2	3	3	3	1	4	9	5	0	0	0	1	3	4
<i>Ardea cinerea</i>	14	19	5	5	11	9	16	11	7	6	18	18	13	9	11	10
<i>Platalea leucorodia</i>	1					5	2	1	8	14	0	0	0	0	0	6
<i>Anser brachyrhynchus</i>							4				0	0	0	0	0	1
<i>Anser anser</i>							2				0	0	0	0	0	0
<i>Branta bernicla</i>		2									0	0	0	0	0	0
<i>Mareca penelope</i>		6									3	3	5	6	1	0
<i>Anas crecca</i>	48	107	44	66	31	12	27	107	31	34	306	208	103	156	59	42
<i>Anas platyrhynchos</i>	315	211	158	129	230	172	231	146	149	153	404	374	435	270	209	170
<i>Anas acuta</i>		6	1		4		1			2	0	0	1	0	2	1
<i>Spatula discors</i>			2								0	0	0	0	0	0
<i>Spatula clypeata</i>			1								11	2	0	0	0	0
<i>Somateria mollissima</i>				2							0	0	0	0	0	0
<i>Melanitta nigra</i>				12	5	4		2	13		0	9	0	11	3	4
<i>Mergus serrator</i>										2	0	0	0	0	0	0
<i>Rallus aquaticus</i>										3	0	0	0	1	0	1
<i>Haematopus ostralegus</i>	152	129	146	102	124	139	117	154	165	150	118	137	177	151	131	145
<i>Recurvirostra avosetta</i>		1									0	0	0	0	0	0
<i>Charadrius hiaticula</i>		21	20					23	4	36	25	16	9	15	8	13
<i>Anarhynchus alexandrinus</i>								6			0	0	0	3	0	1
<i>Pluvialis apricaria</i>								2	21		0	3	0	1	0	5
<i>Pluvialis squatarola</i>	29	115	85	83	95	5	36	93	49	38	53	52	97	103	81	44
<i>Vanellus vanellus</i>	4	3		3	1						31	10	25	7	2	0
<i>Calidris canutus</i>		2	2		2		1	4	8	3	0	0	1	0	1	3
<i>Calidris alba</i>	64	147	38	18	28	36	5	117	18	132	6	15	50	104	59	62
<i>Calidris alpina</i>	79	217	218	212	166			305	293	229	202	101	158	174	178	165
<i>Limosa limosa</i>	58	18		3				2	3	2	13	28	33	17	16	1
<i>Limosa lapponica</i>			7		54	2	5	13	22	6	13	5	11	19	12	10
<i>Numenius phaeopus</i>	5	13	5	2	2	1	1	20	26	17	0	0	3	9	5	13
<i>Numenius arquata</i>	48	66	44	19	70	3	53	55	60	45	42	55	84	56	49	43
<i>Tringa erythropus</i>								1	1		0	0	0	0	0	0
<i>Tringa totanus</i>	2	2	1				1	2	2	2	0	0	0	1	1	1
<i>Tringa nebularia</i>	48	34	25	28	39	10	43	63	36	36	21	29	47	39	35	38
<i>Actitis hypoleucos</i>	8	5	3	5	5	4	11	18	9	10	3	4	4	9	5	10
<i>Arenaria interpres</i>						3		2			1	0	0	1	0	1
<i>Phalaropus fulicarius</i>								1			0	0	0	0	0	0
<i>Ichthyophaga melanoleuca</i>								3			0	0	0	1	0	1
<i>Hydrocoloeus minutus</i>								2			0	0	0	0	0	0
<i>Chroicocephalus ridibundus</i>	93	98	88	nc	94	86	60	180	73	63	22	17	40	100	93	92
<i>Larus canus</i>							1	7			0	0	0	0	0	2
<i>Larus fuscus</i>	nc	nc	6	nc	nc	55	44	19	1	16	0	4	17	10	6	27
<i>Larus argentatus</i>								2			0	0	0	0	0	0
<i>Larus michahellis</i>	nc	nc	179	nc	nc	235	257	269	21	335	0	120	16	264	179	223
<i>Larus glaucoideus</i>	1										0	0	0	0	0	0

<i>Larus marinus</i>	2	2	1	2	1		1	2		2	0	0	0	1	2	1
<i>Thalasseus sandvicensis</i>	1		1			1					1	2	0	2	0	0
<i>Alca torda</i>	3										0	0	0	1	1	0
<i>Pandion haliaetus</i>				1			1		1	1	0	0	0	0	0	1
<i>Circus aeruginosus</i>		1	1	1	1	1			1		0	0	0	0	1	0
<i>Alcedo atthis</i>	1	3	4		1	1	2				0	0	1	1	2	1
TOTAL ESPECIES	26	29	31	23	25	26	28	37	30	30	20	21	21	29	27	30
TOTAL CENSO	1020	1299	1135	737	1007	883	1014	1697	1090	1388	1429	1301	1378	1635	1040	1214
<i>Larus sp.</i>										46						

LAGOA E PRAIA DE TRABA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia arctica</i>								1		1	0	0	0	0	0	0
<i>Gavia immer</i>							6				0	0	0	0	0	1
<i>Tachybaptus ruficollis</i>	3	3	3	4			2	7	1	2	1	1	1	2	3	2
<i>Morus bassanus</i>			1		2		31	3	23	56	0	0	0	3	1	23
<i>Phalacrocorax carbo</i>	1	1	4	1			3	1	3	6	0	1	5	2	1	3
<i>Gulosus aristotelis</i>							2			5	0	0	0	1	0	1
<i>Botaurus stellaris</i>						2					0	0	0	0	0	0
<i>Ardea cinerea</i>	2	1	1	2	3	3		2	3	1	4	2	2	1	2	2
<i>Anas crecca</i>		8		5		1		20			10	11	1	6	3	4
<i>Anas platyrhynchos</i>	23	28	39	25	19	27	9	51	11	16	124	80	29	38	27	23
<i>Aythya ferina</i>		3									0	0	0	1	1	0
<i>Aythya collaris</i>							1	5			0	0	0	0	0	1
<i>Aythya fuligula</i>	19	47		40	3	1	44	75			0	15	4	25	22	24
<i>Aythya affinis</i>							1	4			0	0	0	0	0	1
<i>Somateria mollissima</i>				13							0	0	0	0	3	0
<i>Rallus aquaticus</i>	1	1	8		1	3	1	20	2	1	2	1	1	2	2	5
<i>Gallinula chloropus</i>	1		2	1				10	3		2	3	2	2	1	3
<i>Fulica atra</i>				2							2	1	1	1	0	0
<i>Pluvialis apricaria</i>									2		6	0	0	0	0	0
<i>Gallinago gallinago</i>	1		1	3	14	17	2	35	12	6	15	3	4	0	4	14
<i>Numenius arquata</i>								1			10	2	0	0	0	0
<i>Ichthyaetus melanocephalus</i>								3			0	0	0	0	0	1
<i>Hydrocoloeus minutus</i>								25			0	0	0	0	0	5
<i>Larus fuscus</i>			17	nc	nc	nc		16		9	0	4	0	3	6	6
<i>Larus michahellis</i>			270	nc	nc	nc	491	215	142	220	0	37	300	16	90	267
<i>Larus fuscus/michaellis</i>							45	103			18	0	0	0	0	30
<i>Larus marinus</i>			1				1	3		2	0	0	0	0	0	1
<i>Alca torda</i>								1			0	0	0	0	0	0
<i>Circus aeruginosus</i>	1	1	1	1		1	1	1	1	2	0	0	0	1	1	1
<i>Alcedo atthis</i>		1	1				1			1	0	0	0	0	0	0
<i>Emberiza schoeniclus</i>	40	2		2			3	6	13	7	0	0	11	5	9	6
TOTAL ESPECIES	10	11	13	12	6	8	17	23	12	15	8	9	8	10	10	15
TOTAL CENSO	92	96	349	99	42	55	644	608	216	335	229	163	364	110	136	372

RÍA DE CAMARIÑAS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia arctica</i>								1			0	0	0	0	0	0
<i>Gavia immer</i>							1				0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>		8	8	4	6		11	4	3	3	6	4	6	8	5	4
<i>Morus bassanus</i>	187	4	16						151	74	0	12	61	82	41	45
<i>Phalacrocorax carbo</i>	26	36	65	18	32	14	24	51	21	20	17	10	18	96	35	26
<i>Gulosus aristotelis</i>	2	1	11	1					5	9	3	0	2	3	3	3
<i>Egretta garzetta</i>	4		27		2	4	1	5			8	6	10	14	7	2
<i>Ardea cinerea</i>	20	21	13	17	14	4	12	8	5	11	18	13	15	43	17	8
<i>Platalea leucorodia</i>										1	0	0	0	1	0	0
<i>Anas crecca</i>	3	2									0	0	0	0	1	0
<i>Anas platyrhynchos</i>	83	162	168	96	81	86	98	122	52	104	190	119	120	130	118	92
<i>Anas acuta</i>	3	1	3	1							0	0	0	2	2	0
<i>Aythya collaris</i>							1				0	0	0	0	0	0
<i>Melanitta nigra</i>		36	5	7	5				9		4	1	2	7	11	2
<i>Gallinula chloropus</i>			1	1							0	0	0	0	0	0
<i>Grus grus</i>					1						0	0	0	0	0	0
<i>Charadrius hiaticula</i>		73				5	26		2	20	0	0	0	9	15	11
<i>Anarhynchus alexandrinus</i>							2				0	0	0	0	0	0
<i>Calidris alba</i>	25	30				57	6				0	0	0	0	11	13
<i>Calidris alpina</i>		43					1			1	15	0	1	1	9	0
<i>Tringa nebularia</i>	2		10	9		9	1		15		0	0	2	6	4	5
<i>Actitis hypoleucos</i>	4	3	11	12	15	2	8	18	17	12	3	4	5	9	9	11
<i>Arenaria interpres</i>	19		20	21	3	7				9	0	0	5	7	13	3
<i>Ichthyiaetus melanocephalus</i>			18								0	0	0	0	4	0
<i>Chroicocephalus ridibundus</i>	142	112	124		48		71	52	50	53	32	15	73	92	85	45
<i>Larus fuscus</i>			12			2	2	1			0	5	64	23	2	1
<i>Larus michahellis</i>	nc	nc	450				329	359	75	255	5	158	383	522	90	204
<i>Larus marinus</i>	3	2	4				1				0	0	1	1	2	0
<i>Thalasseus sandwicensis</i>	1		3				2				0	0	1	0	1	0
<i>Alca torda</i>			1					1			0	0	0	2	0	0
<i>Pandion haliaetus</i>							3	1	1		0	0	0	0	0	1
<i>Alcedo atthis</i>		4	2				4	2	1		0	0	1	1	1	1
TOTAL ESPECIES	15	16	21	11	10	10	20	13	14	13	9	9	12	17	15	14
TOTAL CENSO	524	538	972	187	207	190	604	625	407	572	450	355	772	1061	486	480
<i>Phalacrocorax sp.</i>					14											



MUXÍA-CORCUBIÓN	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Morus bassanus</i>						1	36	33	7	15	33	6	0	490	0	18
<i>Phalacrocorax carbo</i>		9	151	409	15	172	573	35	65	7	0	13	93	184	117	170
<i>Gulosus aristotelis</i>		1	8	16			10	1	11		0	13	2	16	5	4
<i>Egretta garzetta</i>			2			1	6		2		0	1	0	22	0	2
<i>Ardea alba</i>			1								0	0	0	0	0	0
<i>Ardea cinerea</i>	48	163	73	114	100	193	136	46	119	16	82	29	57	74	100	102
<i>Plegadis falcinellus</i>				1							0	0	0	0	0	0
<i>Anser brachyrhynchus</i>							1		1		0	0	0	0	0	0
<i>Anas platyrhynchos</i>	25	37	38	100	55	38	44	43	42	37	29	0	4	15	51	41
<i>Melanitta nigra</i>							2				0	0	0	0	0	0
<i>Mergus serrator</i>			4								0	0	0	0	1	0
<i>Haematopus ostralegus</i>			2			15	2				0	2	11	5	0	3
<i>Calidris alba</i>						18	131				0	0	37	10	0	30
<i>Actitis hypoleucos</i>		2	5	1	3	4	20	1	1	9	3	2	8	12	2	7
<i>Arenaria interpres</i>						1	18				0	0	8	6	0	4
<i>Ichthyaetus melanocephalus</i>							2				0	0	0	0	0	0
<i>Chroicocephalus ridibundus</i>	16	21	95	207	55	304	398	18	11		36	135	214	324	79	146
<i>Larus canus</i>							2				0	0	0	0	0	0
<i>Larus fuscus</i>			24	34		14	90		7	6	25	41	250	148	12	23
<i>Larus smithsonianus</i>		1		1							0	0	0	0	0	0
<i>Larus argentatus</i>				3							0	1	2	1	1	0
<i>Larus michahellis</i>	nc	nc	874	1364	nc	798	2121	22	1619	212	79	1329	2629	2364	1119	954
<i>Larus fuscus/michaellis</i>								67			174	260	43	0	0	13
<i>Larus glaucooides</i>						1					0	0	0	0	0	0
<i>Larus hyperboreus</i>				1							0	0	3	1	0	0
<i>Larus marinus</i>		2		30	2	16	27	2	12	2	0	7	29	20	7	12
<i>Thalasseus sandvicensis</i>				1		6	4				0	2	0	3	0	2
<i>Uria aalge</i>			1				1				0	0	0	0	0	0
<i>Alcedo atthis</i>	1	1	1	1	1		1		1	1	0	0	0	0	1	1
TOTAL ESPECIES	4	9	14	15	7	15	21	10	14	9	5	11	13	16	10	14
TOTAL CENSO	90	237	1279	2283	231	1582	3625	268	1899	305	461	1858	3430	3701	824	1536
<i>Larus sp.</i>							118									



CALDEBARCOS-CARNOTA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>		1		1						2	0	0	1	0	0	0
<i>Hydrobates pelagicus</i>										2	0	0	0	0	0	0
<i>Morus bassanus</i>				8	2	2		5		18	3	0	0	0	2	5
<i>Phalacrocorax carbo</i>			26	18	41	33	37	23	32	116	42	19	12	5	17	48
<i>Gulosus aristotelis</i>	182	140	85	26	65	62	78	104	52	26	22	30	24	96	100	64
<i>Egretta garzetta</i>						2	15	1	13	8	3	2	1	1	0	8
<i>Ardea alba</i>	1	1	2	1	2	3	1	1	1		0	0	0	0	1	1
<i>Ardea cinerea</i>	2	3	2	3	1	4	7	5	3	7	4	3	4	2	2	5
<i>Anas platyrhynchos</i>										32	4	5	0	0	0	6
<i>Clangula hyemalis</i>										1	0	0	0	0	0	0
<i>Melanitta nigra</i>										8	0	0	2	1	0	2
<i>Haematopus ostralegus</i>	136	34	135	83	33	47	51	74	45	108	41	99	57	40	84	65
<i>Charadrius hiaticula</i>			24	42	46	42	39	43	28	28	51	28	8	6	22	36
<i>Anarhynchus alexandrinus</i>			16	18	7	23	18	16	15	30	16	6	3	2	8	20
<i>Pluvialis apricaria</i>	46		25						62		10	7	0	34	14	12
<i>Pluvialis squatarola</i>	35			22	52	36	62	160	34	70	41	44	16	28	22	72
<i>Vanellus vanellus</i>										7	0	0	0	0	0	1
<i>Calidris canutus</i>										5	0	28	21	0	0	1
<i>Calidris alba</i>	165	230	481	243	265	398	281	135	425	201	12	73	113	246	277	288
<i>Calidris alpina</i>	133		85	69	93	85	196	378	178	190	177	38	32	31	76	205
<i>Limosa limosa</i>			13								0	0	0	4	3	0
<i>Limosa lapponica</i>	1							13		12	1	0	3	2	0	5
<i>Numenius phaeopus</i>		8	1	3				6		1	0	0	0	1	2	1
<i>Numenius arquata</i>	41	16	32	52	27	29	13	13		161	25	40	44	41	34	43
<i>Tringa totanus</i>						1		18		1	6	6	14	4	0	4
<i>Tringa nebularia</i>			1	36	13	13	54		25	19	0	1	3	6	10	22
<i>Actitis hypoleucos</i>				1	1	1		1	1	1	2	2	1	0	0	1
<i>Arenaria interpres</i>	16	25	18	13	112	6	48		28	73	33	30	28	6	37	31
<i>Ichthyaeus melanocephalus</i>								2			0	0	0	0	0	0
<i>Chroicocephalus philadelphia</i>										1	0	0	0	0	0	0
<i>Chroicocephalus ridibundus</i>	35		25	455		247	134	306	132	620	135	161	203	84	103	288
<i>Larus fuscus</i>				5	2	2	4	3		8	12	7	0	0	1	3
<i>Larus argentatus</i>										1	0	0	0	0	0	0
<i>Larus michahellis</i>			115	530	615	54	167	1023	89	573	353	671	257	148	252	381
<i>Larus fuscus/michahellis</i>				65			36	155	26		67	146	12	0	13	43
<i>Larus marinus</i>					3	1	1	2	3	21	2	2	0	1	1	6
<i>Thalasseus sandvicensis</i>		7		1	2	2	3		3		2	1	2	1	2	2
<i>Alca torda</i>		1									0	0	0	0	0	0
<i>Pandion haliaetus</i>		1									0	0	0	0	0	0
<i>Alcedo atthis</i>				1					1		0	0	0	0	0	0
TOTAL ESPECIES	12	12	17	23	19	22	20	23	21	31	18	18	15	13	17	23
TOTAL CENSO	793	467	1086	1696	1382	1093	1245	2487	1196	2351	1077	1448	864	791	1085	1674
<i>Gavia sp.</i>			1			1	2	1	1							
<i>Limosa sp.</i>					6											
<i>Tringa sp.</i>								10	6							
<i>Larus sp.</i>			50	79	255	33										

LAGOA E PRAIA DE LOURO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	15	5	8	29	43	23	17	18	24	16	24	17	32	30	20	20
<i>Morus bassanus</i>						3		6		2	1	1	1	0	0	2
<i>Phalacrocorax carbo</i>	8	7	10	8	2	4	4	5	6	19	14	13	10	1	7	8
<i>Gulosus aristotelis</i>			7		25	8	13	52	25	2	2	19	29	11	6	20
<i>Egretta garzetta</i>			2	3	4				3		2	0	4	0	2	1
<i>Ardea alba</i>					1	1					0	0	0	0	0	0
<i>Ardea cinerea</i>	7		2	4	3	3	2	4	5	8	3	1	2	2	3	4
<i>Mareca penelope</i>		5		13	10	9	3	1			3	2	0	6	6	3
<i>Mareca strepera</i>	188	46	46	220	180	175	35	56	85	71	0	1	9	70	136	84
<i>Anas crecca</i>	32	44	26	145	82	53	42	40	12	32	13	10	14	17	66	36
<i>Anas platyrhynchos</i>	220	6	39	185	179	62	32	141	18	65	35	53	89	121	126	64
<i>Anas acuta</i>		3		8	1		4				1	0	0	1	2	1
<i>Spatula clypeata</i>	7	2	3	4		2	4			1	2	3	3	4	3	1
<i>Aythya marila</i>									1		0	0	0	0	0	0
<i>Rallus aquaticus</i>			1				1				0	0	0	0	0	0
<i>Fulica atra</i>						2					14	21	31	13	0	0
<i>Haematopus ostralegus</i>	12			17	15	53	20	6	18		0	27	48	9	9	19
<i>Gallinago gallinago</i>										2	0	0	0	0	0	0
<i>Numenius phaeopus</i>	2					1					0	1	0	0	0	0
<i>Numenius arquata</i>								3	5		2	0	0	0	0	2
<i>Tringa nebularia</i>				2						4	0	0	0	0	0	1
<i>Actitis hypoleucos</i>									1		0	0	0	0	0	0
<i>Arenaria interpres</i>				5			3	15	23		0	6	4	4	1	8
<i>Chroicocephalus ridibundus</i>						3			12		0	5	0	0	0	3
<i>Larus fuscus</i>			2								5	8	2	0	0	0
<i>Larus michahellis</i>	580		210	85	770	85	213	342	62	110	272	599	944	366	329	162
<i>Larus fuscus/michaellis</i>	50		50	83				60	12		0	226	0	0	37	14
<i>Larus marinus</i>			3		3				1		1	1	3	0	1	0
<i>Thalasseus sandwicensis</i>						2	1		2		0	0	0	0	0	1
<i>Pandion haliaetus</i>	1										0	0	0	0	0	0
TOTAL ESPECIES	12	8	14	15	14	17	15	14	18	12	14	13	12	9	13	15
TOTAL CENSO	1122	118	409	811	1318	489	394	749	315	332	409	1045	1236	654	756	456
<i>Larus sp.</i>					280		118									



RÍAS BAIXAS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia stellata</i>					1				3		0	2	0	0	0	1
<i>Gavia arctica</i>			1		9	4	2	3			3	2	1	1	2	2
<i>Gavia immer</i>	3	12	13	11	6	7	8	3	2	3	4	5	4	5	9	5
<i>Tachybaptus ruficollis</i>	52	73	48	42	43	50	62	43	48	36	11	33	9	33	52	48
<i>Podiceps cristatus</i>							119				0	0	0	0	0	24
<i>Podiceps grisegena</i>				1							0	0	0	0	0	0
<i>Podiceps auritus</i>		1									1	0	0	0	0	0
<i>Podiceps nigricollis</i>		221	165				251				6	2	1	6	77	50
<i>Ardenna grisea</i>				7	7						0	0	0	0	3	0
<i>Puffinus puffinus</i>										1	0	0	0	0	0	0
<i>Puffinus yelkouan mauretanicus</i>										1	0	0	0	0	0	0
<i>Hydrobates pelagicus</i>								7		46	1	0	0	0	0	11
<i>Morus bassanus</i>	76	105	278	31	305	123	49	111	134	112	2	2	1	22	159	106
<i>Phalacrocorax carbo</i>	1132	2175	2078	2598	2846	2213	2236	2163	1913	1455	1012	1345	808	938	2166	1996
<i>Gulosus aristotelis</i>	433	595	327	446	521	446	506	657	496	587	393	524	590	661	464	538
<i>Egretta garzetta</i>	247	244	317	323	403	321	474	440	351	456	250	336	196	195	307	408
<i>Ardea ibis</i>		1		10	12	16	77	77	143	99	10	0	0	1	5	82
<i>Ardea alba</i>	4	2	4	5	6	8	7	9	5	10	0	0	0	4	4	8
<i>Ardea cinerea</i>	314	383	343	368	711	436	613	547	706	618	283	405	339	318	424	584
<i>Geronticus eremita</i>										1	0	0	0	0	0	0
<i>Plegadis falcinellus</i>	1						2			2	0	0	0	0	0	1
<i>Platalea leucorodia</i>	140	195	189	209	231	257	291	309	245	276	62	88	109	148	193	276
<i>Phoenicopterus roseus</i>	1							3	1		0	0	0	0	0	1
<i>Cygnus olor</i>			6		12	30	13	32	35	23	4	2	0	0	4	27
<i>Anser anser</i>		1				1				8	0	0	1	1	0	2
<i>Branta bernicla</i>	10	14	6	13	20	16	5	17	13	4	0	1	7	27	13	11
<i>Branta bernicla hrota</i>			2	7							0	0	0	0	2	0
<i>Tadorna tadorna</i>		1	1		2	2	3				0	0	1	0	1	1
<i>Aix sponsa</i>									1		0	0	0	0	0	0
<i>Aix galericulata</i>					2						0	0	0	0	0	0
<i>Mareca penelope</i>	2254	2940	2813	2401	2041	1895	2328	1704	1628	1566	2386	2480	2846	2417	2490	1824
<i>Mareca americana</i>								1			0	1	0	0	0	0
<i>Mareca strepera</i>	119	268	239	379	297	213	415	443	377	460	23	28	39	187	260	382
<i>Anas crecca</i>	181	324	264	754	640	413	536	307	307	357	718	800	530	509	433	384
<i>Anas crecca carolinensis</i>						1			1		0	0	0	0	0	0
<i>Anas platyrhynchos</i>	1434	1800	1265	2058	1655	1791	1794	1400	1330	1691	2716	3123	2577	1734	1642	1601
<i>Anas rubripes</i>											0	0	0	0	0	0
<i>Anas acuta</i>	181	381	313	325	192	324	288	266	269	267	153	242	233	187	278	283
<i>Spatula discors</i>					2						0	0	0	0	0	0
<i>Spatula clypeata</i>	155	243	234	439	156	233	278	189	170	163	262	185	189	232	245	207
<i>Netta rufina</i>				2	1					1	0	0	0	0	1	0
<i>Aythya collaris</i>						1					0	0	0	0	0	0
<i>Aythya fuligula</i>		21		6		1	1				20	22	2	1	5	0
<i>Aythya marila</i>					3	2	4	1		3	2	1	2	1	1	2
<i>Aythya affinis</i>				1							0	0	0	0	0	0
<i>Clangula hyemalis</i>				2					2		0	0	1	0	0	0
<i>Melanitta nigra</i>	54	241	24	33	93	42	9	271	65	17	93	51	48	55	89	81
<i>Melanitta fusca</i>							6				0	0	0	0	0	1
<i>Mergus serrator</i>		24			23	5	10		9	4	36	72	0	2	9	6
<i>Rallus aquaticus</i>	10	6	7	8	6	3	10	13	5	5	0	1	1	2	7	7
<i>Gallinula chloropus</i>	12	5	16	8	13	8	9	7	12	4	27	17	7	7	11	8
<i>Fulica atra</i>	6	21	29	44	15	8	26	244	38	56	108	98	11	25	23	74
<i>Haematopus ostralegus</i>	810	570	653	840	924	631	792	734	707	800	539	786	491	388	759	733
<i>Burhinus oedicephalus</i>		4		1				1			0	0	0	0	1	0
<i>Charadrius hiaticula</i>	364	432	462	422	470	521	642	442	874	885	272	304	463	400	430	673
<i>Anarhynchus alexandrinus</i>	11		6	64	31	15	41		16	7	20	37	14	10	22	16
<i>Pluvialis apricaria</i>	58	274	168	128	91	292	215	377	141	276	123	97	82	109	144	260
<i>Pluvialis squatarola</i>	1812	1062	1602	1255	805	1172	1234	1254	1187	1176	1328	1496	1256	998	1307	1205
<i>Vanellus vanellus</i>		1						2	13		36	10	30	12	0	3
<i>Calidris canutus</i>	1	24	5		8	4	5	11	28	9	17	16	21	15	8	11

<i>Calidris alba</i>	304	400	789	712	1107	651	678	978	552	855	73	240	190	411	662	743
<i>Calidris maritima</i>	11	22		3	12	8			3	1	0	0	2	1	10	2
<i>Calidris alpina</i>	3948	5065	4666	5721	3168	6171	5581	4341	5414	4250	5834	4994	4418	4352	4514	5151
<i>Gallinago gallinago</i>	19	18	36	36	27			58	21	3	9	4	2	20	27	16
<i>Limosa limosa</i>	561	595	947	516	256	323	367	378	382	656	283	484	516	600	575	421
<i>Limosa lapponica</i>	80	298	567	198	384	358	240	233	181	192	368	309	311	398	305	241
<i>Numenius phaeopus</i>	108	282	132	186	152	98	231	195	139	169	36	52	86	115	172	166
<i>Numenius arquata</i>	373	392	269	394	317	191	395	163	278	313	412	521	322	337	349	268
<i>Tringa erythropus</i>	1			3	3						4	3	3	1	1	0
<i>Tringa totanus</i>	445	417	201	435	357	246	383	271	331	456	420	545	455	342	371	337
<i>Tringa nebularia</i>	316	297	168	391	367	234	332	251	281	229	145	239	262	273	308	265
<i>Actitis hypoleucos</i>	63	167	147	159	214	220	170	221	225	134	106	119	54	65	150	194
<i>Arenaria interpres</i>	301	283	372	137	667	574	728	514	515	314	120	214	343	310	352	529
<i>Stercorarius skua</i>	1										0	0	0	1	0	0
<i>Ichthyophaga melanocephala</i>	1025	109	1240	609	1198	1137	1743	1702	625	1149	13	224	211	463	836	1271
<i>Hydrocoloeus minutus</i>								41			0	1	1	0	0	8
<i>Chroicocephalus ridibundus</i>	3841	4185	5114	4499	7837	5238	5852	7531	3793	3860	2069	2050	2421	3199	5095	5255
<i>Larus delawarensis</i>			1								0	0	0	0	0	0
<i>Larus canus</i>	16	28	27	44	47	103	117	84	169	88	22	9	25	14	32	112
<i>Larus fuscus</i>	154	235	194	221	261	228	289	205	160	305	825	225	122	161	213	237
<i>Larus argentatus</i>				2	1				1	4	1	0	0	1	1	1
<i>Larus michahellis</i>	8926	10660	11501	11744	17747	10437	10833	11045	9940	9508	8266	5712	4654	10790	12116	10353
<i>Larus fuscus/michaellis</i>	7						511				1952	412	0	0	1	102
<i>Larus hyperboreus</i>				1	1				1		0	0	0	0	0	0
<i>Larus marinus</i>	66	67	79	92	108	90	174	145	158	149	16	27	27	47	82	143
<i>Rissa tridactyla</i>	1						3	3			0	0	1	0	0	1
<i>Thalasseus sandvicensis</i>	68	104	60	72	77	63	114	62	130	55	145	211	73	81	76	85
<i>Uria aalge</i>			2						1		0	1	0	0	0	0
<i>Alca torda</i>	14	3	2					12	15	5	12	42	10	5	4	6
<i>Fratercula arctica</i>								15			0	0	0	0	0	3
<i>Pandion haliaetus</i>							4	5	6	9	0	0	0	0	0	5
<i>Circus aeruginosus</i>	1	4	4	1	4	3	3	3	3	5	0	0	1	1	3	3
<i>Alcedo atthis</i>	1	4	2	4	9	9	3	8	12	5	0	3	0	1	4	7
<i>Emberiza schoeniclus</i>								10			0	0	0	0	0	2
TOTAL ESPECIES	54	56	54	58	61	56	59	60	61	61	56	56	53	52	57	59
TOTAL CENSO	30526	36299	38398	39421	46924	37887	42112	40562	34611	34199	32221	29352	25464	31652	38314	37874



Rías Baixas. Ornitólogos participantes. Ornithologists list.					
	2016	2017	2018	2019	2020
Muros-Noia	IAM-EAE	SGP-PFG	IAM-PFG-SGP-CVB	IAM-ACV-SGP-PFG-MACa-MACs-PCC	IAM-ACV-SGP-PFG-MACa-MACs
Corrubedo	SGP	SGP-PFG	SGP-PFG-ACV	SGP-PFG	SGP-PFG-ACV
Arousa Norte	RRG-CRG-ARP	RRG-CRG-AAL	CRG-ARP	LRA-XRM-CNR-CRR-MAC-ARP-MVB-JV-CRG	LRA-XRM-CNR-CRR-MAC-ARP-MVB-CRG-PFG-SPG-AAL
Umia-Grove-Carreirón	LRA-ARP-XRM-CRR-SGPi-SGP-PFG	LRA-XRM-ARP-CRR-SGPi-SGP-PFG-CVB-SBL	MAC-ACV-PFG-SGP-CNR-XRM-ARP-CRR-LRA-JV-MVB	LRA-XRM-CNR-JRD-CRR-MAC-JV-FV-ARP-PFG-SGP-MVB	LRA-XRM-MAC-JV-ARP-PFG-SGP-SBL-RBG-JPF-AOB
Pontevedra	CNR-XRM-LRA	CNR-XRM-LRA-PFG-ARP-CRR-MDT-EPM-MAC-SGPi-JRD	MAC-PFG-XRM-CRR-JRD-ARP-LRA-MVB	XRM-CNR	XRM-CNR-ARP
Enseada S. Simón	LRA-XRM-MAC-CRR-PFG-RTS-SGP-JRD-SGPi	LRA-XRM-RBG-CRR-JRD-SGPi-PFG-SGC-AGF	PFG-XRM-CRR-JRD-ARP-LRA-MVB	LRA-XRM-CNR-CRR-MAC-ARP-MVB	ARP-RTS-JV-SGPi-JRD-MAC
Vigo	PFG-LRA-SGP-RBG-MAC-JRD-SGPi-XRM	SGP-CVB-SBL-CRR-XRM-LRA	MAC-PFG-SGP-XRM-CRR-JRD-DRV-LRA-CVB	LRA-XRM-CNR-CRR-MAC-ARP-MVB-SGP-PFG	ACV-SGP-PFG-SBL-XRM-CRR-FC
	2021	2022	2023	2024	2025
Muros-Noia	SGP-PFG	SGP-PFG-IAM-AAB	IAM-AAB-PFG-SGP-CVB	IAM-AAB-PFG-SGP	IAM-AAB-PFG-SGP-XSC-CVB
Corrubedo	SGP-PFG	SGP-PFG	SGP-PFG	SGP-PFG	PFG-SGP-LRA
Arousa Norte	PFG-SGP-LRA-ARP	MFP-AP-PFG-SGP-CVB-ARP-LRA-MAC-CRG	MFP-AP-PFG-SGP-SLA-ARP-XRP-MVB-CRG	MFP-AP-PFG-SGP-ARP-XRP-MVB-JNL-CRR-MAC-AOB-JAP-CRG	MFP-AP-Apa-XRP-AOB-JAP-MAC
Umia-Grove-Carreirón	ARP-SGP-PGF-LRA-JRD-XRM-CNR	MFP-ARP-SGP-CVB-PFG-MVB-JNF-AP-SBL-MAC-LRA-JR-SGPi-JRD-FCB-SLA	ARP-XRP-SGP-XRM-PFG-SGPi-JRD-MVB-JV-CNR	MFP-ARP-SGP-XRM-PFG-MVB-JNF-JV-AP-SBL-MAC-AOB-JAP	MFP-ARP-SGP-LRA-XRP-JB-MVB-JV-AP-SBL-MAC-JRD
Pontevedra	XRM-CNR	XRM-CNR-ARP	XRM-CNR-SGPi-JRD-ARP	MAC-CRR-XRM-LRA-JLS	XRM-CNR
Enseada S. Simón	ARP-CNR-XRM-LRA	LRA-MVB-ARP-SGPi	ARP-LRA-MAC-JRD-SGPi-JV	LRA-JV-XRP-ARP-JRD-SGPi-BPS	ARP-LRA-SGPi
Vigo	PFG-SGP-XRM-CNR-DRV-LRA	PFG-SGP-XVM-JRD-ARP-LRA-SGPi-MVB	PFG-SGP-XVM-DRV-SLA-XVM-XRM-CRR	PFG-SGP-XVM-MBC-DCR-CNR-XRM-XVM	PFG-SGP-XVM-MBC-DCR-XRM-CRR-MAC

AAB-Agustín Agra Barreiro. AAL-Agustín Alcalde Lorenzo. ACV-Alejandra Couto Vázquez. AGF-Ana Gómez Ferreira. AOB-Alba Oliveira Boo. APa-Aquilino Parada. AP-Portas. ARP-Álvaro Rodríguez Pomares. BPS- Beatriz Pérez S. CNR-M^a Carmen Noya Rey. CRG-Carlos Rey Gómez. CRR-Carlos Rei Raño. CVB-Cristina Vieites Blanco. DCP-Diego Copena Rodríguez. DRV-Diego Rodríguez Vieites. EPM-Elena Pedraza Montero. FC-Francisco Carballo. FV-Francisco Vaamonde. IAM-Ignacio Aparicio Montero. JAP-José A. Paredes. JB-José Brea. JLS-Javier Losada Seijo. JNF-Juan Neira Fernández. JPF-José A. Paredes Fernández. JRD-José Rodrigo Dapena. JV-José Vaamonde. LRA-Lidia Romero Amich. MAC-Moisés Asensi Cabrita. MACa-Martiño Aparicio Castro. MACs-Mariña Aparicio Castro. MBR-Mar Barros Couto. MDT-Miguel Díaz-Tendero Villalgorido. MFP-Martín Fernández Pérez. MVB-Mercedes Vilas Bugallo. PCC-Pilar Castro Caamaño. PFG-Pilar Fernández González. RBG-Rodolfo Blanco García. RRG-Ramón Rey González. RTS-Raquel Tejerina Segur. SBL-Santiago Bas López. SGC-Sara González Carballal. SGP-Serafín González Prieto. SGPi-Saleta González Pimentel. SLA-Sergio López Almazán. XRM-Xosé L. Rey Muñiz. XRP-Xaquín Rodríguez Pomares. XVM-Xulio Valeiras Mota.



RÍA DE MUROS-NOIA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>		3		1		1					0	1	0	0	1	0
<i>Tachybaptus ruficollis</i>		26	17	10	11	5	17	8	13	7	1	4	0	0	13	10
<i>Morus bassanus</i>		3	263	21	39	18	42	41	54	60	0	1	1	3	65	43
<i>Phalacrocorax carbo</i>	122	269	231	473	292	241	279	289	275	105	82	77	112	112	277	238
<i>Gulosus aristotelis</i>		36	13	48	63	127	49	48	32	55	3	9	3	2	32	62
<i>Egretta garzetta</i>	52	8	86	78	63	68	54	103	32	53	43	59	61	34	57	62
<i>Ardea ibis</i>				1		7	20	42	40	19	0	0	0	1	0	26
<i>Ardea alba</i>	1		3	2	2	1	1	3	1	2	0	0	0	0	2	2
<i>Ardea cinerea</i>	15	10	33	64	59	49	60	53	56	45	58	33	51	10	36	53
<i>Plegadis falcinellus</i>							1				0	0	0	0	0	0
<i>Platalea leucorodia</i>			9	13	21	15	25	33	24	46	0	0	2	0	9	29
<i>Mareca penelope</i>			2	45	44	69	80	51	66	38	18	0	65	22	18	61
<i>Mareca americana</i>								1			0	0	0	0	0	0
<i>Mareca strepera</i>	1	5				3	91	3	98	102	1	2	0	35	1	59
<i>Anas crecca</i>				2				3	1		0	0	0	0	0	1
<i>Anas crecca carolinensis</i>									1		0	0	0	0	0	0
<i>Anas platyrhynchos</i>	103	45	99	216	134	215	226	317	294	363	138	163	117	316	119	283
<i>Anas acuta</i>			1								0	0	0	0	0	0
<i>Spatula clypeata</i>		5									0	1	0	0	1	0
<i>Clangula hyemalis</i>									1		0	0	0	0	0	0
<i>Melanitta nigra</i>		23			7					4	0	1	0	0	6	1
<i>Mergus serrator</i>						5					0	0	0	0	0	1
<i>Rallus aquaticus</i>					1		1			1	0	0	0	0	0	0
<i>Haematopus ostralegus</i>	24	2	38	28	59	66	28	56	24	31	0	30	0	10	30	41
<i>Charadrius hiaticula</i>			6	19	23	15	64	4	39	38	0	9	11	19	10	32
<i>Anarhynchus alexandrinus</i>			6	12		15	26		9	6	0	1	1	2	4	11
<i>Pluvialis apricaria</i>			6	2							0	0	0	0	2	0
<i>Pluvialis squatarola</i>	27		34	13	53	37	13	3	23		0	19	0	9	25	15
<i>Calidris alba</i>	30	18	93	234	258	200	24	97	98	178	74	145	92	79	127	119
<i>Calidris alpina</i>	18		80	174	166	6	71	89	74	26	130	207	57	108	88	53
<i>Numenius phaeopus</i>	4	1	12	5	6	12	19	10	9	7	0	0	0	3	6	11
<i>Numenius arquata</i>	25	3	1	9	13		7	1	2		39	29	5	5	10	2
<i>Tringa totanus</i>				1	1	7		1	6	5	0	0	0	0	0	4
<i>Tringa nebularia</i>			7	42	55	22	67	60	54	56	0	9	2	14	21	52
<i>Actitis hypoleucos</i>	3	5	29	36	49	67	35	43	26	9	33	5	1	10	24	36
<i>Arenaria interpres</i>		13	23	10	16	14	80	32	29	26	2	24	0	3	12	36
<i>Ichthyaeetus melanocephalus</i>			2	10	7	28	70	56	10	39	0	0	10	2	4	41
<i>Chroicocephalus ridibundus</i>	35	48	156	173	482	450	464	382	319	347	310	226	0	31	179	392
<i>Larus canus</i>							1		1		0	0	0	0	0	0
<i>Larus fuscus</i>		51	39	61	25	34	85	30	10	54	166	82	0	9	35	43
<i>Larus argentatus</i>				2	1				1	1	0	0	0	0	1	0
<i>Larus michahellis</i>	nc	1939	1773	2474	2042	2595	1637	2137	2522	1942	829	1495	0	163	1646	2167
<i>Larus fuscus/michaellis</i>	7										349	339	0	0	1	0
<i>Larus hyperboreus</i>					1						0	0	0	0	0	0
<i>Larus marinus</i>	2	16	10	16	25	31	39	29	41	29	3	4	0	6	14	34
<i>Rissa tridactyla</i>							2				0	0	0	0	0	0
<i>Thalasseus sandwicensis</i>		22	9	26	6	11	21	9	4	9	18	8	15	4	13	11
<i>Uria aalge</i>			2								0	0	0	0	0	0
<i>Alca torda</i>								1			5	1	0	0	0	0
<i>Pandion haliaetus</i>								1			0	0	0	0	0	0
<i>Circus aeruginosus</i>			1						1	2	0	0	0	0	0	1
<i>Alcedo atthis</i>				1	3	1		2	3		0	0	0	0	1	1
TOTAL ESPECIES	16	22	31	34	32	32	33	34	37	32	19	24	10	17	27	34
TOTAL CENSO	469	2551	3084	4322	4027	4435	3699	4038	4293	3705	2304	2995	607	1014	2891	4034
<i>Puffinus sp.</i>					1					10						

P.N. CORRUBEDO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia arctica</i>						4		2			0	0		0	0	1
<i>Gavia immer</i>			2		3			2			0	0		0	1	0
<i>Tachybaptus ruficollis</i>	29	18	11	3	7	24	18	17	15	16	4	19		18	14	18
<i>Podiceps nigricollis</i>			1								0	0		0	0	0
<i>Hydrobates pelagicus</i>										1	0	0		0	0	0
<i>Morus bassanus</i>	53		2			14		2		11	1	1		3	11	5
<i>Phalacrocorax carbo</i>	31	12	13	14	12	45	3	13	20	13	5	15		20	16	19
<i>Gulosus aristotelis</i>	1		29	40	1	25	9	16	16	5	8	0		16	14	14
<i>Egretta garzetta</i>		1	2	1		1	1	2	1		3	0		1	1	1
<i>Ardea alba</i>						1	3	3	2	4	0	0		0	0	3
<i>Ardea cinerea</i>	21	3	11	5	8	15	6	11	9	6	10	6		9	10	9
<i>Platalea leucorodia</i>		3						1	2	5	0	0		0	1	2
<i>Mareca penelope</i>							3			3	0	1		1	0	1
<i>Mareca strepera</i>	55	60	57	42	26	25	86	74	50	62	3	9		64	48	59
<i>Anas crecca</i>	3	118	87	146	58	62	132	93	63	98	16	22		45	82	90
<i>Anas platyrhynchos</i>	23	36	24	47	68	144	95	38	42	51	90	58		58	40	74
<i>Spatula clypeata</i>	4	11	2	13	1	8	12	11		11	11	8		10	6	8
<i>Aythya fuligula</i>		12									1	11		0	2	0
<i>Aythya marila</i>								1			0	0		0	0	0
<i>Clangula hyemalis</i>									1		0	0		0	0	0
<i>Melanitta nigra</i>	1				4	38					9	6		0	1	8
<i>Mergus serrator</i>							1		2		0	0		0	0	1
<i>Rallus aquaticus</i>	4	2	5	5	3	3	1	7		1	0	0		2	4	2
<i>Gallinula chloropus</i>	4	1	1	1	1	3		2	2		2	1		0	2	1
<i>Fulica atra</i>							2	22	18	22	43	48		2	0	13
<i>Haematopus ostralegus</i>	34	45	26	29	53	13	89	32	18	56	21	14		24	37	42
<i>Burhinus oedicephalus</i>		4		1				1			0	0		0	1	0
<i>Charadrius hiaticula</i>		7	7	6		23	7	5	8	5	4	2		0	4	10
<i>Anarhynchus alexandrinus</i>									1		0	17		0	0	0
<i>Pluvialis apricaria</i>		90	110	13		67	51	120	38	77	62	30		0	43	71
<i>Pluvialis squatarola</i>	29	31	14	29	17	28	20	28	12	41	72	7		13	24	26
<i>Calidris canutus</i>			1			2		3		1	0	0		0	0	1
<i>Calidris alba</i>	61	52	104	99	84	22	101	123	35	63	2	14		42	80	69
<i>Calidris alpina</i>	38	67	30	35	7	27	74	31	10	35	19	9		25	35	35
<i>Gallinago gallinago</i>								25			0	1		0	0	5
<i>Limosa lapponica</i>				3	4	3	6	2			2	0		3	1	2
<i>Numenius phaeopus</i>	2	4	2	3	3	3	9	5	4	6	0	1		2	3	5
<i>Numenius arquata</i>	15	17	14	16	13	2	10	7	9	3	31	9		5	15	6
<i>Tringa nebularia</i>	6	7	3	14	1	15	5	7	5	8	3	2		7	6	8
<i>Actitis hypoleucos</i>			1		1	3					0	0		1	0	1
<i>Arenaria interpres</i>	5	20	12	19	29	6	35	21	11	34	0	0		9	17	21
<i>Ichthyophaga melanocephala</i>		2				1					0	0		0	0	0
<i>Hydrocoloeus minutus</i>								40			0	0		0	0	8
<i>Chroicocephalus ridibundus</i>	5	94	39	32		81	87	96	40	89	34	58		21	34	79
<i>Larus canus</i>				2					1		1	0		0	0	0
<i>Larus fuscus</i>	44	56	5	27			9	7	4	20	85	17		18	26	8
<i>Larus michahellis</i>	842	1484	225	256	234	166	566	516	128	240	3032	3557		576	608	323
<i>Larus hyperboreus</i>									1		0	0		0	0	0
<i>Larus marinus</i>	11	12	6	11	1	6	14	16	33	22	1	1		3	8	18
<i>Rissa tridactyla</i>							1				0	0		0	0	0
<i>Thalasseus sandvicensis</i>		6	2	6	3	2	8				12	6		6	3	2
<i>Circus aeruginosus</i>	1	3	3	1	2	3	3	3	1	2	0	0		2	2	2
<i>Alcedo atthis</i>									1		0	0		0	0	0
TOTAL ESPECIES	25	30	32	30	26	34	32	38	33	31	25	24	nc	26	29	34
TOTAL CENSO	1322	2278	851	919	644	885	1467	1405	603	1011	3934	4029	nc	1007	1203	1074

RÍA DE AROUSA NORTE	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>				2		1					0	0	0		0	1
<i>Tachybaptus ruficollis</i>				2	2	1		1	3	1	0	0	0		1	1
<i>Podiceps cristatus</i>	14	36	4	22	109	44	117	60	42	74	0	0	0		37	43
<i>Podiceps auritus</i>				1			1				0	0	0		0	0
<i>Podiceps nigricollis</i>	251	219	164	157	328	55	243	128	215	178	2	5	38		224	185
<i>Puffinus puffinus</i>					1						0	0	0		0	0
<i>Hydrobates pelagicus</i>								2		23	0	0	0		0	0
<i>Morus bassanus</i>				3	4	8	1	49	36	7	0	0	0		1	3
<i>Phalacrocorax carbo</i>	204	530	564	1029	606	649	543	807	741	586	119	189	249		587	676
<i>Gulosus aristotelis</i>	119	108	56	214	118	41	120	115	104	126	2	212	403		123	107
<i>Egretta garzetta</i>	54	75	47	77	77	82	85	121	94	64	19	75	80		66	72
<i>Ardea ibis</i>				3	4	5	35	21	37	32	0	0	0		1	2
<i>Ardea cinerea</i>	56	36	45	93	153	106	137	140	160	134	23	54	55		77	87
<i>Plegadis falcinellus</i>								2			0	0	0		0	0
<i>Platalea leucorodia</i>		10		3	20	23	17	22	52	51	0	0	0		7	11
<i>Cygnus olor</i>									1	6	0	0	0		0	0
<i>Branta bernicla</i>									1		0	0	0		0	0
<i>Aix galericulata</i>							3				0	0	0		0	0
<i>Mareca penelope</i>				4						4	1	0	0		1	1
<i>Mareca strepera</i>				3	4						0	0	0		1	1
<i>Anas platyrhynchos</i>	110	173	92	275	342	346	363	229	243	230	61	254	338		198	246
<i>Spatula clypeata</i>									2		14	0	3		0	0
<i>Aythya marila</i>									2		0	0	0		0	0
<i>Melanitta nigra</i>				15				19			6	9	0		3	3
<i>Mergus serrator</i>	20	22	10	24	20		8	9	7	3	35	145	31		19	15
<i>Gallinula chloropus</i>	3		3	2	5			1			1	5	0		3	2
<i>Haematopus ostralegus</i>	179	189	248	261	395	217	208	281	310	296	119	237	178		254	262
<i>Charadrius hiaticula</i>		43		49	14	7	128	68	137	1	26	17	76		21	23
<i>Anarhynchus alexandrinus</i>				52	27		13	31			3	0	0		16	16
<i>Pluvialis squatarola</i>	441	182	260	236	94	20	263	82	240	106	152	140	353		243	158
<i>Calidris alba</i>	6	23	19	38	192	119	141	97	68	72	0	0	0		56	78
<i>Calidris maritima</i>						1		6			0	0	0		0	0
<i>Calidris alpina</i>	181	219	332	364	155	46	365	224	294	78	232	170	459		250	223
<i>Limosa limosa</i>									7		0	1	12		0	0
<i>Limosa lapponica</i>	14	5	18	5	9		12	14	21	7	10	26	69		10	7
<i>Numenius phaeopus</i>	1	7	8	21	12	11	28	12	30	37	0	0	0		10	12
<i>Numenius arquata</i>	78	29	19	72	53	10	100	29	64	41	33	75	49		50	37
<i>Tringa erythropus</i>				2	2		8				0	0	5		1	1
<i>Tringa totanus</i>	34	7	92	37	29	31	29	38	29	32	18	64	61		40	39
<i>Tringa nebularia</i>	12	41	4	69	42	10	91	34	39	24	6	29	33		34	33
<i>Actitis hypoleucos</i>	21	46	62	47	55	79	46	87	72	38	24	35	20		46	58
<i>Arenaria interpres</i>	9	33	26	5	74	161	97	67	47	27	51	17	83		29	60
<i>Ichthyophaga melanocephala</i>				133	72	58	42	16	11	49	0	8	0		41	53
<i>Hydrocoloeus minutus</i>								1			0	0	0		0	0
<i>Chroicocephalus ridibundus</i>	nc	nc	nc	1300	1752	1679	1743	2299	1003	1088	607	684	0		1017	946
<i>Larus canus</i>	1	3	4	10	6	43	35	38	72	15	1	3	0		5	13
<i>Larus fuscus</i>	nc	nc	nc	45	117	105	80	60	46	78	321	85	0		54	53
<i>Larus argentatus</i>								2		3	0	0	0		0	0
<i>Larus michahellis</i>	nc	nc	nc	2636	3111	2309	2100	2215	1664	2515	1255	362	0		1916	1611
<i>Larus fuscus/michahellis</i>							432		83		236	0	0		0	0
<i>Larus marinus</i>	1	3		22	27	15	34	24	26	15	1	0	0		11	13
<i>Rissa tridactyla</i>								1			0	0	0		0	0
<i>Thalasseus sandvicensis</i>	4	24	6	14	34	18	28	29	79	9	51	78	31		16	19
<i>Alca torda</i>								7	7		0	8	1		0	0

<i>Fratercula arctica</i>								5			0	0	0		0	0
<i>Pandion haliaetus</i>				1	1	1	1	1	2	2	0	0	0		0	1
<i>Alcedo atthis</i>				1	3	4	2	3	2	2	0	0	0		1	2
TOTAL ESPECIES	23	24	22	41	38	33	37	44	40	37	22	24	23	nc	30	32
TOTAL CENSO	1813	2063	2083	7349	8069	6305	7699	7497	6093	6054	2996	2540	2629	nc	4275	5174



C.I. UMIA-GROVE-CARREIRÓN	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia stellata</i>					1				3		0	1	0	0	0	1
<i>Gavia arctica</i>			1		9		2	1			2	1	1	1	2	1
<i>Gavia immer</i>	3	9	11	6	2	5	8	1	2	3	3	3	4	5	6	4
<i>Tachybaptus ruficollis</i>	23	24	19	25	22	20	25	15	17	12	7	8	9	22	23	18
<i>Podiceps grisegena</i>				1							0	0	0	0	0	0
<i>Podiceps auritus</i>		1									1	0	0	0	0	0
<i>Podiceps nigricollis</i>		2									0	0	1	5	0	0
<i>Hydrobates pelagicus</i>								5			1	0	0	0	0	1
<i>Morus bassanus</i>	5	3			4	12		1		3	1	0	1	12	2	3
<i>Phalacrocorax carbo</i>	471	681	673	422	789	739	627	521	424	253	501	420	220	368	407	513
<i>Gulosus aristotelis</i>		16	10	8	71	43	28	123	121	70	197	181	383	381	21	77
<i>Egretta garzetta</i>	67	50	102	60	146	84	199	86	122	153	121	108	71	78	85	129
<i>Ardea ibis</i>				6	8		12	9	60	47	10	0	0	0	3	26
<i>Ardea alba</i>	2	1	1	2	3	1	2	2	2	2	0	0	0	2	2	2
<i>Ardea cinerea</i>	150	163	140	62	350	171	274	136	321	220	121	170	154	156	173	224
<i>Plegadis falcinellus</i>							1			2	0	0	0	0	0	1
<i>Platalea leucorodia</i>	130	178	172	188	178	209	238	232	138	138	62	86	108	147	169	191
<i>Phoenicopterus roseus</i>	1							3	1		0	0	0	0	0	1
<i>Cygnus olor</i>									2	1	0	0	0	0	0	1
<i>Anser anser</i>		1				1				8	0	0	1	1	0	2
<i>Branta bernicla</i>		1	1								0	0	0	4	0	0
<i>Branta bernicla hrota</i>			2	3							0	0	0	0	1	0
<i>Tadorna tadorna</i>		1	1		2	2	3				0	0	1	0	1	1
<i>Mareca penelope</i>	780	1274	1158	1135	1065	1049	1359	1156	1004	947	377	430	665	611	1082	1103
<i>Mareca strepera</i>	58	197	176	320	267	184	238	358	227	296	18	15	39	106	204	261
<i>Anas crecca</i>	178	206	176	606	582	351	404	211	243	257	705	774	529	477	350	293
<i>Anas crecca carolinensis</i>						1					0	0	0	0	0	0
<i>Anas platyrhynchos</i>	716	907	415	1120	793	426	638	378	244	366	1569	1654	1244	700	790	410
<i>Anas acuta</i>	150	328	272	297	174	297	284	264	257	250	135	190	170	163	244	270
<i>Spatula clypeata</i>	151	227	231	419	153	225	266	178	168	152	234	176	188	227	236	198
<i>Nettion rufina</i>										1	0	0	0	0	0	0
<i>Aythya fuligula</i>		9		6			1				14	8	1	1	3	0
<i>Aythya marila</i>					3	1	4			3	1	1	0	0	1	2
<i>Aythya affinis</i>				1							0	0	0	0	0	0
<i>Clangula clangula</i>				2							0	0	1	0	0	0
<i>Melanitta nigra</i>	44	166	24	18	78	3	9	232	30	13	70	23	40	36	66	57
<i>Melanitta fusca</i>							3				0	0	0	0	0	1
<i>Mergus serrator</i>		2					1			1	10	3	0	2	0	0
<i>Rallus aquaticus</i>	5		2	2	2		8	4	3	3	0	1	1	1	2	4
<i>Gallinula chloropus</i>	2	4	8	2	2		4	3	9	2	17	2	2	3	4	4
<i>Fulica atra</i>	6	21	29	43	14	8	23	222	20	34	72	42	10	24	23	61
<i>Haematopus ostralegus</i>	488	291	309	493	375	307	435	341	309	386	359	460	421	315	391	356
<i>Charadrius hiaticula</i>	243	345	312	267	352	348	307	245	538	781	230	261	391	319	304	444
<i>Anarhynchus alexandrinus</i>							2		2		17	17	10	3	0	1
<i>Pluvialis apricaria</i>	58	182	52	113	91	225	164	257	103	199	73	67	80	109	99	190
<i>Pluvialis squatarola</i>	1172	550	901	746	434	1031	678	825	620	812	964	1137	1054	798	761	793
<i>Vanellus vanellus</i>								2	13		18	5	30	12	0	3
<i>Calidris canutus</i>	1	24	4		8	2	5	8	22	8	16	15	21	15	7	9
<i>Calidris alba</i>	118	166	153	32	235	233	234	275	182	238	27	61	116	161	141	232
<i>Calidris alpina</i>	3060	4383	3126	4267	2012	5445	3809	2921	4279	3485	4772	4213	3772	3640	3370	3988
<i>Gallinago gallinago</i>	18	18	36	36	22			33	21	3	4	2	2	20	26	11
<i>Limosa limosa</i>	560	592	947	514	254	323	367	377	375	656	282	483	513	598	573	420
<i>Limosa lapponica</i>	66	291	540	190	371	355	220	217	148	180	356	281	293	393	292	224
<i>Numenius phaeopus</i>	64	163	58	68	19	15	99	86	39	55	28	39	61	66	74	59
<i>Numenius urquharti</i>	245	326	226	280	235	179	276	124	198	268	310	374	287	314	262	209
<i>Tringa erythropus</i>	1			1	1						4	3	2	1	1	0
<i>Tringa totanus</i>	363	327	41	339	297	143	238	110	176	304	399	470	407	293	273	194
<i>Tringa nebularia</i>	235	151	60	135	169	108	101	76	86	80	104	122	152	153	150	90
<i>Actitis hypoleucos</i>	15	51	6	4	17	26	26	33	23	29	13	16	9	16	19	27
<i>Arenaria interpres</i>	29	96	182	31	363	250	247	256	220	94	36	95	215	164	140	213
<i>Stercorarius skua</i>	1										0	0	0	1	0	0
<i>Icthyophaga melanoccephalus</i>	899	94	1043	327	632	954	1321	1452	435	1032	7	43	82	261	603	1039
<i>Chroicocephalus ridibundus</i>	999	1926	1510	1040	2701	843	1326	577	674	743	253	116	816	1267	1635	833

<i>Larus canus</i>	15	25	23	32	41	60	80	43	95	72	20	6	21	14	27	70
<i>Larus fuscus</i>	43	57	79	58	67	48	57	45	27	57	70	nc	53	63	61	47
<i>Larus michahellis</i>	1307	1210	1329	1332	3458	1547	1932	1301	1388	1393	810	nc	698	1719	1727	1512
<i>Larus fuscus/michaellis</i>							79				33	nc	0	0	0	16
<i>Larus marinus</i>	39	12	30	24	20	22	47	37	30	47	11	16	20	24	25	37
<i>Rissa tridactyla</i>	1							2			0	0	0	0	0	0
<i>Thalasseus sandvicensis</i>	46	20	24	5	16	12	12	8	14	25	31	97	14	23	22	14
<i>Alca torda</i>		3						2	2		6	3	4	1	1	1
<i>Fratercula arctica</i>								10			0	0	0	0	0	2
<i>Pandion haliaetus</i>							1		2	2	0	0	0	0	0	1
<i>Circus aeruginosus</i>		1			2				1	1	0	0	1	0	1	0
<i>Alcedo atthis</i>								1		1	0	0	0	1	0	0
<i>Emberiza schoeniclus</i>								10			0	0	0	0	0	2
TOTAL ESPECIES	45	50	45	47	49	43	51	52	50	52	49	43	46	47	47	50
TOTAL CENSO	13028	15776	14615	15088	16930	16308	16724	13815	13440	14188	13516	12586	13393	14294	15087	14895
<i>Gavia sp.</i>		1														



RÍA DE PONTEVEDRA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>				1							0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>		5	1	2	1		2	2			0	2	0	0	2	1
<i>Podiceps cristatus</i>							2				0	0	0	0	0	0
<i>Podiceps nigricollis</i>							8				6	1	0	0	0	2
<i>Hydrobates pelagicus</i>										22	0	0	0	0	0	4
<i>Morus bassanus</i>	7	1				1		9	5	2	0	1	0	2	2	3
<i>Phalacrocorax carbo</i>	173	181	214	255	383	206	307	193	135	215	198	297	273	195	241	211
<i>Gulosus aristotelis</i>	152	247	49	24	21	33	40	88	58	160	34	95	38	80	99	76
<i>Egretta garzetta</i>	25	27	28	24	15	25	35	28	27	20	44	37	21	20	24	27
<i>Ardea ibis</i>		1				4	10	5	6	1	0	0	0	0	0	5
<i>Ardea alba</i>		1				5					0	0	0	1	0	1
<i>Ardea cinerea</i>	26	37	46	38	17	26	30	20	30	25	25	59	53	45	33	26
<i>Plegadis falcinellus</i>	1										0	0	0	0	0	0
<i>Platalea leucorodia</i>	6	3	5	4	7	2	2	15		3	0	0	0	0	5	4
<i>Branta bernicla</i>		7									0	0	0	0	1	0
<i>Anas platyrhynchos</i>	98	4	76	17	14	58	70	32	34	2	126	188	157	65	42	39
<i>Melanitta nigra</i>	8	42			4			7	9		1	7	8	8	11	3
<i>Melanitta fusca</i>							3				0	0	0	0	0	1
<i>Mergus serrator</i>					3						1	0	0	0	1	0
<i>Rallus aquaticus</i>	1			1				1			0	0	0	0	0	0
<i>Gallinula chloropus</i>	2			1		1	2		1	2	0	1	1	1	1	1
<i>Charadrius hiaticula</i>						21			1		0	0	11	4	0	4
<i>Pluvialis squatarola</i>	64	195	209	102	76	38	83	128	120	80	41	88	24	91	129	90
<i>Calidris alba</i>				12			26	10	4	7	0	0	0	0	2	9
<i>Calidris alpina</i>	128	191	103	58	125	69	79	40	25	39	60	84	124	68	121	50
<i>Gallinago gallinago</i>					5						5	0	0	0	1	0
<i>Limosa limosa</i>		3									0	0	0	0	1	0
<i>Limosa lapponica</i>		2							2		0	0	2	0	0	0
<i>Numenius phaeopus</i>	13	48	5	33	26	12	12	27	18	37	1	1	11	19	25	21
<i>Numenius arquata</i>		16	4		1						0	8	2	3	4	0
<i>Tringa totanus</i>	15	25	20	10	9	23	33	31	22	33	1	8	18	21	16	28
<i>Tringa nebularia</i>	13	32	18	24	14	12	11	15	32	9	11	20	23	21	20	16
<i>Actitis hypoleucos</i>	7	11	15	22	20	12	4	12	7	8	20	18	10	12	15	9
<i>Arenaria interpres</i>	107	8	42	22	79	20	27	23	16	33	0	7	17	50	52	24
<i>Ichthyophaga melanocephalus</i>	53	2	81	3	84	23	61	85	85	17	0	6	16	41	45	54
<i>Chroicocephalus ridibundus</i>	853	464	1058	472	360	577	234	755	225	460	1087	516	618	622	641	450
<i>Larus delawarensis</i>			1								0	0	0	0	0	0
<i>Larus canus</i>							1				0	0	4	0	0	0
<i>Larus fuscus</i>	26	41	32	9	4	23	20	43	47	14	497	42	46	23	22	29
<i>Larus michahellis</i>	2883	2716	2203	1106	1741	903	1638	1932	2059	987	3414	nc	1717	2638	2130	1504
<i>Larus hyperboreus</i>				1							0	0	0	0	0	0
<i>Larus marinus</i>	8	11	12	4	3	4	5	18	13	16	1	2	3	7	8	11
<i>Thalasseus sandvicensis</i>	10	10	9	3	2	5	5	11	22	5	51	10	19	39	7	10
<i>Uria aalge</i>									1		0	0	0	0	0	0
<i>Alca torda</i>	13							2	4		6	14	3	3	3	1
<i>Pandion haliaetus</i>								1		1	0	0	0	0	0	0
<i>Alcedo atthis</i>		2							2		0	1	0	0	0	0
TOTAL ESPECIES	25	29	22	25	24	24	27	27	28	25	16	20	23	25	25	26
TOTAL CENSO	4692	4333	4231	2248	3014	2103	2750	3533	3010	2198	7938	1182	3219	4085	3704	2719
<i>Phalacrocorax sp.</i>		8														
<i>Tringa sp.</i>					3											
<i>Larus sp.</i>							500	2								

ENSEADA DE SAN SIMÓN	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Phalacrocorax carbo</i>	38	302	152	122	318	154	328	151	209	176	140	215	134	157	186	204
<i>Gulosus aristotelis</i>	2								6	10	0	0	0	0	0	3
<i>Egretta garzetta</i>	18	50	14	35	28	31	62	56	49	134	31	35	36	26	29	66
<i>Ardea alba</i>	1			1	1		1	1			0	0	0	0	1	0
<i>Ardea cinerea</i>	15	63	20	56	40	27	31	102	80	123	51	38	44	38	39	73
<i>Geronticus eremita</i>										1	0	0	0	0	0	0
<i>Platalea leucorodia</i>	4	1			1	6	7	2	26	28	0	2	0	0	1	14
<i>Cygnus olor</i>			6		12	30	12	32	32	16	0	0	0	0	4	24
<i>Branta bernicla</i>	10	6	5	13	14	16	5	17	12	4	0	1	6	23	10	11
<i>Branta bernicla hrota</i>				4							0	0	0	0	1	0
<i>Aix sponsa</i>									1		0	0	0	0	0	0
<i>Mareca penelope</i>	1474	1666	1652	1215	930	777	886	497	558	574	1993	2049	2141	1783	1387	658
<i>Mareca strepera</i>	5	6	6	14		1		8	2		3	2	0	7	6	2
<i>Anas platyrhynchos</i>	251	551	455	318	156	478	328	296	338	601	847	721	965	488	346	408
<i>Anas acuta</i>	31	53	40	27	15	27	4	1	11	17	18	52	63	24	33	12
<i>Spatula clypeata</i>				5							4	0	0	0	1	0
<i>Netta rufina</i>				1							0	0	0	0	0	0
<i>Aythya collaris</i>						1					0	0	0	0	0	0
<i>Aythya fuligula</i>						1					6	3	0	0	0	0
<i>Aythya marila</i>						1					0	0	2	1	0	0
<i>Melanitta nigra</i>	1	6						1	6		0	1	0	4	1	1
<i>Rallus aquaticus</i>		4									0	0	0	0	1	0
<i>Charadrius hiaticula</i>	31		41	16		24	73	34	23	35	0	0	23	18	18	38
<i>Pluvialis squatarola</i>	52	65	137	73	53	6	132	134	121	96	102	69	79	59	76	98
<i>Calidris alba</i>	2										0	0	0	0	0	0
<i>Calidris alpina</i>	336	110	801	490	320	318	860	638	441	356	451	258	333	367	411	523
<i>Limosa limosa</i>								1			0	0	0	0	0	0
<i>Limosa lapponica</i>			6								0	0	0	0	1	0
<i>Numenius phaeopus</i>		20	19	20	23	24	35	20	23		3	6	7	10	16	20
<i>Numenius arquata</i>	6		2	16							16	18	17	10	5	0
<i>Tringa totanus</i>	32	58	48	48	20	41	82	90	96	63	3	1	16	27	41	74
<i>Tringa nebularia</i>	37	42	56	85	47	46	41	34	42	29	25	55	69	65	53	38
<i>Actitis hypoleucos</i>	6	32	13	20	14	2	21	17	54	28	5	22	15	14	17	24
<i>Arenaria interpres</i>						4	5	1	7	1	1	5	0	1	0	4
<i>Ichthyophaga melanocephala</i>					1			2	3		0	0	2	0	0	1
<i>Chroicocephalus ridibundus</i>	404	229	302	264	502	355	239	905	343	531	455	213	347	285	340	475
<i>Larus canus</i>								3			0	0	0	0	0	1
<i>Larus fuscus</i>	8	5	3	5	8	2	3	2	5	4	69	22	14	10	6	3
<i>Larus michahellis</i>	404	345	372	291	251	219	166	596	166	317	806	159	240	262	333	293
<i>Larus marinus</i>	1	2	3	4	13	3	7	5	3	10	0	1	2	2	5	6
<i>Thalasseus sandvicensis</i>		7	3	13	3		6				3	2	2	2	5	1
<i>Pandion haliaetus</i>							2	1	1	2	0	0	0	0	0	1
<i>Alcedo atthis</i>	1				1	1		2	1		0	1	0	0	0	1
TOTAL ESPECIES	25	22	23	25	23	26	24	29	28	23	20	22	23	23	24	26
TOTAL CENSO	3170	3623	4156	3156	2771	2595	3336	3649	2659	3156	4204	3970	4600	3696	3375	3079
<i>Larus fuscus/michahellis</i>							31									

RÍA DE VIGO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>				1	1						0	1	0	0	0	0
<i>Ardenna grisea</i>				7	7						0	0	0	0	3	0
<i>Puffinus puffinus</i>										1	0	0	0	0	0	0
<i>Puffinus yelkouan mauretanicus</i>										1	0	0	0	0	0	0
<i>Morus bassanus</i>	11	98	13	7	258	70	6	9	39	29	0	0	0	5	77	31
<i>Phalacrocorax carbo</i>	93	200	231	283	446	179	149	189	109	107	79	132	82	96	251	147
<i>Gulosus aristotelis</i>	159	188	170	112	247	177	260	267	159	161	166	27	109	188	175	205
<i>Egretta garzetta</i>	31	33	38	48	74	30	38	44	26	32	25	22	21	36	45	34
<i>Ardea alba</i>										2	0	0	0	0	0	0
<i>Ardea cinerea</i>	31	71	48	50	84	42	75	85	50	65	30	45	59	64	57	63
<i>Platalea leucorodia</i>			3	1	4	2	2	4	3	5	0	0	0	0	2	3
<i>Cygnus olor</i>							1				0	0	0	0	0	0
<i>Branta bernicla</i>					6						0	0	0	0	1	0
<i>Aix galericulata</i>					2						0	0	1	0	0	0
<i>Mareca penelope</i>			1	2	2						4	0	1	0	1	0
<i>Anas crecca</i>			1							2	0	2	0	0	0	0
<i>Anas platyrhynchos</i>	133	84	104	65	148	124	74	110	135	78	9	85	93	131	107	104
<i>Anas acuta</i>				1	3			1	1		0	0	0	0	1	0
<i>Spatula discors</i>					2						0	0	0	0	0	0
<i>Spatula clypeata</i>			1	2	2						0	0	0	0	1	0
<i>Netta rufina</i>				1	1						0	0	0	0	0	0
<i>Melanitta nigra</i>		4				1		12	20		10	4	0	8	1	7
<i>Rallus aquaticus</i>								1	2		0	0	0	0	0	1
<i>Gallinula chloropus</i>	1		4	2	5	4	3	1			7	9	4	3	2	2
<i>Fulica atra</i>				1	1		1				1	2	0	0	0	0
<i>Haematopus ostralegus</i>	85	43	32	29	42	28	32	24	46	31	42	43	42	47	46	32
<i>Charadrius hiaticula</i>	90	37	96	65	81	83	63	86	128	25	12	15	21	39	74	77
<i>Anarhynchus alexandrinus</i>	11				4				4	1	0	3	5	5	3	1
<i>Pluvialis apricaria</i>		2									0	0	0	0	0	0
<i>Pluvialis squatarola</i>	27	39	47	56	78	12	45	54	51	41	28	36	36	34	49	41
<i>Vanellus vanellus</i>		1									5	2	0	0	0	0
<i>Calidris canutus</i>									6		1	0	0	0	0	1
<i>Calidris alba</i>	87	141	420	297	338	77	152	376	165	297	0	21	24	145	257	213
<i>Calidris maritima</i>	11	22		3	12	7			3	1	0	0	0	1	10	2
<i>Calidris alpina</i>	187	95	194	333	383	260	323	398	291	231	250	54	78	154	238	301
<i>Gallinago gallinago</i>	1										2	1	1	0	0	0
<i>Limosa limosa</i>	1			2	2						0	0	0	0	1	0
<i>Limosa lapponica</i>			3				2		10	5	0	1	2	3	1	3
<i>Numenius phaeopus</i>	24	39	28	36	63	21	29	35	16	27	5	5	10	16	38	26
<i>Numenius arquata</i>	4	1	3	1	2		2	2	5	1	4	7	4	1	2	2
<i>Tringa totanus</i>	1				1	1	1	1	2	19	0	0	1	0	0	5
<i>Tringa nebularia</i>	13	24	20	22	39	21	16	25	23	23	1	3	12	16	24	22
<i>Actitis hypoleucos</i>	11	22	21	30	58	31	38	29	43	22	31	23	20	13	28	33
<i>Arenaria interpres</i>	151	113	87	50	106	119	237	114	185	99	31	66	117	87	101	151
<i>Ichthyiaetus melanocephalus</i>	73	11	114	136	382	73	249	91	81	12	6	167	131	160	143	101
<i>Chroicocephalus ridibundus</i>	1545	1424	2049	1218	2040	1253	1759	2517	1189	602	1086	936	800	982	1655	1464
<i>Larus canus</i>										1	0	0	1	0	0	0
<i>Larus fuscus</i>	33	25	36	16	40	16	35	18	21	78	94	45	13	45	30	34
<i>Larus michahellis</i>	3490	2966	5599	3649	6910	2698	2794	2348	2013	2114	6602	867	2500	5661	4523	2393
<i>Larus marinus</i>	4	11	18	11	19	9	28	16	12	10	1	3	2	6	13	15
<i>Thalasseus sandwicensis</i>	8	15	7	5	13	15	34	5	11	7	8	10	29	10	10	14
<i>Alca torda</i>	1		2						2	5	0	8	3	1	1	1
<i>Pandion haliaetus</i>								1	1	2	0	0	0	0	0	1
<i>Alcedo atthis</i>		2	2	2	2	3	1		3	2	0	1	0	0	2	2

TOTAL ESPECIES	29	27	30	34	39	27	29	29	34	35	21	25	26	25	32	31
TOTAL CENSO	6317	5711	9392	6544	11908	5356	6449	6863	4855	4139	2536	2132	4220	7958	7974	5532
<i>Gavia sp.</i>		1				1										
<i>Phalacrocorax sp.</i>	17	13				31		13								
<i>Larus sp.</i>			40													



CUNCA DE GALICIA COSTA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>			2								0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	79	107	60	83	52	46	72	61	81	82	62	51	43	62	76	68
<i>Podiceps cristatus</i>	108	83	108	152	76	87	126	145	131	123	55	32	52	113	105	122
<i>Podiceps nigricollis</i>					5					2	0	0	1	1	1	0
<i>Phalacrocorax carbo</i>	297	628	597	497	252	365	449	411	321	435	125	204	140	359	454	396
<i>Egretta garzetta</i>	4	9	1		1	3	3	2	18	17	1	5	7	4	3	9
<i>Ardea ibis</i>									1	1	1	0	1	0	0	0
<i>Ardea alba</i>		6	7	7	6	4	4	10	6	9	0	0	0	1	5	7
<i>Ardea cinerea</i>	65	78	117	81	96	81	84	150	88	110	126	135	247	83	87	103
<i>Ciconia ciconia</i>						4	2	2		4	0	0	0	0	0	2
<i>Plegadis falcinellus</i>								1			0	0	0	0	0	0
<i>Platalea leucorodia</i>	8							10			0	0	0	0	2	2
<i>Cygnus olor</i>		1	3	2	3			1	4	5	0	0	0	0	2	2
<i>Cygnus cygnus</i>				1							0	0	0	0	0	0
<i>Anser brachyrhynchus</i>					11			3			2	0	0	0	2	1
<i>Anser albifrons</i>				1	3			1	1		0	0	0	0	1	0
<i>Anser anser</i>		2	15		1			3	2		0	0	0	0	4	1
<i>Branta canadensis</i>									1		0	0	0	0	0	0
<i>Alopochen aegyptiaca</i>							4	3	3		0	0	0	0	0	2
<i>Aix sponsa</i>									1		0	0	0	0	0	0
<i>Aix galericulata</i>					1	1		2	1	4	0	0	0	0	0	2
<i>Mareca penelope</i>		3	2	2	6	1	3			9	7	7	4	11	3	3
<i>Mareca americana</i>					2						0	0	0	0	0	0
<i>Mareca strepera</i>	5	27	21	4	4			11	10	7	42	18	19	14	12	6
<i>Anas crecca</i>	499	421	489	709	376	390	613	428	726	633	301	548	745	1146	499	558
<i>Anas platyrhynchos</i>	1066	673	1015	687	860	902	1005	1043	1017	1036	647	583	703	1024	860	1001
<i>Anas acuta</i>			2		1		1			6	0	1	2	2	1	1
<i>Spatula clypeata</i>	42	58	37	20	5	5	6	14	15	9	20	10	29	20	32	10
<i>Aythya ferina</i>	30	51	32	37	17				3	10	139	190	299	103	33	3
<i>Aythya collaris</i>			1	2	2					12	0	1	0	0	1	2
<i>Aythya nyroca</i>	2										1	0	1	0	0	0
<i>Aythya fuligula</i>	143	229	254	192	141	74	234	184	91	183	90	123	92	129	192	153
<i>Aythya marila</i>			1		2		4		3	2	0	3	1	0	1	2
<i>Aythya affinis</i>							3	1			0	0	0	0	0	1
<i>Mergus merganser</i>	1										0	0	0	0	0	0
<i>Rallus aquaticus</i>		2		2	1	1		1		2	0	0	0	0	1	1
<i>Gallinula chloropus</i>	12	8	12	19	3	4	15	8	5	38	13	4	8	9	11	14
<i>Fulica atra</i>	10	46	26	23	22	6	8	14	10	23	217	219	242	44	25	12
<i>Grus grus</i>					3						0	0	0	0	1	0
<i>Pluvialis apricaria</i>	150	212	1					2			94	202	20	28	73	0
<i>Vanellus vanellus</i>	12	18	15	17	12	1	8	21	10	1	712	73	207	169	15	8
<i>Calidris alpina</i>									1		0	1	0	0	0	0
<i>Lymnocyrtus minimus</i>		1	2								0	0	0	0	1	0
<i>Gallinago gallinago</i>		12	55	9	5		4	7	6	6	5	1	2	1	16	5
<i>Scolopax rusticola</i>		1	36								0	0	0	0	7	0
<i>Tringa nebularia</i>					2			1	5	3	0	0	0	1	0	2
<i>Tringa ochropus</i>				2	2		4	2	3	1	0	0	0	1	1	2
<i>Actitis hypoleucos</i>	19	10	10	26	13	24	18	27	18	18	9	7	7	7	16	21
<i>Hydrocoloeus minutus</i>								31	1		0	0	0	0	0	6
<i>Chroicocephalus ridibundus</i>	5	13	3	61	105	25	42	215	58	50	66	40	0	18	37	78
<i>Larus canus</i>								1			0	0	0	0	0	0
<i>Larus fuscus</i>	4	4	25	11			1	276	89	22	0	0	0	1	9	78
<i>Larus argentatus</i>			7				1	14	2	6	0	0	0	0	1	5
<i>Larus michahellis</i>	102	100	613	133	291	58	22	3686	894	933	48	95	24	35	248	1119
<i>Larus fuscus/michaellis</i>		772		11			22	180		60	6	3	0	16	157	52
<i>Larus marinus</i>		1									0	0	0	0	0	0
<i>Rissa tridactyla</i>				4			1	1			0	0	0	0	1	0

<i>Pandion haliaetus</i>		2		1			4	2			1	0	0	1	1	1
<i>Circus aeruginosus</i>	1	1		1			1	4	1	1	0	0	0	0	1	1
<i>Asio flammeus</i>									1		0	0	0	0	0	0
<i>Alcedo atthis</i>	1	7	2	5	6	1	3	10		2	0	1	0	2	4	3
<i>Cinclus cinclus</i>		1		1		2	1	2		1	0	0	0	0	0	1
TOTAL ESPECIES	24	33	32	32	35	22	32	42	36	37	20	23	22	26	31	34
TOTAL CENSO	2665	3587	3571	2803	2388	2085	2768	6991	3628	3866	2797	2562	2903	3420	3003	3868

Cunca de Galicia Costa. Ornitólogos participantes. Ornithologists list.					
	2016	2017	2018	2019	2020
Forcadas	Delegac. Ferrol SGHN	JLD-DS-JR-XRA-HC-EV-JJR-MC-XRS-FGV	XPE	JLM - FGV	FGV-XRS
Cecebre	CCR	CCR-CRS-LC-IP	CCR-IAM-OCA	CRS-IAM-CG-ASR-PCC-MAC-MACa	CRS-IAM-CCR-MACa-LC-IP
Sabón	IAM	IAM	IAM	IAM	IAM
Fervenzas	AAL-CPL-CRG-XPP-XSC	AAL-CPL-CRG-XPP-XSC	CPL-XPP-PB	CPL-XPP-PBM-XS-XSC	CPL-XPP-PBM-XSC-AAL-AMV-CPP
Sobrado	AVP-FCB-RFN	RFN	RFN-FCB	RFN	RFN
Portodemouros	JTM-RFN	RFN	RFN-AML-FCB	RFN-JTM	RFN-JTM
Baxe	RFN	RFN	RFN-AML	RFN	RFN
Quintas	non censado	non censado	non censado	non censado	non censado
Penapurreira	VP-MC-FGV	VP-AF-MC-JV-FGV	VP-FGV	JLM-JRC-FGV	FGV
As Pontes	VP-MC-JV-XRS-FGV	VP-AF-MC-JV-FGV	VP-FGV	JLM-JRC-FGV	FGV
Vilagudín	non censado	non censado	non censado	non censado	non censado
Vilasenín	non censado	non censado	non censado	non censado	non censado
Meicende	non censado	non censado	non censado	non censado	non censado
Brañas Sada	non censado	non censado	non censado	non censado	non censado
Mina Mercedes	non censado	non censado	non censado	non censado	non censado
	2021	2022	2023	2024	2025
Forcadas	FGV	JM-HC-SSG-FGV	XRS-JM-SSG-FGV	JM-FGV	XRS-FGV
Cecebre	CCR-IAM-ASR-GNH	IAM-CRS-LC-IP-CCR	IAM-ALG-FVR-CCR-CRS-JNF-LC-IP-MML-XCS-AAB	CRS-IAM	MML
Sabón	IAM	IAM	XV	XV	IAM-XV
Fervenzas	ALV-PBM-XSP-XSC	ALV-PBM-CPP-XPP-AAL-CRG-CPL-XSC	AAL-CPP-XPP-PBM-ALV-CPL-XSC	CPP-XPP-PBM-ALV-CPL-XSC	AAL-CPP-XPP-PBM-ALV-CPL-XSC
Sobrado	RFN	RFN	RFN	RFN	RFN-AVP-FCB
Portodemouros	RFN	RFN	RFN	RFN	RFN
Baxe	RFN	RFN	RFN	RFN	RFN
Quintas	RFN	RFN	RFN	RFN	RFN
Penapurreira	FGV	FGV	FGV-SSG	JM-FGV	JRC-FGV
As Pontes	FGV	FGV-SSG	FGV-SSG	JM-FGV	JRC-FGV
Vilagudín	non censado	non censado	XV	XV	ADR
Vilasenín	non censado	non censado	XV	XV	ADR-EGV
Meicende	non censado	non censado	XV	XV	XV
Brañas Sada	non censado	non censado	non censado	non censado	CRS
Mina Mercedes	non censado	non censado	non censado	non censado	PB

AAB-Agustín Agra Barreiro. AAL-Agustín Alcalde Lorenzo. ADR-Alexia del Río (GNH). AF-Alberto Ferro. ALG-Ana López García. ALV-Amancio Losada Vicente. AML-Ana Meijomín López. ASR-Antonio Sandoval Rey. AVP-Alberto Vieiro Pampín. CCR-Carlos Caramelo Rego. CG-Carmen García. CPL-Carlos Pedreira López. CPP-Clara Penas Patiño. CRG-Carlos Rei Gómez. CRS-Carlos Rodríguez Silvar. DS-Daniel Sónora. EGV-Ermitas García Vázquez (GNH). EV-Emilio Vilariño. FCB-Francisco Carballo Benito. FGV-Francisco Girón Veiga. FVR-Francisco J. Villamil Rodríguez. GNH-Grupo Naturalista Hábitat. HC-Hipólito Castro. IAM-Ignacio Aparicio Montero. IP-Iván Penas. JJR-Juan José Rivera. JLD-José L. Docampo. JLM-José Luis Montesión JM-José Mouriz Cabalo. JNF-Juan Neira Fernández. JR-Joaquín Rodiles. JRC-José Ramón Castro. JTM-Jesús Taboada Martínez. JV-José Vidal. LC-Lucía Couceiro. MAC-Mariña Aparicio Castro. MACa-Martiño Aparicio Castro. MC-Miguel Cal. MML-Manuel Martínez Lago. OCA-Oscar Cristóbal Alonso. PB-Pepís Beiró Martínez. PCC-Pilar Castro Caamaño. RFN-Roberto Figueiras Nodar. SSG-Salva Sánchez García. VP-Vittorio Pedrocchi. XC-Xacobe Santamaría. XPP-Xosé M. Penas Patiño. XRA-Xaquín Rodiles Lamas. XCS-Xosé M. Carregal Silva. XPE-Xabier Prieto Espiñeira. XRS-Xan Rodríguez Silvar. XSC-Xoán Santamaría Cameán. XV-Xabi Varela (GNH).

ENCORO DE FORCADAS	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	12	10		8	5		4	5	6	12	25	22	7	7	4
<i>Podiceps cristatus</i>	34	45	35	23	39	17	24	8	11	0	0	6	17	32	20
<i>Phalacrocorax carbo</i>	9	34	29	28	4	12	15	30	20	0	11	16	17	22	16
<i>Ardea cinerea</i>	7	7	7	8	4	7	8		12	1	4	5	7	7	6
<i>Mareca penelope</i>	3	1								0	0	0	0	1	0
<i>Mareca strepera</i>	26									0	0	3	1	5	0
<i>Anas crecca</i>	31	49	27	28	11	37	4	15	34	0	2	8	11	30	20
<i>Anas platyrhynchos</i>	59	78	23	54	20	38	43	35	31	29	38	19	36	62	33
<i>Spatula clypeata</i>	18									0	0	0	0	4	0
<i>Aythya ferina</i>	30	4	10							18	46	3	3	9	0
<i>Aythya fuligula</i>	1					5			1	92	56	20	1	0	1
<i>Fulica atra</i>		3	2							18	28	61	14	2	0
<i>Vanellus vanellus</i>						1				0	0	1	0	0	0
<i>Gallinago gallinago</i>						4				0	0	1	0	0	1
<i>Tringa ochropus</i>				1		1				0	0	0	0	0	0
<i>Actitis hypoleucos</i>		1					1			1	1	0	0	1	0
<i>Chroicocephalus ridibundus</i>	4	1		46		6	24	17		0	0	0	2	10	9
<i>Larus michahellis</i>		7		5		1	6	5		0	0	0	0	3	2
<i>Rissa tridactyla</i>			4							0	0	0	0	1	0
<i>Alcedo atthis</i>	1	1				1				0	0	0	0	0	0
TOTAL ESPECIES	13	13	8	9	6	12	9	7	7	6	9	9	8	11	8
TOTAL CENSO	235	241	137	201	83	130	129	115	115	170	216	168	117	195	114
<i>Tringa sp.</i>									2						
<i>Larus sp.</i>	1														

ENCORO DE SABÓN	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	13	23	8	30	5		9	15	25	20	3	8	8	10	16	14
<i>Phalacrocorax carbo</i>	98	49	89	67	44	68	56	85	82	73	6	27	26	54	69	73
<i>Egretta garzetta</i>	2	1				2	1	2	18	17	0	3	6	4	1	8
<i>Ardea ibis</i>									1	1	0	0	0	0	0	0
<i>Ardea alba</i>								1	2	5	0	0	0	0	0	2
<i>Ardea cinerea</i>	3	4	7	13	21	25	10	20	10	14	1	5	8	7	10	16
<i>Mareca strepera</i>		1	1							2	0	0	2	0	0	0
<i>Anas crecca</i>			4	11	7	8	3	5		2	13	19	12	9	4	4
<i>Anas platyrhynchos</i>	24	14	10	15	14	22	17	48	27	25	39	47	26	5	15	28
<i>Spatula clypeata</i>		3		1			1	1			0	0	0	0	1	0
<i>Aythya fuligula</i>	7		8	5		1					20	46	26	3	4	0
<i>Gallinula chloropus</i>	3	3	4	7	1		2	3	4	3	2	0	4	8	4	2
<i>Fulica atra</i>	1	40	15	19	20		2	1	3	4	28	89	146	26	19	2
<i>Gallinago gallinago</i>									3		0	0	0	0	0	1
<i>Actitis hypoleucos</i>								1		1	0	1	0	0	0	0
<i>Chroicocephalus ridibundus</i>				3				70	20	25	40	11	0	0	1	23
<i>Larus fuscus</i>			5	4				15	3		0	0	0	0	2	4
<i>Larus argentatus</i>			7								0	0	0	0	1	0
<i>Larus michahellis</i>			143	87	13	12		180	87		22	45	0	0	49	56
<i>Larus fuscus/michaellis</i>		675					20				8	0	0	0	135	4
<i>Rissa tridactyla</i>							1				0	0	0	0	0	0
<i>Alcedo atthis</i>		1		2	2			6			0	0	0	1	1	1
TOTAL ESPECIES	8	11	13	14	10	7	11	15	13	13	10	11	10	10	11	12
TOTAL CENSO	151	814	303	266	130	138	122	453	285	192	204	320	285	129	333	238

ENCORO DE CECEBRE	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	13	44	4	24	18	10	38	22	23	25	48	10	7	14	21	24
<i>Podiceps cristatus</i>	16	16	19	11	21	13	42	39	31	30	0	3	6	14	17	31
<i>Podiceps nigricollis</i>										1	0	0	1	1	0	0
<i>Phalacrocorax carbo</i>	79	101	413	321	52	122	166	119	53	211	92	108	63	130	193	134
<i>Egretta garzetta</i>	2	8			1	1	1				1	1	1	0	2	0
<i>Ardea alba</i>		6	6	6	6	1	4	9	3	3	0	0	0	1	5	4
<i>Ardea cinerea</i>	22	31	73	27	26	15	28	67	35	39	80	84	18	28	36	37
<i>Platalea leucorodia</i>	8							10			0	0	0	0	2	2
<i>Cygnus olor</i>		1	1					1	4	5	0	0	0	0	0	2
<i>Anser brachyrhynchus</i>								2			0	0	0	0	0	0
<i>Anser albifrons</i>				1				1	1		0	0	0	0	0	0
<i>Anser anser</i>								3			0	0	0	0	0	1
<i>Branta canadensis</i>									1		0	0	0	0	0	0
<i>Alopochen aegyptiaca</i>							4	3	3		0	0	0	0	0	2
<i>Mareca penelope</i>							1				6	0	0	0	0	0
<i>Mareca strepera</i>	5		16					5		2	42	17	13	5	4	1
<i>Anas crecca</i>	65	234	218	186	132	148	221	235	153	89	139	101	127	214	167	169
<i>Anas platyrhynchos</i>	122	95	203	49	156	36	309	230	84	52	155	85	124	124	125	142
<i>Spatula clypeata</i>		18	14	16			3	4	4		14	5	14	5	10	2
<i>Aythya ferina</i>	16			1							23	23	14	8	3	0
<i>Aythya nyroca</i>	2										1	0	0	0	0	0
<i>Aythya fuligula</i>	36	100	54	82	67		169	57	69	53	4	16	23	47	68	70
<i>Aythya marila</i>							3				0	0	1	0	0	1
<i>Aythya affinis</i>							3	1			0	0	0	0	0	1
<i>Fulica atra</i>			1								149	75	25	3	0	0
<i>Vanellus vanellus</i>	2	17	14	17		1	4	20	7		126	39	62	23	10	6
<i>Calidris alpina</i>									1		0	1	0	0	0	0
<i>Tringa nebularia</i>					2			1	5	3	0	0	0	1	0	2
<i>Tringa ochropus</i>				2			2		1		0	0	0	1	0	1
<i>Actitis hypoleucos</i>	5	6	7	21	11	11	14	10	12	3	3	5	5	4	10	10
<i>Hydrocoloeus minutus</i>								28	1		0	0	0	0	0	6
<i>Chroicocephalus ridibundus</i>		8	1	8		3	23	4	1	10	15	16	0	0	3	8
<i>Larus fuscus</i>								2			0	0	0	1	0	0
<i>Larus argentatus</i>							1				0	0	0	0	0	0
<i>Larus michahellis</i>			106	21	159	41	19	100		284	3	2	0	0	57	89
<i>Larus fuscus/michaellis</i>		97					2				0	0	0	0	19	0
<i>Pandion haliaetus</i>		1					1	1			0	0	0	0	0	0
<i>Alcedo atthis</i>		2						1			0	0	0	1	0	0
TOTAL ESPECIES	14	17	16	16	12	12	22	26	20	15	14	15	14	17	15	19
TOTAL CENSO	393	785	1150	793	651	402	1058	975	492	810	908	597	506	628	754	747



ENCORO DAS FERVENZAS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>			1								0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	15	3	14	10	11	14	3	4	9	10	1	5	3	11	11	8
<i>Podiceps cristatus</i>	32	9	24	86	19	27	55	29	63	55	54	30	40	40	34	46
<i>Phalacrocorax carbo</i>	47	401	6	28	92	142	171	84	91	58	24	50	29	109	115	109
<i>Egretta garzetta</i>							1				0	0	0	0	0	0
<i>Ardea alba</i>			1	1					1	1	0	0	0	0	0	0
<i>Ardea cinerea</i>	9	26	16	23	26	29	31	21	29	18	21	22	20	17	20	26
<i>Ciconia ciconia</i>										2	0	0	0	0	0	0
<i>Plegadis falcinellus</i>								1			0	0	0	0	0	0
<i>Cygnus cygnus</i>				1							0	0	0	0	0	0
<i>Anser brachyrhynchus</i>					11			1			2	0	0	0	2	0
<i>Anser albifrons</i>					3						0	0	0	0	1	0
<i>Anser anser</i>		2	15		1						0	0	0	0	4	0
<i>Mareca penelope</i>					6		2			8	0	7	3	10	1	2
<i>Mareca americana</i>					2						0	0	0	0	0	0
<i>Mareca strepera</i>				4	4			4	3	3	0	0	2	8	2	2
<i>Anas crecca</i>	333	125	179	448	178	148	299	73	493	200	72	397	490	701	253	243
<i>Anas platyrhynchos</i>	573	264	514	386	309	574	330	260	398	485	366	381	468	576	409	409
<i>Anas acuta</i>			2							6	0	0	1	2	0	1
<i>Spatula clypeata</i>	3			3	5	5		8	11	7	1	4	16	11	2	6
<i>Aythya ferina</i>	14	7		18	17				2	1	85	96	261	81	11	1
<i>Aythya collaris</i>					2					6	0	0	0	0	0	1
<i>Aythya fuligula</i>	18	4	66	42	33	26	36	102		93	33	6	24	49	33	51
<i>Aythya marila</i>			1		2		1			2	0	0	0	0	1	1
<i>Mergus merganser</i>	1										0	0	0	0	0	0
<i>Rallus aquaticus</i>										1	0	0	0	0	0	0
<i>Gallinula chloropus</i>	1										0	0	0	0	0	0
<i>Grus grus</i>					3						0	0	0	0	1	0
<i>Pluvialis apricaria</i>	40	80									93	202	12	28	24	0
<i>Vanellus vanellus</i>	10				12						564	33	145	146	4	0
<i>Gallinago gallinago</i>		1		8	5			7	3		0	0	0	0	3	2
<i>Tringa ochropus</i>					1		1	2	2	1	0	0	0	0	0	1
<i>Actitis hypoleucos</i>	3	1	1	2	1	7	4	6	2	9	0	1	2	1	2	6
<i>Chroicocephalus ridibundus</i>	5			50	48	22	13	107	18	15	19	10	0	16	21	35
<i>Larus fuscus</i>								1		2	0	0	0	0	0	1
<i>Larus michahellis</i>	5		57	1	109			14	32	30	27	48	24	15	34	15
<i>Pandion haliaetus</i>		1		1			2	1			1	0	0	0	0	1
<i>Circus aeruginosus</i>	1			1			1	1			0	0	0	0	0	0
<i>Asio flammeus</i>									1		0	0	0	0	0	0
<i>Alcedo atthis</i>		1	1	1	1			1			0	0	0	0	1	0
<i>Cinclus cinclus</i>		1		1		2	1	2			0	0	0	0	0	1
TOTAL ESPECIES	17	15	15	20	25	11	16	21	16	23	10	12	13	16	18	17
TOTAL CENSO	1110	926	898	1115	901	996	951	729	1158	1014	1365	1295	1542	1848	990	970



LAGOA DE SOBRADO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	8	5	7	6		6	6	4	2		6	2	4	4	5	4
<i>Podiceps cristatus</i>		2						2	1	1	0	0	1	1	0	1
<i>Phalacrocorax carbo</i>	9	12	13	5		1	3	6	3		3	2	3	3	8	3
<i>Egretta garzetta</i>			1								0	0	0	0	0	0
<i>Ardea cinerea</i>	4	1	1		2	2	2	3			1	3	7	1	2	1
<i>Mareca penelope</i>						1					1	0	1	0	0	0
<i>Anas crecca</i>	18	3	2	6	26	36	17	20	35	20	80	36	269	108	11	26
<i>Anas platyrhynchos</i>	60	65	37	47	73	98	53	27	84	64	82	35	103	47	56	65
<i>Spatula clypeata</i>		4									5	1	0	0	1	0
<i>Aythya ferina</i>		2									6	9	8	6	0	0
<i>Aythya fuligula</i>	7		6								1	0	0	1	3	0
<i>Rallus aquaticus</i>						1		1		1	0	0	0	0	0	1
<i>Gallinula chloropus</i>	3	5	7	5	2		2	3		12	11	4	4	1	4	3
<i>Fulica atra</i>	4	6	4	2	2	3			1		38	35	24	1	4	1
<i>Gallinago gallinago</i>										6	5	1	0	0	0	1
<i>Actitis hypoleucos</i>		1									5	0	0	0	0	0
<i>Circus aeruginosus</i>									1		0	0	0	0	0	0
<i>Alcedo atthis</i>		1			1	1	1				0	0	0	0	0	0
TOTAL ESPECIES	8	12	9	6	6	9	7	8	7	6	11	9	21	8	8	7
TOTAL CENSO	113	107	78	71	106	149	84	66	127	104	267	128	443	173	95	106

ENCORO DE PORTODEMOUROS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>		1						2			0	1	0	3	0	0
<i>Podiceps cristatus</i>	22	11	1	5	1		1	4			0	0	0	48	8	1
<i>Podiceps nigricollis</i>					5						0	0	0	0	1	0
<i>Phalacrocorax carbo</i>	16	13	5	22	6	5	7	11	1	4	5	15	0	21	12	6
<i>Ardea alba</i>						3					0	0	0	0	0	1
<i>Ardea cinerea</i>	14	3	1	4	9	3	3	9	4	3	59	45	0	21	6	4
<i>Ciconia ciconia</i>						2				2	0	0	0	1	0	1
<i>Anas crecca</i>	7	2	8	24		7	6		4		0	0	0	87	8	3
<i>Anas platyrhynchos</i>	84	29	15	108	106	34	60	67	68	7	5	10	0	93	68	47
<i>Anas acuta</i>					1						0	0	0	0	0	0
<i>Rallus aquaticus</i>		2			1						0	0	0	0	1	0
<i>Actitis hypoleucos</i>	4			1				4	1	3	0	1	0	3	1	2
<i>Chroicocephalus ridibundus</i>					11						0	9	0	1	2	0
<i>Pandion haliaetus</i>							1				0	0	0	0	0	0
<i>Alcedo atthis</i>				1				1		2	0	0	0	0	0	1
TOTAL ESPECIES	6	7	5	7	8	6	6	7	5	6	3	2	nc	6	7	6
TOTAL CENSO	147	61	30	165	140	54	78	98	78	21	68	32	nc	222	109	66



ENCORO DE BAXE	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	1	1	5	6	4	2	1		2	4			1	5	3	2
<i>Phalacrocorax carbo</i>	35	38	33	24	30	20	28	12	11	11			6	14	32	16
<i>Ardea cinerea</i>	2	4	3	6	4	3	2	5	2	8			243	2	4	4
<i>Anser anser</i>									2				0	0	0	0
<i>Aix galericulata</i>					1	1		2	1	2			0	0	0	1
<i>Anas platyrhynchos</i>	33	35	50	21	108	63	86	135	92	109			32	59	49	97
<i>Anas acuta</i>							1						0	0	0	0
<i>Actitis hypoleucos</i>	2	1			1	5		1	1	2			0	0	1	2
<i>Larus michahellis</i>						5	2			1			0	0	0	2
<i>Alcedo atthis</i>		1			2		1	1					0	0	1	0
TOTAL ESPECIES	5	6	4	4	7	7	7	6	7	7	nc	nc	3	4	5	7
TOTAL CENSO	73	80	91	57	150	99	121	156	111	137	nc	nc	281	82	90	125

LAGOA DE QUINTAS	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>						3	1	2	4							2
<i>Podiceps cristatus</i>										6						1
<i>Phalacrocorax carbo</i>							3			1						1
<i>Ardea cinerea</i>							1	1	1	1						1
<i>Ciconia ciconia</i>						2	2	2								1
<i>Mareca penelope</i>										1						0
<i>Mareca strepera</i>								2	1							1
<i>Anas crecca</i>						32	30	63	26	18						34
<i>Anas platyrhynchos</i>						43	58	35	52	56						49
<i>Spatula clypeata</i>							2									0
<i>Fulica atra</i>						3	1	4	3							2
<i>Pluvialis apricaria</i>								2								0
<i>Vanellus vanellus</i>							3	1	3	1						2
<i>Circus aeruginosus</i>										1						0
<i>Cinclus cinclus</i>										1						0
TOTAL ESPECIES	nc	nc	nc	nc	nc	5	9	9	7	9	nc	nc	nc	nc	nc	8
TOTAL AVES	nc	nc	nc	nc	nc	83	101	112	90	86	nc	nc	nc	nc	nc	94

PENAPURREIRA- Balsa decantación lodos	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	6	2	2	5	4	4	4	2	2	7			1	5	4	4
<i>Phalacrocorax carbo</i>	1	1					1	1		3			6	14	0	1
<i>Anas crecca</i>	50	5			5								0	1	12	0
<i>Anas platyrhynchos</i>	13	5	2	2	40	10	25	2		3			32	59	12	8
<i>Spatula clypeata</i>	25												0	0	5	0
<i>Aythya collaris</i>										6			0	0	0	1
<i>Aythya fuligula</i>	52	6	8	25	33	14	8	25		6			0	0	25	11
<i>Gallinula chloropus</i>	3			4		4	2	1					0	0	1	1
<i>Fulica atra</i>	1		2				5	9	2				0	0	1	3
<i>Gallinago gallinago</i>		5											0	0	1	0
TOTAL ESPECIES	8	6	4	4	4	4	6	6	2	5	nc	nc	142	142	142	5
TOTAL AVES	151	24	14	36	82	32	45	40	4	25	nc	nc	281	82	61	29

LAGO ARTIFICIAL AS PONTES	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>			1												0	0
<i>Tachybaptus ruficollis</i>	19	16	10	2	2	2	8	2	5	6					10	5
<i>Podiceps cristatus</i>	16	11	19	15	12	8	11	12	6	11					15	10
<i>Phalacrocorax carbo</i>	4	4	4	1		3	2			3					3	2
<i>Ardea cinerea</i>	4	2	9	1											3	0
<i>Branta bernicla</i>															0	0
<i>Mareca penelope</i>			1	2											1	0
<i>Mareca strepera</i>			4												1	0
<i>Anas crecca</i>	11	19	29	3											12	0
<i>Anas platyrhynchos</i>	61	92	106	2		2	5			5					52	2
<i>Spatula clypeata</i>	14	15	23												10	0
<i>Aythya ferina</i>		12	28	8					1	9					10	2
<i>Aythya collaris</i>			1	2											1	0
<i>Aythya fuligula</i>	22	118	112	38	8	33	16		22	19					60	18
<i>Gallinula chloropus</i>	2		1	1			5	1	1	19					1	5
<i>Fulica atra</i>			1						1	4					0	1
<i>Pluvialis apricaria</i>	110	132	1												49	0
<i>Vanellus vanellus</i>		1	1												0	0
<i>Lymnocryptes minimus</i>		1	2												1	0
<i>Gallinago gallinago</i>		6	55												12	0
<i>Scolopax rusticola</i>		1	36												7	0
<i>Actitis hypoleucos</i>	3	1	1	2		1		1							1	0
<i>Chroicocephalus ridibundus</i>		1	1												0	0
<i>Larus fuscus</i>	4	4	20	7			1	3							7	1
<i>Larus michahellis</i>	96	100	300	24	5			6							105	1
<i>Larus fuscus/michaellis</i>				11											2	0
<i>Larus marinus</i>		1													0	0
<i>Circus aeruginosus</i>		1													0	0
<i>Alcedo atthis</i>	1														0	0
TOTAL ESPECIES	14	20	24	15	4	6	7	6	6	8	nc	nc	nc	nc	142	7
TOTAL AVES	367	538	766	119	27	49	48	25	36	76	nc	nc	nc	nc	363	47
<i>Aythya sp.</i>				22												
<i>Larus sp.</i>					3											

ENCORO DE VILAGUDÍN	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	nc 2021	nc 2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>								3	2	1						2
<i>Podiceps cristatus</i>								35	22	9						22
<i>Phalacrocorax carbo</i>								70	40	49						53
<i>Ardea cinerea</i>								14	5	5						8
<i>Aix sponsa</i>									1							0
<i>Mareca strepera</i>									6							2
<i>Anas crecca</i>								28		4						11
<i>Anas platyrhynchos</i>								180	140	103						141
<i>Spatula clypeata</i>								1								0
<i>Aythya marila</i>									3							1
<i>Actitis hypoleucos</i>								1	1							1
<i>Hydrocoloeus minutus</i>								3								1
<i>Chroicocephalus ridibundus</i>								10	2							4
<i>Larus canus</i>								1								0
<i>Larus fuscus</i>								250	70							107
<i>Larus argentatus</i>								13								4
<i>Larus michahellis</i>								3000	420							1140
<i>Larus fuscus/michaellis</i>								150								50
<i>Rissa tridactyla</i>								1								0
<i>Circus aeruginosus</i>								3								1
TOTAL ESPECIES	nc	nc	nc	nc	nc	nc	nc	17	12	6	nc	nc	nc	nc	nc	12
TOTAL AVES	nc	nc	nc	nc	nc	nc	nc	3763	712	171	nc	nc	nc	nc	nc	1549

ENCORO DE VILASENÍN	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	nc 2021	nc 2022				1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>								1	1							1
<i>Phalacrocorax carbo</i>								5	9							5
<i>Ardea cinerea</i>								1	2							1
<i>Anas platyrhynchos</i>								10	25	16						17
<i>Aythya fuligula</i>										1						0
TOTAL ESPECIES	nc	nc	nc	nc	nc	nc	nc	4	4	2	nc	nc	nc	nc	nc	3
TOTAL AVES	nc	nc	nc	nc	nc	nc	nc	17	37	17	nc	nc	nc	nc	nc	24

ENCORO DE MEICENDE	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	nc 2021	nc 2022				1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>									1	1						1
<i>Phalacrocorax carbo</i>								3	1	1						2
<i>Ardea cinerea</i>								1								0
<i>Anas platyrhynchos</i>								6	12	15						11
<i>Gallinula chloropus</i>										1						0
<i>Actitis hypoleucos</i>								2	1							1
<i>Larus fuscus</i>								5	16	20						14
<i>Larus argentatus</i>								1	2	6						3
<i>Larus michahellis</i>								380	350	615						448
<i>Larus fuscus/michahellis</i>								30		60						30
TOTAL ESPECIES	nc	nc	nc	nc	nc	nc	nc	8	7	8	nc	nc	nc	nc	nc	8
TOTAL AVES	nc	nc	nc	nc	nc	nc	nc	428	383	719	nc	nc	nc	nc	nc	510

BRAÑAS DE SADA	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	nc 2021	nc 2022	nc 2023	nc 2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>										2						2
<i>Ardea cinerea</i>										9						9
<i>Anas crecca</i>										247						247
<i>Spatula clypeata</i>										2						2
TOTAL ESPECIES	nc	nc	nc	nc	nc	nc	nc	nc	nc	4	nc	nc	nc	nc	nc	4
TOTAL AVES	nc	nc	nc	nc	nc	nc	nc	nc	nc	260	nc	nc	nc	nc	nc	260

MINA MERCEDES (Valga)	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	nc 2021	nc 2022	nc 2023	nc 2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Phalacrocorax carbo</i>										1						1
<i>Ardea cinerea</i>										1						1
<i>Aix galericulata</i>										2						2
<i>Anas crecca</i>										19						19
<i>Anas platyrhynchos</i>										65						65
<i>Aythya fuligula</i>										10						10
<i>Gallinula chloropus</i>										3						3
<i>Fulica atra</i>										15						15
<i>Larus michahellis</i>										3						3
TOTAL ESPECIES	nc	nc	nc	nc	nc	nc	nc	nc	nc	9	nc	nc	nc	nc	nc	9
TOTAL AVES	nc	nc	nc	nc	nc	nc	nc	nc	nc	119	nc	nc	nc	nc	nc	119

LAGOA GAIÁS	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	nc 2021		nc 2023	nc 2024	nc 2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>							2									2
<i>Anas platyrhynchos</i>							24									24
<i>Gallinula chloropus</i>							4									4
TOTAL ESPECIES	nc	nc	nc	nc	nc	nc	3	nc	nc	nc	nc	nc	nc	nc	nc	3
TOTAL AVES	nc	nc	nc	nc	nc	nc	30	nc	nc	nc	nc	nc	nc	nc	nc	30

CUNCA DO MIÑO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>										2	0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	25	39	20	20	21	26	23	26	24	61	38	40	42	29	25	32
<i>Podiceps cristatus</i>	8				7		3	11	2	4	33	46	65	50	3	4
<i>Podiceps nigricollis</i>	10	5	7	9	4	1	1			2	11	10	3	16	7	1
<i>Morus bassanus</i>		4						1			0	0	0	0	1	0
<i>Phalacrocorax carbo</i>	537	550	542	453	496	427	382	365	337	361	538	606	526	434	516	374
<i>Gulosus aristotelis</i>	1	1	2	1			9		6		8	0	0	1	1	3
<i>Egretta garzetta</i>	6	13	21	16	15	6	29	15	16	12	19	22	10	12	14	16
<i>Ardea ibis</i>						2	5		3	9	5	2	0	0	0	4
<i>Ardea alba</i>			1				3	2	4	8	0	0	1	1	0	3
<i>Ardea cinerea</i>	61	61	38	25	43	63	30	42	43	51	126	88	72	46	46	46
<i>Ciconia ciconia</i>	10	2	6	37	33	35	2	17	46	47	2	2	2	5	18	29
<i>Plegadis falcinellus</i>					1						0	0	0	0	0	0
<i>Platalea leucorodia</i>	1	4	6	11	14	8	15	10	21	22	0	3	1	0	7	15
<i>Cygnus olor</i>		1	1							3	0	0	0	0	0	1
<i>Anser brachyrhynchus</i>										1	0	0	0	0	0	0
<i>Anser anser</i>		1		1	3		7				0	3	1	1	1	1
<i>Branta canadensis</i>		1									0	0	0	0	0	0
<i>Tadorna ferruginea</i>										1	0	0	0	0	0	0
<i>Aix galericulata</i>	1	2		1	4	1	1		1		0	0	2	0	2	1
<i>Mareca penelope</i>	2	32	61	33	11	2	46	14	41	17	32	29	12	8	28	24
<i>Mareca americana</i>								1			0	0	0	0	0	0
<i>Mareca strepera</i>	6	17	63	17	51	9	15	22	32	38	19	14	18	47	31	23
<i>Anas crecca</i>	132	226	172	405	203	587	544	868	633	806	819	502	283	409	228	688
<i>Anas crecca carolinensis</i>			1	1	1	1				2	0	0	0	0	1	1
<i>Anas platyrhynchos</i>	1675	1619	2029	1520	1782	2042	1916	1462	1621	1879	1400	1323	1533	1398	1725	1784
<i>Anas acuta</i>			2		8	1	2	2	4	2	8	2	1	1	2	2
<i>Spatula clypeata</i>	61	14	54	24	46	46	76	94	93	142	79	71	87	69	40	90
<i>Aythya ferina</i>	1	7				4				2	27	16	7	3	2	1
<i>Aythya collaris</i>		1	2		1					2	0	0	0	0	1	0
<i>Aythya fuligula</i>	40	60	46	20	31	13	21	7	20	2	546	153	93	92	39	13
<i>Aythya marila</i>		1									1	1	0	0	0	0
<i>Rallus aquaticus</i>	4	3	2	1		7	2	3	1	4	1	1	1	2	2	3
<i>Gallinula chloropus</i>	15	18	15	16	6	14	20	10	8	21	46	88	74	22	14	15
<i>Fulica atra</i>	19	16	23	6	14	14	17	6	14	10	85	49	52	27	16	12
<i>Haematopus ostralegus</i>	34	28	41	38	25	53	40	126	88	35	32	35	32	65	33	68
<i>Charadrius hiaticula</i>	33	83	50	37	120	86	99	8	63	53	50	25	23	76	65	62
<i>Anarhynchus alexandrinus</i>		77	1	16		19	10		23		20	21	4	16	19	10
<i>Pluvialis apricaria</i>		40		20		272			24		202	1	200	1	12	59
<i>Pluvialis squatarola</i>	30	48	36	27	31	49	33	40	37	26	93	71	16	43	34	37
<i>Vanellus vanellus</i>		21		2	15			22	3		977	76	1306	28	8	5
<i>Calidris canutus</i>		1	2	1					1		3	0	0	1	1	0
<i>Calidris alba</i>	41	205	117	210	233	187	53	63	275	205	63	74	32	117	161	157
<i>Calidris maritima</i>	2	1	1	3	1	6	1		6		1	1	5	4	2	3
<i>Calidris alpina</i>	140	116	164	65	71	155	85	97	128	156	202	112	42	82	111	124
<i>Lymnocyptes minimus</i>				4						1	0	0	0	0	1	0
<i>Gallinago gallinago</i>		2	6		33	16	1	3	33	3	15	7	3	1	8	11
<i>Limosa limosa</i>					2						1	0	0	0	0	0
<i>Limosa lapponica</i>		2			1		4	2	3	1	6	4	2	10	1	2
<i>Numenius phaeopus</i>	4	11	6	5	7	7	8	8	18	10	2	2	2	4	7	10
<i>Numenius arquata</i>	17	25	33	33	26	33	52	11	16	16	34	23	31	27	27	26
<i>Tringa totanus</i>	2										0	0	0	1	0	0
<i>Tringa nebularia</i>	21	25	20	20	48	41	22	18	16	11	9	11	7	16	27	22
<i>Tringa ochropus</i>	1	2	1	1		1			4	2	0	0	1	0	1	1
<i>Actitis hypoleucos</i>	37	33	32	28	19	15	17	30	36	36	18	23	20	28	30	27

<i>Arenaria interpres</i>	44	79	89	29	114	66	76	22	58	41	33	73	26	83	71	53
<i>Ichthyaetus melanocephalus</i>	2	129						9			0	0	1	2	26	2
<i>Chroicocephalus ridibundus</i>	167	426	239	112	192	137	288	170	248	132	673	289	198	175	227	195
<i>Larus delawarensis</i>				3							0	0	0	0	1	0
<i>Larus canus</i>							1	2			0	0	0	0	0	1
<i>Larus fuscus</i>	31	78	37	40	32	4	34	27	42	5	126	107	7	75	44	22
<i>Larus michahellis</i>	1523	1231	1461	599	730	436	507	606	616	366	2825	1716	796	1695	1109	506
<i>Larus fuscus/michahellis</i>							59				0	0	2	8	0	12
<i>Larus marinus</i>	1	4	8	4	2	4	3	2		3	4	4	1	4	4	2
<i>Thalasseus sandvicensis</i>	16	3	14	1	5		4	21	6	11	2	9	4	10	8	8
<i>Pandion haliaetus</i>	1	1		2	2	1	2	2	1	2	0	0	1	1	1	2
<i>Circus aeruginosus</i>	3	3	1	4	3		1	2	1	1	0	1	0	0	3	1
<i>Asio flammeus</i>						1					0	1	0	0	0	0
<i>Alcedo atthis</i>	3	9	3	7	6	13	10	12	9	13	1	4	1	3	6	11
<i>Cinclus cinclus</i>	1	1	3		1	6	9	6	7	5	0	1	0	1	1	7
<i>Emberiza schoeniclus</i>						1					0	0	0	0	0	0
TOTAL ESPECIES	44	54	46	47	47	46	49	45	48	51	44	44	40	43	48	48
TOTAL CENSO	4790	5382	5486	3937	4524	4935	4600	4303	4757	4653	9262	5774	5662	5257	4824	4650



Cunca de Miño. Ornitológos participantes. Ornithologists list.					
	2016	2017	2018	2019	2020
Areeiras Avia	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV	EBR-JMP-YTV
Poza Maside	JMP	JMP-YTV	JMP-YTV	JMP	LLL-JMP
Arnoia Allariz	non censado	non censado	non censado	non censado	non censado
Barbaña	AVG-CNP	AVG-CNP	AVG-CNP	AFL-AVG-CDP-CNP-NBV	ACVi-ARF-CNP-EFP-FSV-MiH-PDI-SDL
Cachamuiña-Castadón	AVG	AVG	AVG	AVG	AVG-EBR-VPB
Val de Maceda	non censado	non censado	non censado	non censado	non censado
Baixo Miño	LRA-XLR-RTS-CNR	LRA-XLR-CNR-ARP-CRR-MDT-EP-BAC-DCR-MBC	ARP-LRA-SGPI-JRD	LRA-XLR-CNR-SG-JRD-CRR-MAC-JV-ARP	ARP-LRA-XLR-CNR-CRR-MAC
Gándaras	VP-NPJ-JU-LA-ARV-DL-JT-JAO-CP-XV	BL-MF-JA-MBC-DCR-XVM	JT-MD-XVM-JA-LA-JU-EC-MMC-MID-SA-XM-MD-JC-AV-RV-MBC-DCR	JT-EA-MBC-DCR-ARV-XVM	JT-MBC-DCR-ARV-JA-JD-TM-LG-MA-AP-NP-MMC-XVM
Frieira	JMP-YTV	AFL-LIF-SGP	JMP-YTV	JMP-YTV	EBR-JMP-YTV
Castrelo	IAB-MFH-ACV-JMP-SAB-YTV	IAB-MFH-ACV-SGP-SAB-AFL-LIF-JCS	AFL-IAB-JMP-MFH-SAB-YTV	IAB-JMP-MFH-YTV	AI'D-ARF-IAB-EBR-JCS-JMP-MFH-NBV-SAB-SDL-YTV
Velle	AVG-CNP	AVG-CNP	AVG-CNP	AFL-CNP	AI'L-CNP-EFP-PDF
Terrachá	AVP-FCB-RFN	RFN-AVP-FCB	RFN-AVP-FCB	RFN-AVP-FCB	RFN-AVP-FCB
	2021	2022	2023	2024	2025
Areeiras Avia	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV
Poza Maside	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV
Arnoia Allariz	ACM-FSV-SAB	ACM-FSV-MBV-SAB	ACM-ACVi-FSV-MBV-SAB	SAB-FSV-ACM-MBV-ACVi	SAB-FSV-ACM-MBV-ACVi-EFP
Barbaña	AGC-ANS-AFL-ACVi-CDP-CNP-MBV	ACVi-AFL-CDP-CNP	ANP-AFL-CDP-CNP-FRG	ANS-CDP-ACVi-MBV	CNP-CDP-MBV
Cachamuiña-Castadón	EBR-VPB	AI'L-EBR-VPB	AFL-EBR-MFH-RFL-SIR-VPB	EBS-VPB-AI'L-MiH-ACVi	EBS-VPB-AI'L-MiH-DBD
Val de Maceda	MCP-NBV		AFL	DBD-JGH	DBD-JGH
Baixo Miño	ARP	ARP-LRA-JRB-MAC	ARP-LRA-RTS-JRP	SGP-PGI-LRA-JL	ARP-LRA-RTS
Gándaras	XVM-LA	XVM-EA	XVM-EA-RTS-TR	XVM-EA-RTS-JH-MBC-DCR	XVM-EA-RTS-JH-MBC-DCR-JT-SA
Frieira	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV
Castrelo	ACVi-IAB-JMP-MBV-MFH-SAB-YTV	IAB-JMP-MBV-MFH-SAB-YTV	ACVi-IAB-JMP-MBV-MFH-RFL-SAB-SIR-YTV	IAB-JMP-MFH-YTV-SAB-ACVi	CFG-DBD-EFP-IAB-JGH-JMP-MFH-YTV-SAB
Velle	AGC-AFL-CNP-CDP-EBR	AFL-CDP-CNP	AFL-CDP-CNP	AFL-CDP-RFL-SIR	AFL-CDP-CNP
Terrachá	RFN-LCL	RFN-AVP-FCB	RFN-AVP	LCL-RFN-AVP-FCB	RFN-AVP-FCB

ACM-Alfredo J. Conde Mariñas. ACV-Alejandra Couto Vázquez. ACVi-Asunción Casado Vivas. AFL-Antonio Ferreirós Lama. AFD-Alfredo Ferreiro Deaño. AGC-Álvaro Gaspar Calle. ANP-Alberto Nieto Pérez. ANS-Alberto Nieto Sierra. AOM-Antonio Otero Martínez. AP-Antonio Pazos. AR-Álmodena Rodríguez. ARF-Adriana Rodríguez Ferraro. ARP-Álvaro Rodríguez Pomares. ARV-Álmodena Rodríguez Vila. AV-Antonio Vázquez. AVG-Antonio Villarino Gómez. BAC-Berta Álvarez Cáccamo. BL-Beatriz López. CDP-Carlos Díaz Pérez. CNP-Celso Nieto Pérez. CNR-M^a Carmen Noya Rey. CP-Carlos Pereira. CRR-Carlos Rei Raño. DBD-David Boso Dafonte. DCR-Diego Copena Rodríguez. DL-Daniel Lago. EA-Esther Abad. EBR-Encarna Balseiro Rodríguez. EC-Eloí Carracedo. EFP-Esther Fernández Pérez. EP-Elena Pedraza. FCB-Francisco Carballo Benito. FRG-Francisco A. Ribas García. FSV-Francisco M. Sandoval Vereia. IAB-Isabel Álvarez Balvís. JA-Jonatan Antúnez. JH-José Antonio Herranz. JC-Jesús Carballeda. JCS-Juan C. Salvador Rodríguez. JD-Javier Díaz. JGH-I. Javier García de las Heras. JMP-José M. Pérez Pérez. JL-Javier Losada. JRB-Jacobo Rosselló Boullosa. JRD-José Rodrigo Dapena. JRP-Joaquín Rodríguez Pomares. JT-Jesús Tizón. JU-Joseba Uribarri. JV-José Vaamonde. LA-Lorena Álvarez. LCL-Laura Carqueijo López. LG-Laura Guerrero. LIF-Laura Iglesias Fernández. LLL-Lucas Lamelas López. LRA-Lidia Romero Amich. MA-María Jesús Alonso. MAC-Moisés Asensi Cabrita. MBC-Mar Barros Couto. MBV-M^a Jesús Báez Vázquez. MCP-Manuel Cid Pérez. MD-Manuel Domínguez. MID-M^a Isabel Doval. MDT-Miguel Díaz Tendero. MF-María Ferreiro. MFH-Marcos M. Freán Hernández. MMC-Miguel Martínez Cabaleiro. NBV-Nancy Blanco Vesenjar. NP-Nerea Pérez. NPJ-Nerea Piñeiro Juncal. PDF-Pedro S. Díaz Fernández. PGI-Pilar González Fernández. RFL-Rafael Fernández Lorenzo. RFN-Roberto Figueiras Nodar. RTS-Raquel Tejerina Segur. RV-Roque Vázquez. SA-Sergio Álvarez. SAB-Socorro Álvarez Balvís. SDL-Sabela Domínguez López. SGPI-Salera González Pimentel. SGP-Serafín González Prieto. SIR-Sonia Iglesias Rodríguez. TM-Tirso Martínez. TR-Teresa Rodríguez. VP-Valentín Pereira. VPB-Víctor J. Pérez Baltar. XLR-Xosé Lois Rey Muñiz. XM-Xesús Morales. XVM-Xulio Valerías Mota. YTV-Yolanda Taboada Varela



BAIXO MIÑO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>										1	0	0	0	0	0	0
<i>Podiceps nigricollis</i>	10	5	3	9	4	1	1				11	10	4	16	6	0
<i>Morus bassanus</i>		4						1			0	0	0	0	1	0
<i>Phalacrocorax carbo</i>	121	259	160	152	199	148	152	98	113	131	168	241	178	180	178	128
<i>Gulosus aristotelis</i>	1	1	2	1			9		6		8	0	0	1	1	3
<i>Egretta garzetta</i>	6	10	21	16	15	6	28	13	14	12	19	20	11	12	14	15
<i>Ardea ibis</i>										9	3	2	0	0	0	2
<i>Ardea alba</i>			1				1	1	1	4	0	0	0	1	0	1
<i>Ardea cinerea</i>	5	7	1	2	7	6	2	4	8	3	35	41	32	10	4	5
<i>Plegadis falcinellus</i>					1						0	0	0	0	0	0
<i>Platalea leucorodia</i>	1	4	6	11	14	8	15	10	21	22	0	3	2	0	7	15
<i>Anser brachyrhynchus</i>										1	0	0	0	0	0	0
<i>Mareca penelope</i>	2	31	59	28	3	2	38	14	37	15	18	19	4	2	25	21
<i>Mareca americana</i>								1			0	0	0	0	0	0
<i>Mareca strepera</i>		14	59	12	39	8	11	20	28	35	15	7	10	24	25	20
<i>Anas crecca</i>		120	100	187	102	222	198	180	193	268	366	296	107	140	102	212
<i>Anas crecca carolinensis</i>			1	1	1					1	0	0	0	0	1	0
<i>Anas platyrhynchos</i>	346	372	354	151	184	75	257	244	240	266	469	439	257	308	281	216
<i>Anas acuta</i>			2		7					2	3	1	0	0	2	0
<i>Spatula clypeata</i>							10				8	2	1	1	0	2
<i>Rallus aquaticus</i>		1				1				1	0	1	0	0	0	0
<i>Haematopus ostralegus</i>	34	28	41	38	25	53	40	126	88	35	32	35	41	65	33	68
<i>Charadrius hiaticula</i>	33	83	50	37	120	86	99	8	63	53	50	25	29	76	65	62
<i>Anarhynchus alexandrinus</i>		77	1	16		19	10		23		20	21	5	16	19	10
<i>Pluvialis squatarola</i>	30	48	36	27	31	49	33	40	37	26	93	71	20	43	34	37
<i>Vanellus vanellus</i>		6									65	44	40	12	1	0
<i>Calidris canutus</i>		1	2	1					1		3	0	0	1	1	0
<i>Calidris alba</i>	41	205	117	210	233	187	53	63	275	205	63	74	40	117	161	157
<i>Calidris maritima</i>	2	1	1	3	1	6	1		6		1	1	7	4	2	3
<i>Calidris alpina</i>	140	116	164	65	71	155	85	97	128	156	202	112	52	82	111	124
<i>Gallinago gallinago</i>						7					3	1	1	0	0	1
<i>Limosa limosa</i>					2						1	0	0	0	0	0
<i>Limosa lapponica</i>		2			1		4	2	3	1	6	4	2	10	1	2
<i>Numenius phaeopus</i>	4	11	6	5	7	7	8	8	18	10	2	2	2	4	7	10
<i>Numenius arquata</i>	17	25	33	33	26	33	52	11	16	16	30	23	39	23	27	26
<i>Tringa totanus</i>	2										0	0	0	1	0	0
<i>Tringa nebularia</i>	21	25	20	20	48	41	22	18	16	11	9	11	9	16	27	22
<i>Actitis hypoleucos</i>	7	11	7	10	13	2	9	8	15	7	9	11	7	7	10	8
<i>Arenaria interpres</i>	44	79	89	29	114	66	76	22	58	41	33	73	32	83	71	53
<i>Ichthyaetus melanocephalus</i>	2	129						9			0	0	1	2	26	2
<i>Chroicocephalus ridibundus</i>	113	372	187	71	145	84	214	100	182	66	267	249	155	70	178	129
<i>Larus canus</i>							1	2			0	0	0	0	0	1
<i>Larus fuscus</i>	31	78	37	40	32	1	34	27	42	4	127	119	7	71	44	22
<i>Larus michahellis</i>	1404	1111	1358	514	589	362	415	531	559	301	1712	2100	853	1423	995	434
<i>Larus fuscus/michahellis</i>							59				0	0	3	8	0	12
<i>Larus marinus</i>	1	4	8	4	2	4	3	2		3	4	4	2	4	4	2
<i>Thalasseus sandvicensis</i>	16	3	14	1	5		4	21	6	11	2	9	5	10	8	8
<i>Pandion haliaetus</i>	1	1		2	2	1	2	2	1	2	0	0	0	1	1	2
<i>Circus aeruginosus</i>	2	2		2	2		1	2			0	1	0	0	2	1
<i>Asio flammeus</i>						1					0	1	0	0	0	0
<i>Alcedo atthis</i>	2	2		1				1	1	1	0	1	0	0	1	1
TOTAL ESPECIES	29	36	31	32	32	29	34	32	30	33	34	35	29	31	32	32
TOTAL CENSO	2439	3248	2940	1699	2045	1641	1947	1686	2199	1720	2502	2327	1963	2847	2474	1839

GÁNDARAS DE BUDIÑO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	2	2	5	5	2	3	2	9	1	6	0		0	0	3	4
<i>Phalacrocorax carbo</i>	1	1	4	2				2	1	4	0		0	0	2	1
<i>Ardea ibis</i>											2		0	0	0	0
<i>Ardea cinerea</i>	9	2	1		2	4	1	6	6	3	4		0	0	3	4
<i>Anas crecca</i>	8	26	2	7	22		4			27	89		11	25	13	6
<i>Anas platyrhynchos</i>	101	160	109	146	157	177	137	242	146	136	60		39	16	135	168
<i>Anas acuta</i>						1					0		0	0	0	0
<i>Spatula clypeata</i>								2			0		0	0	0	0
<i>Aythya collaris</i>		1	2		1						0		0	0	1	0
<i>Aythya fuligula</i>		8		1							0		0	0	2	0
<i>Rallus aquaticus</i>	1		1			2	1	1	1	1	1		0	1	0	1
<i>Gallinula chloropus</i>	2	1	1	5	3	3	9	2	1	5	3		1	2	2	4
<i>Fulica atra</i>	9	8	13	4	8	6	7	6	3	4	1		0	0	8	5
<i>Gallinago gallinago</i>							1	1			1		0	0	0	0
TOTAL ESPECIES	8	9	9	7	7	7	8	9	7	8	5	nc	3	4	8	8
TOTAL CENSO	133	209	138	170	195	196	162	271	159	186	202	nc	87	45	169	195
<i>Larus michahellis</i>										2						

ENCORO DE FRIEIRA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>		3	1		1						3	2	1	1	1	1
<i>Phalacrocorax carbo</i>	23	5		19	20	11	9	8	19		18	10	3	2	2	13
<i>Ardea cinerea</i>	8	2	3	5	5	3	4	4	4	5	12	7	2	6	6	5
<i>Aix galericulata</i>					1	1	1				0	0	0	0	0	0
<i>Anas platyrhynchos</i>	32	23	68	70	67	54	75	18	52	89	41	27	17	54	54	52
<i>Aythya fuligula</i>		1									32	5	1	0	0	0
<i>Chroicocephalus ridibundus</i>								1	5		0	0	0	0	0	0
<i>Larus michahellis</i>	4				5						2	1	0	0	0	2
<i>Alcedo atthis</i>		1		1		2					0	0	0	0	0	0
TOTAL ESPECIES	4	6	3	4	6	5	4	4	4	2	6	5	4	3	3	5
TOTAL CENSO	67	35	72	95	99	71	89	31	80	94	109	54	25	64	64	74

AREIRAS DO AVIA	2016	2017	2018	nc 2019	nc 2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	1		5					2		1	0	0	1	2	1	1
<i>Phalacrocorax carbo</i>						1		2	1		0	1	1	0	0	1
<i>Ardea cinerea</i>		1	3			2	3	1	2		2	3	2	1	1	2
<i>Anas platyrhynchos</i>	22	5	64			29	26		29	1	1	13	45	10	18	17
<i>Gallinula chloropus</i>										3	3	2	3	3	0	1
<i>Alcedo atthis</i>							1				0	0	0	0	0	0
<i>Cinclus cinclus</i>							1				0	0	0	0	0	0
TOTAL ESPECIES	2	2	3	nc	nc	3	4	3	3	3	4	4	5	3	1	3
TOTAL CENSO	23	6	72	nc	nc	32	31	5	32	5	17	22	56	16	20	21

ENCORO DE CASTRELO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>										1	0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	6	21	5	7	8	4	17	11	4	24	18	14	17	8	9	12
<i>Podiceps cristatus</i>	8				7		3	11	2	4	33	44	62	49	3	4
<i>Podiceps nigricollis</i>										2	0	0	0	0	0	0
<i>Phalacrocorax carbo</i>	159	195	257	193	192	159	157	165	137	161	339	255	288	188	199	156
<i>Egretta garzetta</i>								2			0	0	0	0	0	0
<i>Ardea alba</i>							1	1	2	2	0	0	0	0	0	1
<i>Ardea cinerea</i>	26	35	20	11	22	19	14	13	13	20	59	24	31	20	23	16
<i>Cygnus olor</i>										2	0	0	0	0	0	0
<i>Anser anser</i>		1									0	0	0	0	0	0
<i>Branta canadensis</i>		1									0	0	0	0	0	0
<i>Tadorna ferruginea</i>										1	0	0	0	0	0	0
<i>Aix galericulata</i>	1										0	0	0	0	0	0
<i>Mareca penelope</i>							8				0	1	1	0	0	2
<i>Mareca strepera</i>							1				1	1	0	2	0	0
<i>Anas crecca</i>	2	1	2		2						1	1	7	0	1	0
<i>Anas platyrhynchos</i>	391	571	573	279	498	343	270	385	214	292	308	364	678	522	462	301
<i>Aythya ferina</i>	1										6	1	2	0	0	0
<i>Aythya fuligula</i>	28	43	24	8	11	3	2	3			199	72	65	67	23	2
<i>Gallinula chloropus</i>	3	9	6	2			2	5	2	5	8	6	15	6	4	3
<i>Fulica atra</i>	8	6	2								33	5	14	9	3	0
<i>Tringa ochropus</i>	1	2									0	0	0	0	1	0
<i>Actitis hypoleucos</i>	27	22	23	17	5	9	6	15	18	25	7	11	13	20	19	15
<i>Chroicocephalus ridibundus</i>	54	54	52	41	47	53	74	69	61	66	510	90	74	105	50	65
<i>Larus delawarensis</i>				3							0	0	0	0	1	0
<i>Larus fuscus</i>						3				1	73	34	1	4	0	1
<i>Larus michahellis</i>	111	120	101	85	136	72	92	75	57	65	2442	1284	106	271	111	72
<i>Alcedo atthis</i>		3	3	2	6	6	3	3	4	7	1	0	0	2	3	5
<i>Cinclus cinclus</i>		1	2		1						0	0	0	0	1	0
TOTAL ESPECIES	15	16	13	11	12	10	14	13	11	16	15	15	17	16	13	13
TOTAL CENSO	826	1085	1070	648	935	671	650	758	514	678	4042	2210	1377	1276	913	654

POZA DE MASIDE	2016	2017	2018	2019	nc 2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	1										0	0	0	1	0	0
<i>Phalacrocorax carbo</i>	2	1									0	0	0	0	1	0
<i>Ardea cinerea</i>	1	1		1				1			0	0	0	0	1	0
<i>Anas crecca</i>										1	0	0	0	0	0	0
<i>Anas platyrhynchos</i>	10	5	3	7			2	14	11	10	0	0	0	0	6	7
<i>Rallus aquaticus</i>	3		1	1		1	1	2			0	0	0	0	1	1
<i>Gallinula chloropus</i>	3		2	3			1	1			9	5	3	1	2	0
TOTAL ESPECIES	6	3	3	4	nc	1	3	4	1	2	1	1	1	2	4	2
TOTAL CENSO	20	7	6	12	nc	1	4	18	11	11	9	5	3	3	9	9

RÍO BARBAÑA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Phalacrocorax carbo</i>	3		2	3		1					0	0	0	0	2	0
<i>Ardea cinerea</i>	3	1	3	4	1	1	1	1	1	4	0	1	2	2	2	2
<i>Anas platyrhynchos</i>	116	109	186	182	144	146	89	78	74	76	0	92	149	88	147	93
<i>Gallinula chloropus</i>	7	4	4	6	3	6	7	2	2		24	63	46	9	5	3
<i>Tringa ochropus</i>			1								0	0	0	0	0	0
<i>Actitis hypoleucos</i>	3		2	1	1	2	1	3	1	3	1	1	1	1	1	2
<i>Larus michahellis</i>	4		2								0	2	7	0	1	0
<i>Alcedo atthis</i>	1	2		1		2	2	2	1	2	0	1	1	0	1	2
<i>Cinclus cinclus</i>	1		1								0	1	0	0	0	0
TOTAL ESPECIES	8	4	8	6	4	6	5	5	5	4	1	6	6	4	6	5
TOTAL CENSO	138	116	201	197	149	158	100	86	79	85	67	163	207	100	160	102

ENCOROS CASTADÓN E CACHAMUIÑA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Phalacrocorax carbo</i>	2	7	7	19	3	11	2	12	6	6	1	5	2	3	8	7
<i>Ardea cinerea</i>	1	4	3			1	1	5	2	2	0	1	1	1	2	2
<i>Anas crecca</i>			1								0	0	0	0	0	0
<i>Anas platyrhynchos</i>	99	75	73	114	211	283	308	166	104	242	24	28	57	77	114	221
<i>Actitis hypoleucos</i>							1	3	1	1	1	0	0	0	0	1
<i>Alcedo atthis</i>				2			3	1	1	2	0	1	0	0	0	1
<i>Cinclus cinclus</i>							1			2	0	0	0	0	0	1
TOTAL ESPECIES	3	3	4	3	2	3	6	5	5	6	5	4	3	4	3	5
TOTAL CENSO	102	86	84	135	214	295	316	187	114	255	145	40	65	84	124	233

ENCORO DE VELLE	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>		7		7	1	3		1		2	9	8	10	4	3	1
<i>Phalacrocorax carbo</i>	15	19	19	20	3	32	23	30	21	12	12	16	10	19	15	24
<i>Egretta garzetta</i>									2		0	0	0	0	0	0
<i>Ardea cinerea</i>	8	5	4	2	6	3		4	4	5	14	9	7	5	5	3
<i>Cygnus olor</i>			1								0	0	0	0	0	0
<i>Aix galericulata</i>		1		1	2				1		0	0	0	0	1	0
<i>Anas platyrhynchos</i>	36	68	133	60	146	94	28	58	109	98	96	75	115	68	89	77
<i>Aythya ferina</i>		2									4	10	3	1	0	0
<i>Aythya fuligula</i>			3	5	1		1				85	43	10	3	2	0
<i>Actitis hypoleucos</i>								1	1		0	1	1	0	0	0
<i>Larus michahellis</i>						2					38	8	1	0	0	0
<i>Alcedo atthis</i>								1	1		0	0	0	0	0	0
TOTAL ESPECIES	3	6	5	6	6	5	3	6	7	4	8	9	7	6	5	5
TOTAL CENSO	59	102	160	95	159	134	52	95	139	117	265	172	158	102	115	107

RÍO ARNOIA	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Phalacrocorax carbo</i>					1						0
<i>Ardea cinerea</i>	4	3	2	1	1						2
<i>Ciconia ciconia</i>	1	2	2	2							1
<i>Anas platyrhynchos</i>	29	49	19	15	11						25
<i>Gallinula chloropus</i>	1										0
<i>Alcedo atthis</i>	2	1	3	1	1						2
<i>Cinclus cinclus</i>	6	7	6	7	3						6
TOTAL ESPECIES	6	5	5	5	5	nc	nc	nc	nc	nc	5
TOTAL CENSO	43	62	32	26	17	nc	nc	nc	nc	nc	36



VAL DE MACEDA	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	2021	nc 2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>						10			8	5						5
<i>Phalacrocorax carbo</i>						5			5	1						2
<i>Ardea ibis</i>						2										0
<i>Ardea cinerea</i>						20		1	2	8						6
<i>Ciconia ciconia</i>						25			17	23						13
<i>Anas crecca</i>									21	55						15
<i>Anas platyrhynchos</i>						13		17	13	36						16
<i>Gallinula chloropus</i>						3			3	5						2
<i>Lymnocyptes minimus</i>										1						0
<i>Gallinago gallinago</i>						3										1
<i>Tringa ochropus</i>						1			4	2						1
<i>Actitis hypoleucos</i>						2										0
TOTAL ESPECIES	nc	nc	nc	nc	nc	10	nc	3	8	9	nc	nc	nc	nc	nc	6
TOTAL CENSO	nc	nc	nc	nc	nc	84	nc	19	73	136	nc	nc	nc	nc	nc	62

TERRA CHÁ	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	15	6	4	1	9	6	4	3	11	23	6	12	13	15	7	9
<i>Podiceps nigricollis</i>			4								0	0	0	0	1	0
<i>Phalacrocorax carbo</i>	211	63	93	45	79	59	39	48	34	45	1	78	80	52	98	45
<i>Egretta garzetta</i>		3					1				0	2	0	0	1	0
<i>Ardea ibis</i>							5		3		0	0	0	0	0	2
<i>Ardea alba</i>							1		1	2	0	0	0	0	0	1
<i>Ardea cinerea</i>	3	7	9	10	17	13	16	25	8		0	2	0	0	1	0
<i>Ciconia ciconia</i>	2	6	37	33	9		15	27	24		2	2	2	6	18	15
<i>Cygnus olor</i>		1								1	0	0	0	0	0	0
<i>Anser anser</i>				1	3		7				0	0	0	0	1	1
<i>Aix galericulata</i>		1			1						0	0	1	0	0	0
<i>Mareca penelope</i>		1	2	5	8				4	2	9	9	7	8	3	1
<i>Mareca strepera</i>	6	3	4	5	12	1	3	2	4	3	3	7	10	26	6	3
<i>Anas crecca</i>	122	79	67	211	77	365	342	688	419	455	361	203	179	305	111	454
<i>Anas crecca carolinensis</i>						1				1	0	0	0	0	0	0
<i>Anas platyrhynchos</i>	522	231	466	511	375	799	675	221	614	622	402	285	227	320	421	586
<i>Anas acuta</i>					1		2	2	4		5	1	0	0	0	2
<i>Spatula clypeata</i>	61	14	54	24	46	46	66	92	93	142	71	70	86	86	40	88
<i>Aythya ferina</i>		5				4				2	3	6	3	2	1	1
<i>Aythya collaris</i>										2	0	0	0	0	0	0
<i>Aythya fuligula</i>	12	8	19	6	19	10	18	4	20	2	4	15	14	27	13	11
<i>Aythya marila</i>		1									0	0	0	0	0	0
<i>Rallus aquaticus</i>		2				3				2	0	0	0	1	0	1
<i>Gallinula chloropus</i>		4	2			1	1			3	2	9	5	1	1	1
<i>Fulica atra</i>	2	2	8	2	6	8	10		11	6	35	38	36	22	4	7
<i>Pluvialis apricaria</i>		40		20		272			24		202	0	200	1	12	59
<i>Vanellus vanellus</i>		15		2	15			22	3		865	32	1274	20	6	5
<i>Lymnocyptes minimus</i>				4							0	0	0	0	1	0
<i>Gallinago gallinago</i>		2	6		33	6		2	33	3	11	5	1	1	8	9
<i>Tringa ochropus</i>				1							0	0	0	0	0	0
<i>Circus aeruginosus</i>	1	1	1	2	1				1	1	0	0	0	0	1	0
<i>Alcedo atthis</i>		1				1					0	0	0	0	0	0
<i>Emberiza schoeniclus</i>						1					0	0	0	0	0	0
TOTAL ESPECIES	11	23	15	17	17	17	16	12	18	18	14	14	17	13	17	16
TOTAL CENSO	957	496	776	883	711	1596	1205	1136	1311	1317	1991	779	2152	896	765	1313

CUNCA DO SIL	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>					1						0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	80	120	70	81	61	57	42	29	32	39	25	46	62	75	82	40
<i>Podiceps cristatus</i>	107	68	97	122	116	103	78	53	93	46	124	123	108	88	102	75
<i>Podiceps nigricollis</i>									1		0	0	0	0	0	0
<i>Phalacrocorax carbo</i>	273	304	246	191	221	259	256	199	176	253	86	308	186	247	247	229
<i>Egretta garzetta</i>			1								0	0	0	0	0	0
<i>Ardea alba</i>	1	3	1	1	1	1	2	1		1	0	0	0	1	1	1
<i>Ardea cinerea</i>	30	32	22	40	18	28	26	35	20	31	35	37	38	28	28	28
<i>Ciconia ciconia</i>	8	9	4	6	26	5	23	13	6	7	3	10	7	5	11	11
<i>Anser anser</i>				1							0	0	0	0	0	0
<i>Aix galericulata</i>				1						1	0	0	0	1	0	0
<i>Mareca penelope</i>								2			0	0	0	0	0	0
<i>Anas crecca</i>		79	7	127		20	13	9	6	22	39	67	33	40	43	14
<i>Anas platyrhynchos</i>	338	553	448	408	229	435	393	308	264	538	332	301	401	424	395	388
<i>Spatula clypeata</i>							3				0	0	0	0	0	1
<i>Aythya fuligula</i>							1				0	0	0	0	0	0
<i>Rallus aquaticus</i>							1	2	2		0	0	0	0	0	1
<i>Gallinula chloropus</i>	17	28	8	34	4	15	11	7	6	4	4	11	11	7	18	9
<i>Fulica atra</i>				3		1		1		1	50	16	5	0	1	1
<i>Gallinago gallinago</i>		7	5	1						17	2	2	1	5	3	3
<i>Actitis hypoleucos</i>	2	1	2	1	1			2	4	2	1	4	1	2	1	2
<i>Larus michahellis</i>					1						0	0	0	0	0	0
<i>Rissa tridactyla</i>								2			0	0	0	0	0	0
<i>Circus aeruginosus</i>							1				0	0	0	0	0	0
<i>Alcedo atthis</i>	2	6	2	1		1		1	2	1	0	1	1	1	2	1
<i>Cinclus cinclus</i>	4	16	10	6	4	6	10	6		2	1	4	9	5	8	5
TOTAL ESPECIES	9	11	12	14	11	10	13	14	11	13	11	11	11	11	11	12
TOTAL CENSO	856	1204	911	1017	679	924	850	663	610	962	708	927	854	922	933	802



Cuncas do Sil, Limia e Tâmega. Ornitólogos participantes. Ornithologists list.					
	2016	2017	2018	2019	2020
Edrada	AVG-CNP	AVG-CNP	AVG-CNP	AFL-CDP-CNP-NBV	AFL-ANS-CDP-CNP-NBV-PDF
Mao	AVG-CNP	AVG-CNP	AVG-CNP	AFL-CDP-CNP-NBV	AFL-ANS-CDP-CNP-NBV-PDF
Chandrexa	AVG-CNP	AVG-CNP	AVG-CNP	AFL-CDP-CNP-NBV	AFL-ANS-CDP-CNP-NBV-PDF
Cenza	IAB-MFH	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH
Bao	IAB-MFH	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH
Prada	IAB-MFH	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH
S. Martiño	IAB-MFH-SAB	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH
Santiago	IAB-MFH-SAB	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH
Pumares	IAB-MFH-SAB	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH
Penarrubia	IAB-MFH-SAB	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH
Salas	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV	FFP-JMY-VPB-YTV
As Conchas	JMP-YTV	JMP-YTV	JMP-YTV	JMP-YTV	FFP-JMY-VPB-YTV
Lindoso	non censado	non censado	non censado	non censado	non censado
A Limia	ACV-AVG-CNP-IAB-JMP-MFH-SAB-SGP-YTV	AFL-AVG-CNP-IAB-JMP-LIF-MFH-SAB-SGP-TGG-YTV	ACV-AFL-CNP-IAB-MFH-PDF-SAB-SGP-TGG	AFL-ANP-ANS-CNP-DRV-IAB-JMP-MFH-NBV-PDF-SGP-TGG-YTV	ACV-ANS-CDP-CMF-CNP-IAB-IMT-MFH-NBV-PDF-PFG-SAB-SGP-TGG
Río Tâmega	non censado	non censado	non censado	non censado	XRR
	2021	2022	2023	2024	2025
Edrada	AFL-ANP-ANS-CDP-CNP-NBV	AFL-ANP-ANS-CDP-CNP	AFL-ANP-CDP-CNP	ANP-ANS-CSV-CDP-SIR-RFL	ANS-CDP-CNP-JGH-RFL
Mao	AFL-ANP-ANS-CDP-CNP-NBV	AFL-ANP-ANS-CDP-CNP	AFL-ANP-CDP-CNP	ANP-ANS-CSV-CDP-SIR-RFL	ANS-CDP-CNP-JGH-RFL
Chandrexa	AFL-ANP-ANS-CDP-CNP-NBV	AFL-ANP-ANS-CDP-CNP	AFL-ANP-CDP-CNP	ANP-ANS-CSV-CDP-SIR-RFL	ANS-CDP-CNP-JGH-RFL
Cenza	IAB-MFH	IAB-MFH	IAB-MFH	IAB-MFH-CDG-JGF	IAB-MDB-MFH-TCD
Bao	IAB-MFH	IAB-MFH	IAB-MFH	IAB-MFH-CDG-JGF	IAB-MDB-MFH-TCD
Prada	IAB-MFH	IAB-MFH	IAB-MFH	IAB-MFH-CDG-JGF	IAB-MDB-MFH-TCD
S. Martiño	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH	DBD-IAB-MFH
Santiago	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH	DBD-IAB-MFH
Pumares	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH	DBD-IAB-MFH
Penarrubia	IAB-MFH-SAB	IAB-MFH	IAB-MFH	IAB-MFH	DBD-IAB-MFH
Salas	JMP-YTV	JMY-YTV	JMY-YTV	JMP-YTV	JMY-YTV
As Conchas	JMP-YTV	JMY-YTV	JMY-YTV	JMP-YTV	JMY-YTV
Lindoso	non censado	non censado	CDP-CNP	CDP-VPB-RFL	CDP-MDC-SDP
A Limia	CDP-CNP-EBR-IAB-MFH-MYF-PDF-SAB-SGP-TGG-VPB	AFL-CDP-CNP-DBD-DRV-EBR-IAB-MFH-SAB-SGP-TBC-TGG-VPB	AFL-CDP-CNP-DBD-DRV-EBR-IAB-MFH-MIS-MYF-RFL-SAB-SFI-SGP-SIR-TBC-TGG-VPB	CNP-CDP-IAB-SAB-MFH-VPB-SGP-DBD-TGG-DRV-AFL-TBC-SFI-SIR-RFL-JGH-MYF	AFL-CPD-CNP-DBD-DRV-EBR-IAB-MFH-MIS-MYF-RFL-SAB-SFI-SGP-SIR-TGG-VPB
Río Tâmega	XRR	non censado	non censado	IAB-MFH-SAB-ACVi	IAB-MFH-SAB

ACM-Alfredo J. Conde Mariñas. ACV-Alejandra Couto Vázquez. ACVi-Asunción Casado Vivas. AFL-Antonio Ferreirós Lama. AFD-Álvaro Ferreiro Deaño. AGC-Álvaro Gaspar Calle. ANP-Alberto Nieto Pérez. ANS-Alberto Nieto Sierra. ARF-Adriana Rodríguez Ferraro. AVG-Antonio Villarinio Gómez. CDG-Cristina Domínguez González. CDP-Carlos Díaz Pérez. CMF-Cristina Margusino Framiñán. CNP-Celso Nieto Pérez. CSV-Carmen Sierra Vázquez. DBD-David Boso DaFonte. DRV-Diego Rodríguez Vicites. EBR-Encarna Balseiro Rodríguez. EFP-Esther Fernández Pérez. FRG-Francisco A. Ribas García. FSV-Francisco M. Sandoval Verca. IAB-Isabel Álvarez Balvis. IMT-Iñaki Martínez Terrados. JGF-Juan E. Gómez Fontañá. JGH-F. Javier García de las Heras. JMP-José M. Pérez Pérez. JCS-Juan C. Salvador Rodríguez. LIF-Laura Iglesias Fernández. LLL-Lucas Lamelas López. MBV-M. Jesús Báez Vázquez. MCP-Manuel Cid Pérez. MDB-María Díaz Bernárdez. MDC-Martín Díaz Carrera. MFH-Marcos M. Freán Hernández. MFS-Mar Fernández Souto. MYF-Miguel Yebra Ferro. NBV-Nancy Blanco Vesenjar. PDF-Pedro S. Díaz Fernández. PFG-Pilar Fernández González. RFL-Rafael Fernández Lorenzo. SAB-Socorro Álvarez Balvis. SDL-Sabela Domínguez López. SFI-Sula Ferreirós Iglesias. SDP-Sergio Díaz Pérez. SGP-Serafin González Prieto. SIR-Sonia Iglesias Rodríguez. TBC-Teresa G. Brandao Coelho. TCD-Tomás Cumbraos Díaz. TGG-Tomás García García. VPB-Victor J. Pérez Baltar. XRR-Xosé R. Reigada Prado. YTV-Yolanda Taboada Varela.

ENCORO DA EDRADA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>									1		0	0	0	0	0	0
<i>Phalacrocorax carbo</i>	2	27	3	8	3	4	2		6	2	0	2	6	8	9	3
<i>Ardea cinerea</i>	1	1	3	5	1	1		1	1	3	4	3	2	1	2	1
<i>Anas crecca</i>		60	2	98		11				20	38	47	31	28	32	6
<i>Anas platyrhynchos</i>	16	46	77	41	8	47	1	34	13	120	75	35	55	30	38	43
<i>Larus michahellis</i>					1						0	0	0	0	0	0
TOTAL ESPECIES	3	4	4	4	4	4	2	2	4	4	4	4	4	4	4	3
TOTAL CENSO	19	134	85	152	13	63	3	35	21	145	120	89	96	67	81	53

ENCORO DO MAO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Phalacrocorax carbo</i>	3	12	5	3	5	15	10	3	4	6	0	1	2	5	6	8
<i>Ardea cinerea</i>	3	2	2	1	2	2	1	2	2	1	2	1	2	2	2	2
<i>Anas crecca</i>			2								0	15	0	10	0	0
<i>Anas platyrhynchos</i>	33	53	63	42	38	4	38	3	14	9	14	17	16	27	46	14
<i>Gallinula chloropus</i>								2			0	0	0	0	0	0
<i>Gallinago gallinago</i>		1	5	1						17	2	2	1	5	1	3
TOTAL ESPECIES	3	4	5	4	3	3	3	4	3	4	3	5	3	4	4	3
TOTAL CENSO	39	68	77	47	45	21	49	10	20	33	19	40	21	49	55	27

ENCORO DE CHANDREXA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Podiceps cristatus</i>	23	28	20	19	15	15	13	8	21	8	10	9	8	10	21	13
<i>Ardea cinerea</i>				1						1	1	0	0	0	0	0
<i>Anas platyrhynchos</i>			8	7		16		15			6	9	4	3	3	6
TOTAL ESPECIES	1	1	2	3	1	2	1	2	1	2	3	2	2	2	2	2
TOTAL CENSO	23	28	28	27	15	31	13	23	21	9	17	18	12	14	24	19

ENCORO DO CENZA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Podiceps cristatus</i>			1		1			2			0	0	0	0	0	0
<i>Phalacrocorax carbo</i>		1		2	2					1	0	0	1	1	1	0
<i>Ardea cinerea</i>	1	1						1		1	0	1	1	0	0	0
<i>Anas crecca</i>							2				0	0	0	0	0	0
<i>Anas platyrhynchos</i>	6	3		8			21	27	22		10	7	4	8	3	14
<i>Aythya fuligula</i>							1				0	0	0	0	0	0
<i>Cinclus cinclus</i>		1			2			1			0	0	1	0	1	0
TOTAL ESPECIES	2	4	1	2	3	0	3	4	1	2	1	1	1	1	1	2
TOTAL CENSO	7	6	1	10	5	0	24	31	22	2	10	8	7	10	6	16

ENCORO DO BAO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>			1				1			3	0	0	0	0	0	1
<i>Podiceps cristatus</i>	6	1	1	2	3		1	4	2	6	9	8	6	4	3	3
<i>Phalacrocorax carbo</i>	4	12	7	5	6	1	5	5	5	7	3	10	16	13	6	5
<i>Ardea cinerea</i>	2		1	1		1		5	3	5	2	4	1	1	1	3
<i>Ciconia ciconia</i>			1			1					1	1	1	1	0	0
<i>Aix galericulata</i>										1	0	0	0	0	0	0
<i>Mareca penelope</i>								1			0	0	0	0	0	0
<i>Anas platyrhynchos</i>	62	44	69	65	24	36	32	46	44	57	56	63	75	76	48	43
<i>Scolopax rusticola</i>										1	0	0	0	0	0	0
<i>Actitis hypoleucos</i>					1			1	4	1	0	1	0	1	0	1
<i>Cinclus cinclus</i>		3	4					2			1	1	2	1	1	0
TOTAL ESPECIES	4	4	7	4	4	4	4	7	5	8	5	5	6	6	6	7
TOTAL CENSO	74	60	84	73	34	39	39	64	58	81	72	97	120	96	65	56

ENCORO DE PRADA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	14	16	19	17	14	10	3	4	2		6	9	16	10	16	4
<i>Podiceps cristatus</i>	39	32	45	81	54	54	28	7	30	1	45	69	60	50	50	24
<i>Podiceps nigricollis</i>									1		0	0	0	0	0	0
<i>Phalacrocorax carbo</i>	3	9	6	4	2	2	5	8	5	9	0	2	5	6	5	6
<i>Ardea cinerea</i>	3	2	1	6		6	4	1	3		3	4	4	4	2	3
<i>Aix galericulata</i>				1							0	0	0	1	0	0
<i>Mareca penelope</i>								1			0	0	0	0	0	0
<i>Anas crecca</i>		7	3	25		6	11	9	6	2	1	5	2	2	7	7
<i>Anas platyrhynchos</i>	138	201	83	129		138	66	105	56	179	44	58	113	128	110	109
<i>Fulica atra</i>		1									0	0	0	0	0	0
<i>Actitis hypoleucos</i>	1	1		1						1	1	2	1	1	1	0
<i>Alcedo atthis</i>		1									0	0	0	0	0	0
<i>Cinclus cinclus</i>	1	8	1	3		3	6	3		1	0	3	3	2	3	3
TOTAL ESPECIES	7	10	7	9	3	7	7	8	7	6	7	8	8	8	8	8
TOTAL CENSO	199	278	158	267	70	219	123	138	103	193	107	159	204	203	194	155

ENCORO DE SAN MARTIÑO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Gavia immer</i>					1						0	0	0	0	0	0
<i>Tachybaptus ruficollis</i>	20	31	9	7	14	6	6	2	2	10	8	13	9	13	16	5
<i>Podiceps cristatus</i>	29	3	17	9	30	25	19	19	26	20	39	14	12	13	18	22
<i>Phalacrocorax carbo</i>	173	134	143	75	86	76	109	120	91	103	72	268	136	70	122	100
<i>Egretta garzetta</i>			1								0	0	0	0	0	0
<i>Ardea alba</i>	1	3	1	1	1		1	1		1	0	0	0	1	1	1
<i>Ardea cinerea</i>	6	9	5	9	2	2	3	6	3		16	9	6	6	6	3
<i>Ciconia ciconia</i>	3	5	2	2	10	2	8	2	2	2	1	4	2	1	4	3
<i>Anser anser</i>				1							0	0	0	0	0	0
<i>Anas crecca</i>				4		3					0	0	0	0	1	1
<i>Anas platyrhynchos</i>	7	50	46	49	19	54	52	34	17	32	49	38	25	22	34	38
<i>Spatula clypeata</i>							3				0	0	0	0	0	1
<i>Rallus aquaticus</i>							1	2	2		0	0	0	0	0	1
<i>Gallinula chloropus</i>	1	6		12		2	2	4	5		2	1	1	0	4	3
<i>Fulica atra</i>				2		1				1	41	11	5	0	0	0
<i>Gallinago gallinago</i>		6									0	0	0	0	1	0
<i>Actitis hypoleucos</i>	1		1								0	0	0	0	0	0
<i>Rissa tridactyla</i>								2			0	0	0	0	0	0
<i>Circus aeruginosus</i>							1				0	0	0	0	0	0
<i>Cinclus cinclus</i>			1	2							0	0	0	0	1	0
TOTAL ESPECIES	9	9	10	12	8	9	11	10	8	7	10	10	10	10	9	9
TOTAL CENSO	241	247	226	173	163	171	205	192	148	169	238	360	198	125	210	177

ENCORO DE SANTIAGO	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015
<i>Tachybaptus ruficollis</i>	4	1		11	4	3					3	9	9	8
<i>Podiceps cristatus</i>							2				2	4	1	0
<i>Phalacrocorax carbo</i>					[8]	[21]	[43]		[26]	[25]	2	6	7	51
<i>Ardea cinerea</i>	10	7	4	5	9	4	8	10	2	12	3	4	5	3
<i>Ciconia ciconia</i>	5	4	1	4	16	2	15	11	4	5	0	2	4	3
<i>Anas platyrhynchos</i>	15	33	24	32	13	18	16	4	52	44	14	22	26	27
<i>Gallinula chloropus</i>	9	12		8	1	6	3	1			1	7	6	4
<i>Fulica atra</i>								1			1	3	0	0
<i>Actitis hypoleucos</i>								1			0	0	0	0
<i>Alcedo atthis</i>	1		1								0	0	0	0
<i>Cinclus cinclus</i>							1				0	0	0	0
TOTAL ESPECIES	6	5	4	5	5	5	6	6	3	3	6	6	6	6
TOTAL CENSO	44	57	30	60	43	33	45	28	58	61	29	56	57	95

ENCORO DE PUMARES	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	22	51	34	37	18	21	26	18	20	19	5	9	15	33	32	21
<i>Podiceps cristatus</i>	3	1	3	3	4	2	4	3	4	2	13	11	12	4	3	3
<i>Phalacrocorax carbo</i>				[29]	[50]	[38]	32		48	44	2	10	8	6	0	25
<i>Ardea cinerea</i>	1	8	5	9	3	9	6	6	4	7	2	9	11	6	5	6
<i>Anas crecca</i>		12									0	0	0	0	2	0
<i>Anas platyrhynchos</i>	44	92	32	30	4	67	53	17	31	26	21	24	34	43	40	39
<i>Gallinula chloropus</i>	7	10	7	14	3	7	6		1	4	1	3	5	3	8	4
<i>Fulica atra</i>				1							7	0	0	0	0	0
<i>Alcedo atthis</i>	1	5	1	1		1		1	2	1	0	0	0	1	2	1
<i>Cinclus cinclus</i>	1	2	3	1	2	3	3			1	0	1	2	2	2	1
TOTAL ESPECIES	7	8	7	8	6	7	7	5	7	8	138	138	138	138	138	138
TOTAL CENSO	79	181	85	96	34	110	130	45	110	104	57	71	89	98	95	100

ENCORO DE PENARRUBIA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	20	21	7	9	11	17	6	5	7	7	3	4	11	11	14	8
<i>Podiceps cristatus</i>	7	3	10	8	9	7	11	10	10	9	6	7	9	6	7	9
<i>Phalacrocorax carbo</i>	88	109	82	94	117	161	93	63	17	81	7	9	5	87	98	83
<i>Ardea alba</i>						1	1				0	0	0	0	0	0
<i>Ardea cinerea</i>	3	2	1	3	1	3	4	3	2	1	3	3	5	5	2	3
<i>Anas platyrhynchos</i>	17	31	46	5	123	55	114	23	15	71	43	29	50	61	44	56
<i>Gallinula chloropus</i>			1								0	0	0	0	0	0
<i>Actitis hypoleucos</i>			1								0	0	0	0	0	0
<i>Cinclus cinclus</i>	2	2	1								0	0	0	1	1	0
TOTAL ESPECIES	6	6	8	5	5	6	6	5	5	5	5	6	6	6	6	6
TOTAL CENSO	137	168	149	119	261	244	229	104	51	169	73	56	80	171	167	159



CUNCA DO LIMIA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	60	58	52	90	66	42	79	45	43	58	64	57	57	72	65	53
<i>Podiceps cristatus</i>	54	55	80	47	46	22	35	26	17	38	35	30	65	55	56	28
<i>Podiceps nigricollis</i>							1				0	0	0	0	0	0
<i>Phalacrocorax carbo</i>	49	106	103	78	46	61	81	58	57	91	0	42	127	82	76	70
<i>Egretta garzetta</i>	1			2						1	0	0	1	0	1	0
<i>Ardea ibis</i>				1				1			1	0	0	0	0	0
<i>Ardea alba</i>	3	3	1	6	11	8	5	7	8	11	0	0	0	2	5	8
<i>Ardea cinerea</i>	34	47	34	57	64	38	47	39	39	54	27	35	38	49	47	43
<i>Ciconia ciconia</i>	75	54	74	46	82	45	111	102	98	137	10	25	22	43	66	99
<i>Plegadis falcinellus</i>				1							0	0	0	1	0	0
<i>Mareca penelope</i>	15	16		5	5	1			2	4	7	19	14	16	8	1
<i>Mareca strepera</i>	10	19	3	19	3	2	2				3	4	3	15	11	1
<i>Anas crecca</i>	165	215	121	604	272	291	199	194	517	174	396	303	224	551	275	275
<i>Anas platyrhynchos</i>	1358	1380	1994	1350	1015	1076	778	611	1020	796	2328	2850	1559	1482	1419	856
<i>Anas acuta</i>			1		2				18	8	0	1	0	1	1	5
<i>Spatula clypeata</i>	26	41	7	26	11	14	31	80	72	14	9	23	15	26	22	42
<i>Aythya ferina</i>					1				2		10	1	0	0	0	0
<i>Aythya fuligula</i>		1	5	19	1	18	14	6	7	4	3	1	1	1	5	10
<i>Rallus aquaticus</i>	2	12	7	17	6	9	9	4	4	8	1	1	13	12	9	7
<i>Gallinula chloropus</i>	20	41	47	61	24	44	38	24	16	21	103	42	54	60	39	29
<i>Fulica atra</i>			1	1		1			1		4	1	0	1	0	0
<i>Burhinus oedicephalus</i>				6							0	0	0	0	1	0
<i>Pluvialis apricaria</i>	33	107	62	40	6	20	29	505	183	38	132	181	215	81	50	155
<i>Vanellus vanellus</i>	87	75	163	107	126	227	40	780	224	162	441	154	381	731	112	287
<i>Calidris pugnax</i>					79						0	0	0	0	16	0
<i>Gallinago gallinago</i>	16	3	2	10	4	11	9	23	8	5	6	5	29	14	7	11
<i>Scolopax rusticola</i>		1									0	0	0	0	0	0
<i>Limosa limosa</i>						1					0	0	0	0	0	0
<i>Tringa ochropus</i>		1		1	2	2	2	2	1	1	1	2	1	1	1	2
<i>Actitis hypoleucos</i>		1			2		1		10	1	3	1	1	1	1	2
<i>Chroicocephalus ridibundus</i>	2										3	1	2	0	0	0
<i>Larus michahellis</i>								1			0	0	1	0	0	0
<i>Pandion haliaetus</i>		1									0	0	0	0	0	0
<i>Circus aeruginosus</i>			1	2	4	2	2	3	11	2	0	0	0	0	1	4
<i>Alcedo atthis</i>	3	5	7	8	7	4	7	10	3	13	3	6	4	8	6	7
<i>Cinclus cinclus</i>					1						0	0	0	0	0	0
TOTAL ESPECIES	18	21	19	24	23	21	20	19	22	21	17	18	18	20	21	21
TOTAL CENSO	2010	2237	2758	2596	1878	1935	1513	2511	2358	1628	3588	3782	2824	3297	2296	1989

ENCORO DAS CONCHAS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	2		2								3	2	1	4	1	0
<i>Podiceps cristatus</i>	29	32	44	27	19	16	17	5	4	19	27	23	49	40	30	12
<i>Phalacrocorax carbo</i>	8	53	13	27	2	13	8	8	3	11	0	10	26	18	21	9
<i>Ardea alba</i>					1						0	0	0	0	0	0
<i>Ardea cinerea</i>	4	2	1	1	3	1				1	4	4	2	2	2	0
<i>Anas platyrhynchos</i>	6	5	45	82	14	9	11	30	52	71	364	57	54	73	30	35
<i>Tringa ochropus</i>								1			0	0	0	0	0	0
<i>Actitis hypoleucos</i>							1		8		0	1	0	0	0	2
<i>Alcedo atthis</i>					1						0	1	1	1	0	0
TOTAL ESPECIES	5	4	5	4	6	4	4	4	4	4	7	6	6	5	5	4
TOTAL CENSO	49	92	105	137	40	39	37	44	67	102	540	118	134	172	85	58

ENCORO DE SALAS	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	1										3	0	3	0	0	0
<i>Podiceps cristatus</i>	2	9	12	8			7	3	7	9	8	7	15	5	6	5
<i>Phalacrocorax carbo</i>	2	3	6		14	3	5	5	6	5	0	0	1	2	5	5
<i>Ardea cinerea</i>			1			1		1	1	1	7	2	1	2	0	1
<i>Ciconia ciconia</i>									2		0	0	0	0	0	0
<i>Anas crecca</i>	41	10	11	14	103	1	4	151	137	21	84	40	35	81	36	63
<i>Anas platyrhynchos</i>	106	73	15	80	17	22	27	39	43	72	86	102	49	53	58	41
<i>Chroicocephalus ridibundus</i>	1										1	0	0	0	0	0
<i>Alcedo atthis</i>			1								1	0	0	0	0	0
TOTAL ESPECIES	6	4	6	3	3	4	4	5	6	5	8	5	6	4	4	5
TOTAL CENSO	153	95	46	102	134	27	43	199	196	108	195	152	105	142	106	115

A LIMIA	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>	57	58	50	90	66	42	79	45	43	58	57	54	53	68	64	53
<i>Podiceps cristatus</i>	23	14	24	12	27	6	11	18	6	10	0	1	2	9	20	10
<i>Podiceps nigricollis</i>							1				0	0	0	0	0	0
<i>Phalacrocorax carbo</i>	39	50	84	51	30	45	68	45	48	75	0	31	99	62	51	56
<i>Egretta garzetta</i>	1			2						1	0	0	1	0	1	0
<i>Ardea ibis</i>				1				1			1	0	0	0	0	0
<i>Ardea alba</i>	3	3	1	6	10	8	5	7	8	11	0	0	0	2	5	8
<i>Ardea cinerea</i>	30	45	32	56	61	36	47	38	38	52	16	29	34	45	45	42
<i>Ciconia ciconia</i>	75	54	74	46	82	45	111	102	96	137	10	25	22	43	66	98
<i>Plegadis falcinellus</i>				1							0	0	0	1	0	0
<i>Mareca penelope</i>	15	16		5	5	1			2	4	7	19	14	16	8	1
<i>Mareca strepera</i>	10	19	3	19	3	2	2				0	4	3	15	11	1
<i>Anas crecca</i>	124	205	110	590	169	290	195	43	380	153	177	242	188	435	240	212
<i>Anas platyrhynchos</i>	1246	1302	1934	1188	984	1045	740	542	925	653	1878	2692	1455	1357	1331	781
<i>Anas acuta</i>			1		2				18	8	0	1	0	1	1	5
<i>Spatula clypeata</i>	26	41	7	26	11	14	31	80	72	14	7	23	15	26	22	42
<i>Aythya ferina</i>					1				2		10	1	0	0	0	0
<i>Aythya fuligula</i>		1	5	19	1	18	14	6	7	4	3	1	1	1	5	10
<i>Aythya marila</i>	1										0	0	0	0	0	0
<i>Rallus aquaticus</i>	2	12	7	17	6	9	9	4	4	8	1	1	13	12	9	7
<i>Gallinula chloropus</i>	20	41	47	61	24	44	38	24	16	21	103	42	54	60	39	29
<i>Fulica atra</i>			1	1		1			1		3	1	0	1	0	0
<i>Burhinus oedicnemus</i>				6							0	0	0	0	1	0
<i>Pluvialis apricaria</i>	33	107	62	40	6	20	29	505	183	38	132	181	215	81	50	155
<i>Vanellus vanellus</i>	87	75	163	107	126	227	40	780	224	162	439	154	381	731	112	287
<i>Calidris pugnax</i>					79						0	0	0	0	16	0
<i>Gallinago gallinago</i>	16	3	2	10	4	11	9	23	8	5	5	5	29	14	7	11
<i>Scolopax rusticola</i>		1									0	0	0	0	0	0
<i>Limosa limosa</i>						1					0	0	0	0	0	0
<i>Tringa ochropus</i>		1		1	2	2	2	1	1	1	1	2	1	1	1	1
<i>Actitis hypoleucos</i>		1			2				2	1	2	0	0	1	1	1
<i>Chroicocephalus ridibundus</i>	1										1	0	2	0	0	0
<i>Larus michahellis</i>								1			0	0	0	0	0	0
<i>Pandion haliaetus</i>		1									0	0	0	0	0	0
<i>Circus aeruginosus</i>			1	2	4	2	2	3	11	2	0	0	0	0	1	4
<i>Alcedo atthis</i>	3	5	6	8	6	4	7	10	3	13	2	5	3	7	6	7
<i>Cinclus cinclus</i>					1						0	0	0	0	0	0
TOTAL ESPECIES	20	22	20	25	25	22	20	20	23	22	15	17	17	21	22	21
TOTAL CENSO	1812	2055	2614	2365	1712	1873	1440	2278	2098	1431	2856	3518	2588	2990	2112	1824



ENCORO DE LINDOSO	nc 2016	nc 2017	nc 2018	nc 2019	nc 2020	nc 2021	nc 2022	2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Podiceps cristatus</i>								1	1	2						1
<i>Phalacrocorax carbo</i>								9	9	7						5
TOTAL ESPECIES	nc	nc	nc	nc	nc	nc	nc	2	2	2	nc	nc	nc	nc	nc	1
TOTAL CENSO	nc	nc	nc	nc	nc	nc	nc	10	10	9	nc	nc	nc	nc	nc	10

TÁMEGA	nc 2016	nc 2017	nc 2018	nc 2019	2020	2021	nc 2022	nc 2023	2024	2025	1996 2000	2001 2005	2006 2010	2011 2015	2016 2020	2021 2025
<i>Tachybaptus ruficollis</i>					2				2						2	1
<i>Phalacrocorax carbo</i>					12	5			12	15					12	11
<i>Ardea alba</i>					2										2	0
<i>Ardea cinerea</i>					1	7			8	4					1	6
<i>Ciconia ciconia</i>									2	10					0	4
<i>Plegadis falcinellus</i>					1										1	0
<i>Anas crecca</i>						3				6					0	3
<i>Anas platyrhynchos</i>					57	101			59	89					57	83
<i>Rallus aquaticus</i>									1						0	0
<i>Gallinula chloropus</i>					2	2			5	3					2	3
<i>Gallinago gallinago</i>										1					0	0
<i>Alcedo atthis</i>					1					1					1	0
<i>Cinclus cinclus</i>					3	2			1						3	1
TOTAL ESPECIES	nc	nc	nc	nc	9	6	nc	nc	8	8	nc	nc	nc	nc	9	7
TOTAL AVES	nc	nc	nc	nc	81	120	nc	nc	90	129	nc	nc	nc	nc	81	113

Normas de publicación do Boletín BRAÑA

En caso de varios autores, só será mantida correspondencia cun único autor designado polo resto de autores.

Cada traballo deberá acompañar unha declaración sinada onde conste:

- Quen presenta o traballo e título do mesmo.
- Breve resume da investigación cos principais resultados e as implicacións que teñen.
- Que o traballo é orixinal dos autores, non foi publicado anteriormente e non está sendo considerado por outra revista.
- Tódolos autores aprobaron o manuscrito na forma de presentación e están de acordo coa súa presentación na revista.

Contido dos traballos a publicar en BRAÑA

O Boletín BRAÑA ten carácter anual e publica artigos, notas e citas bibliográficas non publicadas anteriormente, salvo os casos expresamente autorizados polo comité editorial e informados polo autor/es. Serán inéditos e tratarán sobre Flora, Fauna, Xea, Antropoloxía e Arqueoloxía galega ou redactada por galegos. Tamén poderán incluírse novas ou avisos de carácter científico.

A publicación ten dous formatos: electrónico e de libre acceso e unha impresión anual en formato papel que recolle a totalidade dos artigos publicados. A publicación electrónica será inmediata a aceptación final do traballo, figurando a data de recepción do traballo, a de aceptación e a da publicación electrónica. Na versión en papel engadirase a data desta.

A publicación será bilingüe: en galega e en inglés. Na versión inglesa, o autor acreditará que o artigo foi revisado por un nativo ou persoa acreditada con nivel mínimo B1.

O documento enviarase exclusivamente en formato electrónico ó seguinte enderezo boletinbranha@sghn.org. Prefírese o arquivo en Formato de Texto Enriquecido (RTF). O texto debe estar realizado en Times, Times New Roman ou Garamond, a duplo espazo, en formato A4, con marxes de 3 cm. Os debuxos, figuras ou gráficos presentaranse cunha resolución mínima de 1200 puntos para as figuras en branco e negro ou de 300 ppp (puntos por pulgada) para as fotografías.

Características dos traballos a publicar en BRAÑA

Artigo: traballo científico de máis de dúas páxinas de revista, articulado en apartados.

Nota: Traballo científico non articulado en apartados. Neste caso non poderán superar as tres páxinas. Máximo dúas ilustracións.

Comentario de Libro: Comentario dun libro aparecido nos doce meses anteriores ó envío do comentario.

As opinións que neles se declaren serán da enteira responsabilidade do(s) autor(es).

Os artigos que leven a descrición dun novo taxón de rango especie deberán mencionar explicitamente a institución científica na que queda depositado alomenos un exemplar da serie tipo, seguindo a Recomendación 16 C do Código Internacional de Nomenclatura Zoolóxica.

A revisión dos traballos realizarase por revisores elixidos polo Comité Editorial que aceptarán ou non. No caso de aceptarse con correccións, o autor/es asumirán estas e presentarán o artigo definitivo.

Os traballos serán publicados por estrito orde de aceptación. Cada persoa disporá anualmente de corenta páxinas en cada número do boletín, salvo ampliación expresa do Comité Editorial. Non computarán as páxinas das citas bibliográficas e novas. Se se é sinante en solitario ou colaboración de máis dun artigo que apareza no mesmo boletín, entre cada dous do mesmo autor figurarán dous doutros autores. En caso de conflito terán preferencia os socios da SGHN.

Normas para os artigos

Os traballos que non cumpran estas normas serán devoltos ós autores.

Cada artigo comporase na orde seguinte:

- 1) Título en galego e inglés, sen emprego continuo de maiúsculas, cos nomes latinos das taxa pertencentes ás categorías de

genera e especie en cursiva e con referencia, no seu caso, a un taxón de nivel familiar e doutro nivel superior e separados por unha vírgula (Ex.: Coleoptera, Tenebrionidae). Amais indicárase un título breve para titular de páxina.

2) Nome do autor ou dos autores co nome propio e un ou dous apelidos completos (recoméndase que unan os dous apelidos mediante un guión). En paragrafo a parte engadíranse os enderezos completos da cada autor.

3) Resume ou Abstract en galego, español e inglés, opcionalmente noutra lingua a maiores elixida polo/s autor/es. Breve e con 12 liñas coma máximo. O resume será breve e condensará as conclusións do traballo; non incluírá puntos e aparte.

4) Palabras clave en galego e inglés, 10 como máximo, ordeadas no seu caso de maior a menor rango, separadas por vírgulas e formando un paragrafo a parte do resume.

5) Texto do artigo. Deberá estruturarse nos apartados de Introducción, Material e Métodos, Resultados, Discusión, Agradecementos, Bibliografía e Apéndices, debendo aterse en último caso ó que o Comité Editorial determine. Os encabezamentos e títulos principais irán xustificádos á marxe e os secundarios centrados.

- Deberán respectarse as normas dos códigos Internacionais de Nomenclatura e a ser posible as súas recomendacións.

- Tódalas taxa das categorías de genera e especie que se mencionen no texto deberán levar, alomenos a primeira vez que se mencionen, o nome do autor en minúsculas e o ano da súa inclusión na literatura biolóxica.

- As abreviaturas gen. n., sp. n., syn. n., combo n., ou similar, deberán empregarse explicitamente para tódalas innovacións taxonómicas. Na descrición dun novo genera, a especie tipo nominal debe ser designada na combinación orixinal e con referencia á descrición orixinal e inmediatamente despois do novo nome.

- No caso de presentar unha lista ou táboa con tódola taxa, será suficiente que nelas figuren os datos anteriores, non sendo necesario que se inclúen estes datos no texto. Os nomes latinos destas taxa irán en cursiva.

- Recoméndase o emprego das coordenadas UTM das localidades de mostraxe.

As citas bibliográficas no texto faranse co apelido do autor en maiúsculas, seguido do ano entre paréntese separado por unha vírgula. Exemplos.

"...como indica GARCÍA (1990)" ou ben HARRY (in MOORE, 1980).

"...vo simpátrico (GARCÍA, 1975)"

Cando os autores sexan máis de dous se utilizará la abreviatura et alii/ et al. (Ej: GARCÍA et al. 1987). De haber máis dunha referencia do mesmo autor e ano distinguíranse mediante una letra minúscula situada inmediatamente detrás do ano (Ex: GARCÍA, 1975a).

- As citas agruparanse por: países (cando sexa necesario), provincias e localidades, indicando as capturas por orde cronolóxica e, se procede, altitude, número, sexo dos exemplares e recolector. As datas escribíranse cos días e anos en números arábigos e os meses en romanos: 5 V-2005

6) Bibliografía, nela incluíranse unicamente as referencias citadas no texto e expresaranse do seguinte xeito:

a) Para un artigo:

BORDERA, S., J. SELFA, & R. JIMÉNEZ, 1987. Contribución al conocimiento del género *Enicospilus* Stephens, 1835 (Hymenoptera: Ichneumonidae). Boletín Asociación española de Entomología, 1.1: 221 233.

O nome da revista citarse completo e en cursiva

b) Para un libro o publicación no periódica:

COBOS, A., 1979. Fauna ibérica de coleópteros Buprestidae. Consejo Superior de Investigaciones Científicas. Madrid. 364 pp., 60 lám.

As teses doctorais deben estar publicadas; as teses inéditas non constitúen publicación e polo tanto debe evitarse o seu emprego como referencia bibliográfica.

c) Para un artigo de libro:

BERGSTROM, J., 1969. Morphology of Fossil Arthropods as a Guide to Phylogenetic Relationships. In GUPTA, A.P. (Ed.): Arthropod Phylogeny: 3 56. Van Nostrand Reinhold Company. New York.

Os títulos dos artigos ou libros que foran escritos na súa orixe en caracteres distintos do alfabeto romano, indicaranse na lingua do subtítulo e no seu caso, de non existiren este, escribíranse na lingua do texto. En calquera caso cítase entre paréntese a lingua orixinal.

7) Apéndices. De existir é recomendable nos traballos biolóxicos, incluír un apéndice coa relación de localidades mencionadas e, no seu caso, as coordenadas UTM.

8) Ilustracións e táboas. Compostas en función do tamaño da caixa ou mancha do texto (aproximadamente 26 x 18 cm). No texto as figuras chamaranse entre parénteses coa abreviatura Fig.

As ilustracións gráficas, mapas, debuxos e fotografías deberán ser orixinais ou libres de dereitos de terceiros e correctamente compostas para a súa reprodución.

10) Pés explicativos de ilustracións e táboas. Irán la lingua do artigo e traducidas ó inglés (ou no seu caso ó galego).

Nas táboas a falla de datos consignarase cun guión, nunca cun 0. Os mapas publicaranse como figuras, no caso de ser necesario para mellor comprensión do texto, recomendase o emprego dos que leven coordenadas UTM. Non se admitirá o sistema sexagesimal.

Normas para as notas

Coma as dos artigos. Comporanse unicamente dos apartados 1, 7 e algunha ilustración de ser preciso, coas referencias bibliográficas a liña seguida e os nomes dos autores co enderezo completo.

Normas para as notas referidas a novidades bioxeográficas

Coma as dos artigos. Comporanse unicamente dos apartados 1, 7 e algunha ilustración de ser preciso, coas referencias bibliográficas a liña seguida e os nomes dos autores co enderezo completo.

Especificamente no texto, coa precisión razoable deberá constar

- Cuadrícula UTM en datum ETRS89.
- Descrición do hábitat e asociación vexetal de ser posible.
- Descrición con datos precisos do hábitus ou morfoloxía.

Normas para as citas bibliográficas Semellantes a dos artigos e compóranse de: Referencia completa do libro a comentar, incluído o ISBN.

Texto del comentario e os nomes dos autores co enderezo completo

11. Táboas. Levarán a súa propia numeración correlativa en cifras romanas, en partes ou arquivos independentes sen paxinar.

Correccións

Despois da aceptación do artigo e realización das modificacións que dera lugar, os autores recibirán unha proba para corrixir posibles erros tipográficos sen que se permitan de estilo. Será devolto no prazo de 15 días a partires da data de recepción. Transcorrido este tempo, o Comité Editorial decidirá entre retrasar a súa publicación o rexeitar o traballo.

Resolución do Comité Editorial

O Comité editorial, en base ó contido, comunicará ó emisor do documento a publicar en que fase queda un documento recibido para publicar

- aceptado para publicación sen ningunha ou poucas modificacións
- aceptado para publicación con cambios maiores dacordo ás observacións dos avaliadores;
- reconsiderado para publicación si se modifica substancialmente;
- rexeitado para publicación

